

# List of Figures

|  |    |
|--|----|
| Figure 1.1 Wider region where investigations related to Kuk have been undertaken                         | 1  |
| Figure 1.2 Upper Wahgi area  | 2  |
| Figure 1.3 Jack Golson and Philip Hughes with workmen from Kuk village                                   | 10 |
| Figure 2.1 The major regions of the Old World involved in the independent development of food production | 30 |
| Figure 2.2 The major regions of the New World involved in the independent development of food production | 31 |
| Figure 4.1 Climatic types in the PNG highlands based on rainfall seasonality                             | 61 |
| Figure 5.1 Distribution of wetland management systems across New Guinea                                  | 66 |
| Figure 5.2 Distribution of wetland management systems in the highlands of PNG                            | 67 |
| Figure 5.3 Distribution of drainage as an agricultural technique across PNG                              | 68 |
| Figure 5.4 Swamps and catchment areas in the Tari region   | 69 |
| Figure 5.5 The Haeapugua Swamp wetland field system  | 70 |
| Figure 5.6 Drain hierarchy at Haeapugua Swamp, Tari region   | 73 |
| Figure 5.7 Drainage system for mixed taro gardens at Kiripia, upper Kaugel Valley                        | 74 |
| Figure 5.8 Aerial photograph of wetland field systems, Haeapugua Swamp, 1978                             | 75 |
| Figure 5.9 Dani terms for components of the field system in the Grand Valley of the Baliem River         | 76 |
| Figure 5.10 Aerial photograph of Dani wetland field systems, Grand Valley, 1987                          | 77 |
| Figure 5.11 Clearing a major channel at Haeapugua Swamp with traditional wooden rakes, 1991              | 78 |
| Figure 5.12 Early lobate field forms and fossil field systems at Haeapugua Swamp, Tari region            | 79 |
| Figure 6.1 The swamplands of the Wahgi Valley before large-scale drainage began in the 1950s             | 88 |
| Figure 6.2 Kuk Research Station and its landscape setting, showing the southern catchment of Kuk Swamp   | 89 |
| Figure 6.3 Looking east down the Wahgi Valley to Kuk from Mt Ambra                                       | 89 |
| Figure 6.4 Landforms of Kuk Swamp  | 90 |
| Figure 6.5 Vertical aerial photograph of Kuk Swamp and its surrounds in 1970                             | 90 |
| Figure 6.6 Oblique aerial photograph of the Kuk Swamp southern catchment, looking NE                     | 91 |
| Figure 6.7 Oblique aerial photograph of the Kuk Swamp southern catchment, looking SSW                    | 91 |

|   |     |
|---|-----|
| Figure 6.8 Looking south from the foot of Ep Ridge along drain E7f/g  | 92  |
| Figure 6.9 Stratigraphic profiles across the eastern half of Kuk Station  | 93  |
| Figure 6.10 Schematic diagram of the main stratigraphic units and some tephras at Kuk Swamp   | 94  |
| Figure 6.11 The relative disposition of major stratigraphic units in the SE part of Kuk Swamp   | 96  |
| Figure 6.12 Oblique aerial photograph of two tephra mounds in block A10   | 96  |
| Figure 6.13 Stratigraphy viewed from the north in drain A10f/g  | 97  |
| Figure 6.14 Schematic map depicting the road and block grid at Kuk Research Station   | 98  |
| Figure 6.T1.1 The alphanumeric code illustrated   | 99  |
| Figure 6.15 Developing the Station drain and road network east of N–S Rd 3  | 100 |
| Figure 6.16 Digging the eastern boundary drain of Kuk Station   | 101 |
| Figure 6.T2.1 From field description to thin section description: linking macro-, meso- and microlevels of stratigraphic analysis     | 103 |
| Figure 6.T3.1 X-ray absorption images of samples from Kuk   | 104 |
| Figure 6.17 The organic/inorganic transition in the swamp stratigraphy in drain D7f/g   | 105 |
| Figure 6.18 Stratigraphy in drain B10c/d, where the grey clay is conspicuous  | 107 |
| Figure 6.19 Drain A11d/e in the area where grey clay is thickest  | 107 |
| Figure 6.20 Drain B10e/f where the black clay above grey clay thickens to fill a Phase 2 cultivation feature in the grey clay surface | 108 |
| Figure 6.21 The place of ‘new grey clay’ in the stratigraphy of drain A10g/h  | 108 |
| Figure 6.22 The stratigraphy in drain A11a/b, showing the garden soil above the black clay and the grey clay underneath               | 108 |
| Figure 6.23 The surface layers on drain A9E, capping garden soil and sealing in a Phase 6 ditch                                       | 111 |
| Figure 7.1 Vesicular glass shard from the eruption of Vulcan, Rabaul, 19 September 1994   | 118 |
| Figure 7.2 The small, beautifully preserved Mt Ambra, 3 km west of the Kuk site   | 118 |
| Figure 7.3 Theoretical distribution of Tibito Tephra  | 125 |
| Figure 7.4 Map of volcanic areas in PNG   | 126 |
| Figure 7.5 Analysis of shards of volcanic glass for tephras at Kuk  | 128 |
| Figure 7.6 Mineralogical composition of some Kuk tephras and various Bismarck arc volcanic samples                                    | 130 |
| Figure 8.1 Location of Time of Darkness legends   | 134 |
| Figure 9.1 Map of New Guinea showing the location of important archaeological and palaeoecological sites                              | 146 |
| Figure 9.T1.1 Model of pollen dispersal mechanisms  | 147 |
| Figure 9.T1.2 Common pollen grains and microscopic charcoal from the highlands of PNG   | 148 |

|   |     |
|---|-----|
| Figure 9.T1.3 Example of a pollen spectrum derived from the Tari Basin  | 149 |
| Figure 9.T2.1 A typical subfossil insect assemblage   | 150 |
| Figure 9.T3.1 Common diatoms in the Kuk Swamp palaeoecological record   | 152 |
| Figure 9.T3.2 Summary of dominant diatoms and the proportion of aerophilous and aquatic taxa in the Kuk Swamp palaeoecological record   | 153 |
| Figure 9.2 Late Pleistocene to late Holocene stratigraphy, radiocarbon ages and summary pollen diagram based on two cores from Kuk Swamp                                      | 155 |
| Figure 9.3 Terminal Pleistocene to late Holocene composite pollen diagram of archaeological and stratigraphic contexts at Kuk Swamp   | 156 |
| Figure 9.4 Palaeoenvironmental reconstruction for the Kuk Swamp basin based on the composite pollen, charcoal and phytolith records   | 157 |
| Figure 10.T1.1 Potential macrofossil preservation in three highlands plants   | 164 |
| Figure 10.T1.2 Herman Mandui of the PNG National Museum demonstrates wet sieving  | 165 |
| Figure 10.T1.3 Transverse section through a burnt 30,000-year-old <i>karuka</i> -type nutshell from Kosipe  | 166 |
| Figure 10.T1.4 Ancient gourd rind fragments and seeds of wax gourd from the Kana site   | 167 |
| Figure 10.T1.5 Electron micrograph of an aroid-like seed from the 10,000-year-old fill of the Phase 1 palaeochannel, Kundil's Baret, at Kuk                                   | 167 |
| Figure 10.T2.1 Composite phytolith diagram for samples at Kuk   | 172 |
| Figure 10.T2.2 Leaf phytoliths from sugarcane and fossil phytoliths found in the fill of the late Phase 2 curvilinear feature 504   | 173 |
| Figure 10.T2.3 Photographs illustrating discrimination of contemporary and prehistoric <i>Musa</i> spp. phytoliths  | 175 |
| Figure 10.T3.1 Use-polish on an ethnographic sago pounder from PNG  | 176 |
| Figure 10.T3.2 Retouched flake collected from beneath the grey clay fill of a basin-like Phase 1 feature (c. 10,000 cal. BP) at Kuk   | 177 |
| Figure 10.T3.3 Grinding stone recovered from the Phase 1 palaeochannel base of channel 101 (Kundil's Baret) dating to about 10,000 cal. BP                                    | 178 |
| Figure 11.1 Plan of the SE corner of Kuk Station showing the location of excavations beneath grey clay, the course of channel 101 (Kundil's Baret) and some isolated features | 188 |
| Figure 11.2 A typical cross-section of channel 101  | 189 |
| Figure 11.3 The bed and east bank of channel 101 after excavation at the north end of block A12d in 1975  | 189 |
| Figure 11.4 X-radiographic image showing the preservation of original sedimentary stratification, or banding, within the basal fill of channel 101                            | 190 |
| Figure 11.5 Base of a 1976 excavation trench in block A12b after the removal of grey clay, revealing Phase 1 features dug into the surface beneath                            | 191 |

|  |     |
|--|-----|
| Figure 11.6 A close-up of the saucer-like feature immediately north of the two easterly stake holes in the line of three across the middle of Figure 11.5b   | 191 |
| Figure 11.7 Composite base plan of the Phase 1 palaeosurface exposed in excavations in block A12b undertaken in 1975–77 and in 1998  | 192 |
| Figure 11.8 A view NE over complex A (of Figure 11.7) after its excavation in 1977   | 193 |
| Figure 11.9 Views of a grey clay-filled feature before and after excavation in 1975 at the northern end of block A12c  | 193 |
| Figure 11.10 A basin-shaped feature buried under grey clay in the west wall of Station drain A12a/b  | 194 |
| Figure 11.11 Taro growing in wet conditions along an in-filled drain at a garden near Mt Ambra   | 195 |
| Figure 11.12 Looking east over part of the Phase 1 palaeosurface excavated in 1976, showing the juxtaposition of various feature types, particularly microtopographic drainage features and stakeholes | 195 |
| Figure 11.13 X-radiographic image showing soil formation at the base of a Phase 1 feature  | 196 |
| Figure 11.14 The rim fragment of a stone mortar found in the grey clay fill of a Phase 1 basin in 1977   | 198 |
| Figure 12.1 The location of sites said to have evidence comparable to Phase 2 at Kuk   | 201 |
| Figure 12.2 The courses of Phase 2 palaeochannels in the eastern part of Kuk Station   | 203 |
| Figure 12.3 Early Phase 2 palaeochannel courses at Kuk from the air  | 204 |
| Figure 12.4 Typical cross-sections of Phase 2 palaeochannels   | 205 |
| Figure 12.5 Looking towards a surface dip that marks channel 105 (Kupalg's Baret) crossing a hillock in block C6   | 206 |
| Figure 12.6 Kupalg's Baret (channel 105) exposed in profile in the north drain of E–W Rd 1   | 206 |
| Figure 12.7 Base plan of two excavation trenches in block A11f showing the 'integrated' type of early Phase 2 palaeosurface  | 207 |
| Figure 12.8 The first trench of the Phase 2 excavations shown in Figure 12.7   | 208 |
| Figure 12.9 A 1976 excavation in block A11h showing an example of the 'discrete' type of early Phase 2 palaeosurface   | 209 |
| Figure 12.10 A shallow pit with stakehole in the NW corner of an excavation in block A12d  | 209 |
| Figure 12.11 Basin-like depression in the top of grey clay in the wall of drain A11d/e   | 210 |
| Figure 12.12 Stakes propping up banana plants  | 211 |
| Figure 12.13 William Thomas on a tree ladder attending to the wrapping of bananas in his garden near Mt Ambra  | 211 |
| Figure 12.14 Plan of the sinuous curvilinear feature 504 of late Phase 2 age in block A12b   | 214 |
| Figure 12.15 Looking SW along the line of sinuous curvilinear feature 504  | 214 |

|  |     |
|--|-----|
| Figure 12.16 Aerial view of Warrawau Tea Estate in the upper Wahgi Valley  | 215 |
| Figure 12.17 Plan of the 1966 and 1977 excavations at the Manton site on Warrawau Tea Estate   | 216 |
| Figure 12.18 Emptying Trench M at the Manton site  | 216 |
| Figure 12.19 Records from the 1977 excavations at Mugumamp Ridge in the North Wahgi Swamp  | 217 |
| Figure 12.20 The mid Holocene palaeosurface exposed in Trench II at Mugumamp   | 218 |
| Figure 12.21 Looking NE to the Bismarck Range across Yeni Swamp at the Ruti Flats in the lower Jimi Valley   | 219 |
| Figure 12.22 Archaeological records of the excavations at site MTG at Yeni Swamp   | 219 |
| Figure 12.23 Records of excavations in 1994 at drain WD3 at Kana near Minj in the middle Wahgi Valley  | 220 |
| Figure 12.24 Feature 4 at the west end of the north wall of drain WD3 at Kana  | 220 |
| Figure 13.1 The location of archaeological sites with evidence of drainage networks contemporary with Phase 3 at Kuk   | 221 |
| Figure 13.2 Plans showing the nature and extent of early and late Phase 3 networks   | 222 |
| Figure 13.3 Schematic representation of stratigraphic criteria used to group Phase 3 ditches into subphases  | 223 |
| Figure 13.4 Different types of ditch articulation in Phase 3 networks at Kuk   | 224 |
| Figure 13.5 Typical cross-sections of palaeochannels of certain and possible Phase 3 age   | 225 |
| Figure 13.6 Jack Golson recording the profile of channel 107 in drain A11e/f   | 226 |
| Figure 13.7 Plan showing the course of two certain Phase 3 channels (106 and 107) and three possible channels (102, 103 and 108) across Kuk Station                    | 227 |
| Figure 13.8 A typical early Phase 3 ditch  | 229 |
| Figure 13.9 A typical late Phase 3 ditch   | 229 |
| Figure 13.10 Looking along the course of ditch 393 in block A12b   | 229 |
| Figure 13.11 Looking over Draepi Swamp and the Minjigina Tea Estate at an early stage of its development   | 231 |
| Figure 13.12 The Tambul spade  | 232 |
| Figure 13.13 West wall section at the findspot of the small wooden paddle-shaped spade   | 232 |
| Figure 13.14 A small paddle-shaped spade, comparable to the Tambul spade, in use   | 233 |
| Figure 13.15 Base plan and cross-section of the 1992 extension of 1991 excavations at site LOJ, Haepugua Swamp, Tari Basin, SHP  | 235 |
| Figure 14.1 Specimens of <i>Papuana woodlarkiana</i> and a photograph showing damage by <i>Papuana</i> beetles to taro corms harvested at Baisu Corrective Institution | 242 |
| Figure 14.2 Map of Kuk Station showing the major disposal channels of Phase 4  | 248 |
| Figure 14.3 A slot-type field ditch of Phase 4 partly recut on a different line  | 249 |

|   |     |
|---|-----|
| Figure 14.4 Map of the eastern half of Kuk Station showing details of the course of Neringa's Baret and Moni's Baret  | 250 |
| Figure 14.5 Section across Neringa's Baret at the south wall of trench 6 in block B10e  | 252 |
| Figure 14.6 Section across Neringa's Baret in the north drain of E–W Rd 1   | 253 |
| Figure 14.7 Section across a wide channel complex in the east wall of drain D8e/f, showing the outline of Feature 7   | 255 |
| Figure 14.8 Examples of Phase 4 minor field ditches in blocks A10 and A11 in cross-section  | 256 |
| Figure 14.9 Bar charts showing the widths of Phase 4 field ditches  | 258 |
| Figure 14.10 Bar charts showing the maximum depth (D <sub>max</sub> ) and cross-sectional area (CSA) of Phase 4 field ditches   | 259 |
| Figure 14.11 Two views of the same slot ditches exposed beneath Phase 6 houses and cut through by the deep perimeter ditches of these   | 259 |
| Figure 14.12 Evidence for the intersection of Phase 4 field ditches with the Station drains in blocks A10h and A11a, and reconstruction of the layout of these field ditches in the same area       | 261 |
| Figure 14.13 A grid of taro gardens at 2125 m altitude on swampy land by the Kaugel River at Kiripia near Tambul  | 262 |
| Figure 15.1 Cross-section of a composite ditch exposed in drain B10e/f  | 271 |
| Figure 15.2 The framework of Phase 5 drainage at Kuk Swamp, showing the location of the profiles across the major disposal channel, Wai's Baret   | 275 |
| Figure 15.3 Looking SSE over the sinuous channel that developed along the course of Wai's Baret in block A9f after the abandonment of swamp drainage for cultivation at Kuk, perhaps around AD 1900 | 276 |
| Figure 15.4 Baret draining the SE margins of Kuk Swamp and Korowa's Baret   | 277 |
| Figure 15.5 View SSE showing Wai's and Simon's Baret  | 278 |
| Figure 15.6 View from the Kuk southern boundary drain showing the course of Simon's Baret   | 279 |
| Figure 15.7 Five cross-sections through Wai's Baret   | 280 |
| Figure 15.8 Cross-section through the tributary channel, Simon's Baret, in drain A11a/b   | 282 |
| Figure 15.9 Three views showing the shape and size of Phase 5 ditches   | 283 |
| Figure 15.10 A plan of the excavation in Figure 15.9c, showing the right-angled junction of two Phase 5 field ditches, 392 with 390   | 284 |
| Figure 15.11 The depths of a sample of field ditches from late Phase 5 compared to those from the two previous phases, Phase 4 and Phase 3  | 285 |
| Figure 15.12 The widths of a sample of field ditches from late Phase 5 compared to examples from Phase 4 and Phase 3  | 286 |
| Figure 15.13 Ditch networks of early and late Phase 5 and Phase 6 in blocks A10 and A11   | 287 |
| Figure 15.14 The 'typical' ditch in late Phase 3, Phase 4 and Phase 5   | 291 |

|   |     |
|---|-----|
| Figure 16.1 An example of a large Phase 5 field ditch in the east wall of drain A11a/b that was not reused in Phase 6   | 300 |
| Figure 16.2 Looking north over what became in Phase 6 a frontier zone between crop planting and pig pasture   | 303 |
| Figure 16.3 Map of the major drainage channels of Phase 6, which replicate those of Phase 5   | 304 |
| Figure 16.4 A ground view of Simon's Baret looking SSE  | 305 |
| Figure 16.5 Looking north to the slopes of Ep Ridge across the fossilised evidence of Phase 5 ditches and gardens on land that became pig pasture in Phase 6            | 307 |
| Figure 16.6 Cross-section through Korowa's Baret at drain D9g/h   | 309 |
| Figure 16.7 Contrasting examples of Phase 6 field ditches   | 310 |
| Figure 16.8 Phase 6 garden ditches  | 311 |
| Figure 16.9 Hydraulic gradients along three lines of Phase 5 and Phase 6 drainage   | 312 |
| Figure 16.10 Looking north to Ep Ridge from Blong's Nob across the surface indications of Phase 6 ditches and gardens west and east of drain A9c/d                      | 313 |
| Figure 16.11 Mapping Phase 6 ditches in block A9  | 314 |
| Figure 16.12 The Ambrose/Mumford map of Phase 6 ditches plotted in 1972 in block A9, as shown in Figure 16.11   | 315 |
| Figure 16.13 The charred end of a tuber excavated from a hearth in the front part of House B at Kuk   | 317 |
| Figure 16.14 Looking across the North Wahgi Swamp between Ep Ridge and Mugumamp Ridge at fossil ditches and cultivations thought more likely to be Phase 5 than Phase 6 | 320 |
| Figure 16.15 The changing distribution of upper Wahgi population  | 321 |
| Figure 17.1 Looking east over House B at an early stage of excavation   | 326 |
| Figure 17.2 A mounded house site revealed at the swamp surface at the southern end of block B9  | 326 |
| Figure 17.3 The distribution of known house sites of Phases 5 and 6 in the eastern half of Kuk Swamp  | 327 |
| Figure 17.4 Two photographs of a Phase 6 housing area at drain A12c/d   | 328 |
| Figure 17.5 Plan of House B and part of C as revealed by excavation in 1972   | 331 |
| Figure 17.6 Plan of House F and part of E as revealed by excavation in 1972   | 333 |
| Figure 17.7 A men's round house at a ceremonial ground at the foot of Ep Ridge on the north side of Kuk Swamp   | 334 |
| Figure 17.8 Plan of a men's round house as revealed by excavation in 1972   | 335 |
| Figure 17.9 Looking south over the round house of Figure 17.8 after excavation  | 336 |
| Figure 17.10 Early morning view of a family house with rounded ends and central doorway   | 337 |
| Figure 17.11 Women's long house with stalling for pigs  | 338 |
| Figure 17.12 Newly built women's house on low-lying ground at Kuk   | 338 |

|   |     |
|---|-----|
| Figure 17.13 A former women's long house with separate entrances for people and for pigs  | 339 |
| Figure 17.14 A variety of veranda house at Kuk  | 339 |
| Figure 17.15 Plan of Houses P, Q and part of A as reconstructed from Ron Lampert's records of his 1972 and 1973 excavations                       | 343 |
| Figure 17.16 Aerial view just east of north over the completed excavations on Hed Mound   | 344 |
| Figure 17.17 Periods III–VIII of the archaeological sequence on Hed Mound   | 345 |
| Figure 17.18 Hed Mound, showing features assigned to Periods I–V  | 346 |
| Figure 19.1 Ul and El   | 361 |
| Figure 19.2 New Guinea agricultural implements discussed in the text  | 362 |
| Figure 19.3 Long-handled implements with paddle-shaped blades from the upper Wahgi  | 364 |
| Figure 19.4 Long-handled paddle spades in use at an early stage in the preparation of garden beds   | 365 |
| Figure 19.5 Fully formed garden beds made from the spoil produced by the digging of the garden grid   | 366 |
| Figure 19.6 Part of the fence line running parallel to Simon's Baret  | 370 |
| Figure 19.7 Stake fencing on dryland at Kuk   | 371 |
| Figure 19.8 Swamp fencing at South Kuk  | 372 |
| Figure 20.1 Grinding stone (pestle) and large starch ( <i>Dioscorea</i> sp.) grain from the residue extraction                                    | 377 |
| Figure 20.2 Kuk stone artefacts   | 378 |
| Figure 20.3 Kuk stone flake and retouched flake with <i>Colocasia esculenta</i> starch grains from its edge                                       | 378 |
| Figure 20.4 Core implement with <i>Dioscorea</i> starch grains  | 379 |
| Figure 20.5 Lower grinding stone fragment which may be the rim of a shaped bowl and a core implement with usewear polish                          | 379 |
| Figure 20.6 Lower grinding stone with anvil pitting   | 380 |
| Figure 20.7 Two core implements, three flakes with usewear and an upper grinding/pounding/hammerstone   | 381 |
| Figure 20.8 Possible grinding/pounding stone fragment, a core implement, a grinding stone fragment, a flake tool and a possible axe butt fragment | 381 |
| Figure 20.9 A lower grinding/pounding/anvil stone, a grinding stone fragment, a utilised flaked fragment and a core implement                     | 383 |
| Figure 20.10 Two utilised fragments and a core implement  | 384 |
| Figure 20.11 Oven stones, refitted oven stones, a broken upper grinding stone fragment and a club head fragment                                   | 385 |



|   |     |
|---|-----|
| Figure 20.12 A ground and polished axe flake recycled as a wood scraper with starch grains on working edge, an upper grinding stone, a grinding stone fragment and a medial axe fragment                                | 385 |
| Figure 20.13 A flake from an edge-ground axe, a medial axe fragment and a retouched flake   | 386 |
| Figure 20.14 A core implement used for wood scraping, a chert distal flake tool and a core implement  | 387 |
| Figure 20.15 A flake tool with usewear, a flake tool recycled from an edge-ground axe, a flake with flake tool K/77/S42 recycled from an edge-ground axe, a grinding stone fragment and a ground and polished axe flake | 387 |
| Figure 20.16 A core implement, a ground and polished axe fragment, a utilised fragment and a ground and polished adze fragment  | 388 |
| Figure 20.17 A ground edge axe flake recycled as a wood scraper, a utilised fragment and a grinding stone fragment  | 388 |
| Figure 20.18 A ground and polished axe  | 390 |
| Figure 21.1 Quarries with axes represented at Kuk   | 408 |
| Figure 21.2 Numndi and Kandel with Tuman River axes   | 412 |
| Figure 21.3 Hagener with Tuman axe  | 413 |
| Figure 21.4 Hagener with Jimi axe   | 413 |
| Figure 21.5 Manim Valley rockshelters: quarried stone as a percentage by weight of all axe stone  | 416 |
| Figure A21.1 Photomicrograph of tholeiitic basalt   | 417 |
| Figure 22.1 The location of Kuk Station   | 426 |
| Figure 22.2 The Kuk stone, slab, pillar, stele or obelisk as it has been variously called   | 432 |
| Figure A22.1 Quartz crystals similar in form to the individual crystals illustrated by Vicedom  | 434 |
| Figure 23.1 Kuk in 1955, a few years before the start of its recolonisation   | 437 |
| Figure 23.2 Kawelka territory at Kuk after the alienation of the swampland in 1969  | 439 |
| Figure 23.3 Kuk in 1970 after the establishment of the Tea Research Station   | 442 |
| Figure 23.4 South Kuk in 1970 and 1980, showing the expansion in gardening and settlement that had occurred in the intervening 10 years   | 445 |
| Figure 25.T1.1 Ru Kundil one of the ‘fathers’ of the World Heritage nomination process at the community level   | 463 |
| Figure 25.T2.1 Map showing the core area and buffer zone of the Kuk Early Agricultural Site   | 465 |

This text is taken from *Ten Thousand Years of Cultivation at Kuk Swamp in the Highlands of Papua New Guinea*, edited by Jack Golson, Tim Denham, Philip Hughes, Pamela Swadling and John Muke, published 2017 by ANU Press, The Australian National University, Canberra, Australia.