

## Index

An 'f' following a page number indicates a figure; 'i' refers to an image and 'm' to a map.

If a topic is discussed in the text and expressed visually on the same page, only the page is referenced.

### A

- Abitibi Subprovince, Canada, 96, 408
- Aboriginal and Torres Strait Islander people, *see* Indigenous Australians
- Acacia pycnantha* (golden wattle), 19
- Acacia* species, 33, 150
- Acanthaster planci* (Crown-of-thorns starfish), 318–319
- acid sulfate soils, 316–317, 364–366
- acid water, 364–366
- acritarchs, 126, 128
- Adams, Douglas, 202
- Adavale Basin, 207
- Adelaide Basin, 103
- Adelaide: managed aquifer recharge, 369
- aeolian processes, 113, 115, 116, 293
- aerial surveys, 73i
- age of Australian landscape, 256–260
- age of Earth, 85, 86
- age of ocean floor, 174
- aggregate, 43
- agricultural chemicals, 318
- agriculture
- environmental problems, 36–37, 315–318, 354, 530
  - land clearing, 34–35m
  - origins, 168
  - production pressures, 531
  - and salinity, 361–364
  - soil quality, 33, 63
  - sustainable technologies, 254
  - wool industry, 437
- Ainslie Sand, 305
- air breathing adaptations, 132
- airborne electromagnetics, 273
- Alaric 1 gas field, 219
- Albany–Fraser Orogen, 73, 77, 101, 202, 207
- Albany Harbour: petroleum exploration, 207
- Albany: seaport, 282
- Albian
- flora, 142–143
  - inland seas, 196
- algae, 125–126
- algal blooms, 317
- Alice Springs, 350
- Alice Springs Orogeny, 221
- gravity anomalies, 78
  - groundwater resources, 335
  - tectonic processes, 105, 106–107, 184
  - Uluru formation, 68, 257
- Alligator River, 295i
- allotropes, 84
- alluvial sediments, 52i
- alluvium, 253, 255
- Alpine Fault, 49i
- alternative energies, 488
- alumina, 477–478
- top-five product, 435
- alumina refineries, 389, 444i, 479i, 536–537i
- aluminium, 37, 466
- industry expansion, 440
  - production, 469, 477–478
  - top-five product, 435
- Amadeus Basin
- formation of, 70, 102, 103, 234
  - groundwater resources, 335–336
  - Larapintine Seaway, 106
  - oil discoveries, 207
- Amasia, 222
- Ambrosia, 268
- American Smelting and Refining Company, 410
- amniotic egg, 136
- amphibians, 136, 138, 140, 141, 145, 151, 158–159
- 'ancient landscapes', 256
- Andean–Saharan ice age, 131
- Andoom, 467
- Anemone Formation, 214
- Angela–Pamela uranium deposit, 269
- angiosperms, 142–147
- see also* flora
- Angus–Bremer irrigation area, 369
- animals for work, 36
- Anna Creek Station, 18
- anorogenic magmatism, 511
- ANSIR Major National Research Facility for Earth Sounding, 80
- Antarctic Circumpolar Current, 148, 183
- Antarctic ice sheet, 112–113
- Antarctic Oscillation, 27
- Antarctic Plate, 49, 53
- Antarctica: Australia's separation from, 110, 200, 201, 205
- Anthropocene, 116
- anticlines, 106, 214
- Aptian
- flora, 142–143
  - inland seas, 196
  - Koonwarra locality, 145–147
- aquifers, 334m
- definition, 335
  - palaeovalley systems, 110
  - see also* groundwater
- aquitards, 335
- Arafura Basin, 71, 82, 205
- Arafura Sill, 297
- arc processes, 509
- archaea, 123
- Archean
- crust, 81–82
  - crustal elements, 73, 76

- Archean (cont.)  
 fossil record, 123  
 geological processes, 58  
 gravity, 79  
 high heat-producing granites, 501–503, 504, 511–513  
 rocks, 70, 89  
 stromatolites, 22  
 supercratons, 96–97  
 terranes, 94  
 terrestrial organisms, 131
- Archean Craton, 72
- Archer River, 468
- Arckaringa Basin, 457
- Argo Abyssal Plain, 191, 194
- Argo Land, 108, 191, 194
- Argyle, 84
- Argyle diamond pipe, 101
- aridity, 24, 28, 30, 57, 149, 229  
 adaptations to, 140  
 development of, 33, 111, 113, 115, 123, 205  
 Eocene, 230  
 and iron oxides, 231  
 Last Glacial Maximum, 232
- Arrernte people, 338
- artesian baths, 355
- artesian bores, 341–345, 352i, 364i
- arthropods, 130i, 131, 135, 146i  
 extinctions, 168  
 flying insects, 136  
 invasive species, 166, 167i  
 and mineral exploration, 271  
 Permian, 138
- Ashmore Platform, 194
- Ashmore Reef, 25, 292, 300
- asthenosphere, 51, 79
- Astronomia*, 56
- Atherton Tablelands, 255i
- Atlantic Ocean formation, 108
- atmospheric oxygen, 124–125, 135–136
- atomic testing, 217
- AuScope, 80
- Austral Petroleum Supersystem, 178, 179f, 180m, 214
- Australian–Antarctic Discordance, 50m, 58
- Australian Antarctic Territory, 4m, 39, 40t
- Australian Coat of Arms, 19
- Australian Common Earth Model, 78m
- Australian culture, 19–20
- Australian Energy Resource Assessment, 27
- Australian Geological Survey Organisation, 68
- Australian Petroleum Exploration Association, 207
- Australian Plate, 49, 50, 174m  
 boundary geohazards, 38, 53, 83  
 mapping, 60  
 seamounts, 55, 58  
 Timor accretion, 113
- Australian Surveying and Land Information Group, 68
- Australian territory, 4m, 38–43
- australites, 59
- Australo–Antarctic domain, 103
- autunite, 515i
- Avoca Fault, 202, 203m
- Avon River, 247–248
- Ayers Rock, *see* Uluru
- B**
- backarc basins, 99, 203
- backarc processes, 509
- bacteria, 123
- Baicalia burra*, 124i
- Bald Rock, 499i
- Ballarat, 393, 399i
- Balonne River, 256
- banana crops, 319i
- Banda Arc, 50, 205
- banded iron-formations, 33, 95, 100, 125, 461–462, 464–465
- bandicoots, 150
- banggerreng* (tropical season), 27
- Baragwanath Transform, 395
- Baragwanathia longifolia* (clubmoss), 131, 132i
- barite, 22, 93i
- Barracouta 1, 209
- Barracouta anticline, 214
- Barremian, 142, 197
- Barrington Tops National Park, 185i
- Barrow delta, 194, 219, 220
- Barrow Island, 208f, 217  
 oil reserves, 207, 220
- Barrow Sub-basin, 194, 218, 219, 220
- basins, 70–71, 84, 91m, 175
- Bass Basin, 108, 109, 203
- Bass Strait, 58
- bathymetry, 60–61
- bats, 150, 165i
- bauxite, 267, 309, 440, 466–470  
 discoveries, 388, 389  
 production, 443  
 top-five product, 435  
 value adding, 477–478  
 Weipa, 454
- Bay of Fires, 304i
- bays, 294, 295i, 308–309
- Bayswater power station, 488i
- beach ridges, 241–242, 244m, 289
- beaches, 26, 294–295, 301–308, 311  
 Bondi Beach, 9i, 258t, 306i  
 erosion, 325, 326  
 sand grains, 296  
*see also* dunes, coastal
- Beacon Supergroup, 184i
- bearded dragon, 159i
- bedrock, 52i, 57–58
- beef, 168
- Benambran cycle, 104

- Benambran Orogeny, 393, 395–397, 400
- Bendigo, 393
- Bendigo Zone, 395–397, 400
- Benguela Current System, 291
- Beverley North–Pepegoona uranium deposit, 269
- Beverley uranium mine, 268i, 269, 492, 494, 505
- BHP Billiton Ltd, 209, 409
- bibliographies and further reading
- Australia and its people, 44–45
  - Australia's landscape, 274–275
  - bulk commodities, 480–481
  - coasts, 329–331
  - evolution of life, 171
  - geological history, 117–119
  - Gondwana and hydrocarbons, 223–225
  - groundwater, 378–379
  - mineral resources, 428–430
  - summary, 543
  - thermal energy, 524–525
- Big Bank Shoals, 300
- Big Ben, 41, 53
- Bight Basin, 71, 193f, 200, 202, 221–222
- Bigriyi uranium deposit, 269
- bilaterian animals, 128
- bilbies, 150, 164i
- billabongs, 248, 357i
- Bindian Orogeny, 396–397
- Bindibu (Pintupi) people, 338
- biodiversity
- hotspots, 34–35m, 36
  - marine environment, 43, 300, 305, 309
- biogenic structures, 22
- biogeochemistry, 273
- biomarkers, 123
- bioprospecting, 273
- biosphere: affecting river morphology, 248
- biostratigraphy, 85
- Birdrong Sandstone, 217
- birds, 162–163i
- fossil record, 145, 150, 152, 155, 161
  - as water diviners, 359
- Birdsville
- geothermal energy, 374i, 518, 520
  - rainfall, 28
- Bismarck Range, Papua New Guinea, 56i
- Bitter Springs Formation, 102
- black coal, *see* coal
- black-necked storks, 163i
- Black Saturday, 27
- black water, 364–366
- Blackback, 209
- Blair Athol, 108, 458
- Bland Basin, 247
- Blina Shale, 187
- blue-green algae, *see* cyanobacteria
- Blue Lake, 339
- Blue Mountains, 26
- blue topaz, 507, 508i
- Boandik people, 339
- Boddington Cu–Au deposit, 390
- Bolbometopon muricatum* (bumphead parrotfish), 292
- Bonaparte Basin, 205
- delta formations, 188
  - gas reserves, 472
  - glacial deposits, 107
  - oil reserves, 82, 178, 207, 220
- Bondi Beach, 9i, 258t, 306i
- Boolgeeda Iron Formation, 462
- Boonwurrung people, 116
- bore water, 352, 354
- Botany Sands aquifer, 340
- Bottle Bend Lagoon, 365
- bottled water, 354
- Bouguer gravity map, 75
- HMS *Bounty*, 221i
- Bourke, 246, 249i
- Boutakoff, Nicholas, 217
- Bowen Basin
- coal deposits, 108, 457, 458–459
  - coal-seam gas, 373–374
  - formation of, 70, 186
  - gas reserves, 186, 472
- Bowen: seaport, 281, 288
- The Breakaways, 245i, 258t
- breakaways, 243
- Bremer Sub-basin, 201
- bricks, 263
- Brisbane
- groundwater resources, 352, 354
  - water quality, 314
- Brockman Iron Formation, 461f, 462
- Broken Hill, 438
- calcretes, 270i
  - flotation method, 19, 409–410
  - gamma-ray spectrometry, 65
  - SydHarbs*, 419
  - weathering, 253t
  - zinc–lead deposits, 267, 408–416, 423–425
- Broken Hill Managed Aquifer Recharge project, 374–376
- Broken Hill Proprietary Company Limited, 409
- Broken Ridge, 108, 199
- Broome, 286–287, 542i
- population growth, 284
- brown coal, 460
- geological setting, 112, 150, 208, 214
  - powering Victoria, 486i
  - top-five product, 435
  - see also* coal
- Brown, Henry Yorke Lyell, 67
- Browns Shaft, 267, 412i
- Browse Basin
- delta formations, 188
  - gas reserves, 82, 472
  - oil reserves, 178

- Bryant, William and Mary, 456
- Bubbler Mound Spring, 360i
- Bufo marinus* (cane toad), 158, 166, 167i
- Bugis people, 11
- bulk commodities
- industry development, 439–442
  - supporting contemporary life, 442–456, 478–479
  - time line, 438–439
  - value adding, 477–478
  - see also* bauxite; coal; exports; gas; iron ore
- bumphead parrotfish (*Bolbometopon muricatum*), 292
- Bundaberg, 316i
- Bundanoon, 354
- Bungle Bungle Range, 258t
- Bungle Bungles (Purnululu National Park), 26, 48i
- Bungunna palaeolake, 241
- Burdekin Delta, 369
- Burdekin River, 311, 318i, 336
- Bureau of Mineral Resources of Geology and Geophysics, 68, 389
- Burgess Shale, Canada, 130
- Burong Formation, 214
- Burra Group bedrock, 52i
- Burra Mine, 385, 386i, 416
- burrowing animals, 271
- Burtville Terrane, 96
- Busbys Bore, 340
- bushfires, *see* fires
- C**
- Cable Beach, 307i
- Cadell Fault, 242
- caecilians, 145
- calcareous nodules, 266
- calcium carbonates, 292–293
- calcrete sampling, 270, 273
- calcretes, 243, 245i, 251, 266, 270i
- uranium enriched, 494
- Callide, 140
- Callide Creek, 369
- Cambrian, 113
- palaeovalleys, 110
  - vertebrate fossils, 131
- Cambrian explosion, 128–130
- Cameron Corner, 272i
- Campanian: flora, 144–145
- Campbell, Sir Donald, 32
- Canberra, 255
- cane toad (*Bufo marinus*), 158, 166, 167i
- Canning, Alfred, 340–341
- Canning Basin
- coral reefs, 22, 183
  - Devonian outcrop, 181i
  - fossil fish, 132, 133
  - fossil plants, 131
  - gamma-ray map, 64
  - geological processes, 112
  - groundwater resources, 184, 335, 371
  - hydrocarbon reserves, 82, 184
  - Larapintine Seaway, 106
  - lead–zinc deposits, 107
- Canning Stock Route, 340–341
- Cannington, 412
- Canunda National Park, 305
- canyons, 60, 293
- Cape Bauer, 295i
- Cape Range Fracture Zone, 193f, 194
- Cape Range Peninsula, 158
- Cape York Peninsula, 466–470
- Capricorn Basin, 203, 205
- Capricorn Orogeny, 97, 464
- Capricorn Petroleum Supersystem, 178, 180m, 196
- Capricorn Plate, 49, 50
- carbon capture and storage, 136, 186, 533, 534
- Barrow Island, 217
  - by phytoplankton, 54
- carbon dioxide
- atmospheric levels, 230
  - commercial quantities, 55–56
  - emissions, 451, 532–534
- carbon footprint, 486
- carbon-in-pulp processes, 389, 406
- carbon sequestration, *see* carbon capture and storage
- carbon tax, 186
- carbonate banks, 300
- carbonates, 292–293, 302
- Carboniferous
- Alice Springs Orogeny, 68, 105
  - coal deposits, 184, 457
  - forests evolution, 135–136
  - glaciations, 107, 184, 186
  - high heat-producing granites, 501, 506–507, 509f
- Caribuddy Formation, 131
- Carnarvon Basin
- carbon capture and storage, 533
  - delta formations, 188
  - gas reserves, 472
  - glaciations, 107, 184
  - groundwater resources, 335
  - oil discoveries, 207
  - oil reserves, 82, 178, 217–220
  - seismic images, 187f
- Carpentaria Basin, 82, 467
- Carrapateena, 421
- carrying capacity, 24
- Carstensz, Jan, 57
- cassowaries, 151, 163i
- Castlemaine basin, 395–397, 400
- Casuarinaceae, 148
- catchments
- health of, 315–316
  - understanding geology of, 356–358, 532
- Cato Trough, 42
- cattle, 37, 282

- cauliflower cherts, 100i
- caves, 107, 110i, 113, 359–360, 375i
- CDE Group, 456
- Ceduna delta, 108, 110, 191, 200, 202, 203m, 221, 222f, 234
- Ceduna Sub-basin, 222
- Ceduna Terrace, 39f
- cell differentiation, 127
- Cenomanian: flora, 143–144
- Cenozoic
  - basins, 70, 71
  - birds, 150
  - climate, 109f
  - climate change, 230, 232–234
  - coal deposits, 457
  - crocodiles, 148, 150
  - fish, 147–148
  - flora, 144
  - geological processes, 110–113
  - groundwater resources, 335
  - isolation of continent, 33, 123
  - marine sediments, 241
  - surface geology, 69m, 110
  - volcanoes, 55m
- Centipede uranium deposit, 269
- Central Atlantic Magmatic Province, 140
- Central Australian Element, 73
- Central Australian Heat Flow Province, 491
- Central Australian Mobile Belts, 72
- Central Deborah deposit, 399
- Central Deep, 209, 210, 212, 214, 216
- Central Rift Province, 204
- Centralian Petroleum Supersystem, 178
- Centralian Superbasin, 70, 84, 102, 106
- Challenger Plateau, 204
- Chambers Gorge, 274i
- Channel Country, 31, 32
- channel-iron deposits, 248, 250i, 267
- Chapman, Thomas, 393
- Charlotte Pass, 27
- chemical weathering, 251
- Chengjiang, China, 130
- cherts, 100i
- Chichester Range, 346
- China
  - economic growth, 441–442
  - imports from Australia, 443, 475–476
- Chinese immigrants, 383, 386
- choanocytes, 128
- chondrites, 123
- Christmas Creek Mine, 461
- Christmas Island, 42
- chromium, 478
- circum-Antarctic current, 203
- cities, housing population, 16, 18
- Clarence–Moreton Basin, 204
- clay pits, 263
- clay soils, 62, 254
- claypans, 234i
- claystones, 197
- Clermont Mine, 455i
- Cliff Head, 199
- cliffs, 294, 295i, 300–301
- climate, 27–29, 155f
  - affecting river morphology, 247
  - Antarctic ice sheet, 113
  - Cenozoic, 109f
- climate change, 92, 113, 114
  - Cenozoic, 230, 232–234
  - challenges, 531
  - cyclones, 324
  - and geohazards, 540, 542
  - greenhouse gas emissions, 451–452
  - groundwater resources, 367–368
  - modelling, 38
  - Pliocene, 156
- climate change (cont.)
  - sea-level rise, 325–327
    - Western Australia, 350–351
- climate influences, 25m
- climate seasonality, 142
- Cloncurry, 27, 81, 100, 387, 410
- Cloudbreak Mine, 461
- clubmoss (*Baragwanathia longifolia*), 131, 132i
- Clunes, 393
- coal
  - basins hosting, 175
  - Carboniferous deposits, 136
  - Clermont Mine, 455i
  - coke, 459
  - discoveries, 456
  - energy source, 37–38
  - exports, 168, 186, 443, 534
  - geological processes, 110, 457–460
  - Jurassic deposits, 183
  - life giving rise to, 33, 123
  - Meandu Mine, 186i
  - Permian deposits, 108, 136, 138, 184, 186, 187
  - rank, 458–459
  - sulfur content, 451, 458
  - top-five product, 435
  - value adding, 477–478
    - see also* brown coal
- coal-fired power stations, 532i
- coal gap, 140, 187
- Coal River penal settlement, 385
- coal-seam gas, 175, 177, 534
  - development and production, 474–475
  - domestic supply, 470
  - geological processes, 110
  - groundwater impacts, 373–374
  - opposition to, 450–451
  - Permian deposits, 186
- coastal features, 26

- coastal taipans, 159i
- coastal waters, area, 40t
- coastline lengths, 17
- coastline shape, 25
- coasts
  - beaches and dunes, 301–308, 311
  - environmental pressures, 313–319
  - estuaries, 309–313
  - formation of, 289–292
  - groundwater resources, 308, 313, 336
  - gulfs and bays, 308–309
  - key features, 294–295
  - natural disasters, 319–327
  - northern coasts, 286–287
  - Quaternary influences, 292–293, 296–300
  - rocky coasts, 300–301
  - seaports, 281–282
  - settlements, 13, 279–280, 305
  - temperate coasts, 284
- Cobar
  - iron ore, 461
  - weathering, 253t
- Cobia Subgroup, 214
- Coburn, 308
- cockatoos, 162i
- Cocos (Keeling) Islands, 42
- Coen Inlier, 470
- Coffs Harbour: seaport, 282
- coke, 459
- collagens, 125
- Collie, 199
- Collie Basin, 260, 457
- collision zones, 51
- Comalco, 469
- community infrastructure, 446–447
- compression stress, 51, 53
- computer software, 19, 452
- Condamine River, 336
- cone of depression, 358f
- conifers, 135, 138, 139i, 140–142, 143i, 146i
- conjugate margins, 191, 194
- ‘consent of geology’, 10, 38
- construction materials, 263, 266
- continental drift, 10, 182–183, 184
- continental evolution, 93–116
- continental features
  - geographical features, 14m, 20
  - physiographic features, 15m
- continental margins, 42
- continental shelves, 39, 40t, 58, 60
- continental slope, 39
- convict labour, 343, 367, 385, 437
- Coober Pedy, 113, 263i, 265
- Cook, Captain James, 11, 57, 288
- cool temperate rainforest, 117i
- Cooloolo, 305
- Cooper Basin, 184
  - coal deposits, 457
  - gas reserves, 186, 472
  - geothermal energy, 520, 523i
  - high heat-producing granites, 506
  - impact craters, 59
  - oil discoveries, 207
- Cooper Creek, 244, 248, 249i
- Cooperative Research Centre for Landscape Environments and Mineral Exploration, 270
- Coorong Coast, 305
- Coorong Estuary, 241, 292i, 311
  - water quality, 315
- Coorongite, 206
- Cooyerdoo Granite, 85i
- copper (Cu), 37
  - Burra Mine, 385, 386i
  - discoveries, 387, 410–411
  - Mt Isa, 388, 410
  - Olympic Dam, 269, 416–422
- copper (Cu) (cont.)
  - Pilbara Craton, 94
  - tectonic evolution, 103, 113
  - top-five product, 435
- coral reefs, 198, 205, 291–292, 294, 295i
  - extinctions, 135
  - sea-levels, 298–300
  - see also* Great Barrier Reef; Ningaloo Reef
- Coral Sea, 58, 110, 205
- Coral Triangle, 300
- Cow Bombie, 284i
- Cowcill, George, 389
- cratonic blocks, 23, 57
- cratonic nuclei, 93–97
- Cretaceous
  - creation of Australia, 110
  - Eromanga Basin, 71
  - extinctions, 147
  - flora, 142, 145, 146i, 147, 148
  - Gondwana breakup, 108, 181, 183
  - inland seas, 196
  - mammals, 145, 148, 155
  - vertebrates, 145, 148–149, 150
- critical minerals, 538
- crocodiles, 145, 148, 150, 159
- crocodiles, saltwater, 313
- Crown-of-thorns starfish (*Acanthaster planci*), 318–319
- Croydon, 81
- crude oil, *see* oil
- crust, 79–83, 492–493
- crustal elements, 72–73, 76
- crustal thickness, 79m
- Cryogenian
  - metazoans, 127
  - terrestrial flora, 131
- cryptospores, 131
- crystal fractionation, 498f, 501, 506–507, 509
- Cudgegong River, 356

cuisine, 16  
Cunoniaceae, 148  
Cupressaceae, 148  
Curnamona Province, 76, 77, 81, 99, 411, 413f  
Cuvier Abyssal Plain, 193f, 194, 197  
cyanobacteria, 123, 124i, 126, 131, 366  
cycads, 135, 138  
cyclone deposits, 296–297m  
cyclones, 24, 38, 319, 322–324, 539

## D

Dalrymple Bay coal terminal, 459i  
Daly Basin: groundwater resources, 335–336  
Daly River, 312–313, 336  
Dampier: seaport, 37i, 282, 446  
Dampier Sub-basin, 194, 217, 218, 219, 220  
dams, 350  
Dana, JD, 66  
Darling Range, 241m  
    bauxite, 267, 388, 440, 469  
    river morphology, 248  
Darling River, 30, 247, 249i, 366  
Darling River floodplain, 230i  
Darlinghurst Gaol, 343  
Darwin, 286–287, 312  
    population growth, 284  
Darwin, Charles, 293  
dasyurids, 155–156  
data acquisition, 374–376  
dating methods, 259, 398–399  
David, Sir Tannatt William Edgeworth, 66, 67, 72  
Daylesford–Hepburn Springs, 355  
de Bavay, Auguste, 19, 409  
Dee Why beach, 305  
deep ocean floor, 42  
‘deep’ time, 85–88  
deep weathering, 251, 253t  
definition of spatial and temporal terms, 57t  
Delamerian cycle, 104  
Delamerian Orogen, 76, 202, 203m  
Delprat, Guillaume, 19, 409  
deltas, 58, 188, 311, 312, 313  
D’Entrecasteaux National Park, 305  
denudation, 260, 261m  
depression, economic, 438  
deregulation of banks, 440–441  
Derwent Estuary: water quality, 314  
desalination, 371–372, 373m, 532  
    Perth water supply, 351  
deserts, 29, 30, 36, 205, 230, 231, 258  
    groundwater resources, 337  
    *see also* aridity  
Devils Marbles, 253i, 540–541i  
Devonian  
    Alice Springs Orogeny, 68  
    forests, evolution of, 134–135  
    fossil fish, 33  
    Gondwana breakup, 181, 183, 184  
    high heat-producing granites, 507, 514  
    Rodinia breakup, 102  
    vertebrate fossils, 131–132  
Devonian Transformation, 134  
dewatering, 346, 367  
    coal seams, 450–451  
Diamantina River, 244  
diamictites, 184  
diamonds, 55, 84, 101  
    top-five product, 435  
diapsids, 136  
diatomites, 112  
diatremes, 55  
*Dicrodium*, 139i, 140  
digital elevation models, 60  
*Dilwynites*, 157  
Dingo Claystone, 220  
dingoes, 165–166  
dinosaurs, 141, 145  
diprotodontoids, 152, 154i, 162  
direct-use heating, 522  
Dog Fence, 272i  
dolerites, 107i, 190, 191i, 512i  
domes, 410f  
domestic plants and animals, 36  
domestic water use, 350  
Dongara, 199  
drainage, river systems, 244  
Dreamtime, 9, 59, 106, 265, 337–338, 339  
Dresser Formation, 93i, 94, 95  
driest continent, *see* aridity  
drilling rigs, 198i  
driverless trucks, 453  
*Dromaius novaehollandiae* (emu), 19, 151, 152i  
dropstones, 103, 142  
droughts, 24, 29, 38, 370, 377i, 530i  
dry blowing, 401, 403i  
dryland salinity, 255–256  
Dugald River, 410  
dugongs, 359  
Dundas Tablelands, 255  
dunes, coastal, 294, 295i, 305, 308  
dunes, inland, 115, 230, 231, 371i  
Dunlop, John, 393  
dunnarts, 164i  
Dupuy Formation, 533  
duricrusts, 243, 251  
dust, 115, 116, 232–233  
dust storms, 233, 235i, 362  
Dutch Disease, 447  
Dutch East India Company, 56  
Dutch explorers, 279  
dynamic topography, 196

## E

- Eagle Bluff, 116
- earthquakes, 24, 38, 51–53, 242, 540
- causing tsunamis, 320–321
  - Meckering earthquake, 538i
  - seismic tomography, 83
- East Australia Current, 290–291
- storms, 325
  - tsunami impacts, 321
- East Australian Plume System, 55
- Eastern Goldfields, 345–346, 400–408, 410f, 411f, 423–425, 438
- Eastern Goldfields Superterrane, 96, 402
- eastern grey kangaroos, 164i
- eastern margin, 191, 203–205, 238
- Eastern Uplands, 15m, 26
- echidnas, 155, 161–162, 164i
- eclogites, 103
- economic development of resources sector, 446–447
- economic history, 437–442
- economy, 37, 435, 535
- gold (Au), 394, 406
  - oil and gas industry, 209–210
  - Olympic Dam, 420
- ecosystem services, 309
- ecosystems: groundwater dependency, 358–360, 361
- ecotourism, 285, 287, 288
- Eden: whales, 281i
- Ediacara Range, 103
- Ediacaran
- fossil record, 33
  - multicellular organisms, 126–128
- El Niño–Southern Oscillation (ENSO), 27–28, 157, 322
- Elachbutting Rock, 510i
- electricity generation
- coal dominated, 37, 460, 487, 532–534
  - geothermal energy, 373, 516–518, 520
- electricity generation (cont.)
- nuclear energy, 514–516, 520
- electromagnetics, 273
- elevation, 57–58, 234, 242–243
- Elizabeth Springs, 361
- Ellendale lamproite field, 112
- Embley River, 309i, 469
- Emperor Subgroup, 214
- employment, 445–446, 448
- Emu Bay Shale, 130i
- emu (*Dromaius novaehollandiae*), 19, 151, 152i
- endemic species, 36
- energy consumption, 520–521
- see also* electricity generation
- energy densities of fuels, 516f
- energy resources, 37–38, 91m, 484m
- future supplies, 488, 521, 531
  - heat-producing elements, 489–514
  - replacing fossil fuels, 485–486
  - supporting contemporary life, 485, 489, 532
  - see also* coal; gas; geothermal energy; oil
- energy security, 521, 523
- Enfield, 218
- ENSO (El Niño–Southern Oscillation), 27–28, 157, 322
- The Entrance, 312i
- environment
- coastal pressures, 313–319
  - mining effects, 384, 426, 447
  - obligation to protect, 43
  - rehabilitation, 451
- Eocene, 111
- amphibians, 145
  - birds, 150
  - crocodiles, 148
  - flora, 148, 149, 150
  - Gondwana breakup, 183, 205
  - increasing aridity, 230
  - mammals, 150, 152
- Eric the pliosaur, 265i
- Eromanga Basin, 70
- gas reserves, 472
  - oil reserves, 178
  - tectonic processes, 71, 108, 109
- erosion
- bedrock, 57–58
  - coastlines, 305
  - denudation, 260
  - and weathering, 253
- Esso Australia Pty Ltd, 209
- Esso Standard Oil Co., 217, 221
- estuaries, 301–302, 309–313
- health of, 315–316, 317
  - see also* Coorong Estuary
- Eucalyptus camaldulensis* (river red gums), 248
- Eucalyptus regnans* (mountain ash), 33
- Eucla Basin
- cave systems, 113, 375i
  - geological processes, 70, 110, 111
  - groundwater resources, 335
  - heavy-mineral sand deposits, 268
  - palaeorivers, 249
  - southern margin uplift, 289–290
- eukaryotes, 123, 125–126
- Eurasian Plate, 50
- Eureka* (poem), 387
- European exploration, 11, 56–57, 166, 279, 309
- European settlement
- coasts, 279–280, 288
  - groundwater resources, 338, 340–341
  - land-use impacts, 34–35m, 255
  - population growth, 12
- European wasp, 167i
- eustasy, 196
- eutrophication, 366
- Evans, Harry J, 468–469
- evaporation, 368



- evolution, 33, 123
  - evolutionary innovation, 128–130
  - exclusive economic zone, 17, 40t, 291
  - Exmouth Plateau, 193f, 194, 197, 199
    - gas exploration, 217, 218
    - gas reserves, 219
    - seismic images, 187f
  - Exmouth Sub-basin, 194, 218, 219, 220
  - expanding rock bolt, 19
  - exploration
    - expenditure, 390f, 406, 463
    - petroleum, 42, 82, 206–208, 222, 471i
    - technologies, 270–271, 273, 388–390, 417–418, 426–427
  - exports, 37, 168, 170
    - agricultural products, 282
    - bauxite, 469
    - bulk commodities, 282, 435
    - to China, 441–442, 443, 475–476
    - coal, 186, 443, 534
    - computer software, 19, 452
    - gold (Au), 384, 394
    - iron ore, 443, 461
    - to Japan, 440, 441
    - liquefied natural gas, 472, 475–476, 534
    - mineral resources, 261, 384, 435, 446, 535
    - uranium (U), 515
    - wheat, 33i
    - wine, 262
  - external territories, 17
  - extinctions, 134f
    - Cretaceous, 147
    - Devonian, 135
    - Ordovician, 131
    - Permian, 138
    - since European settlement, 168
    - Triassic, 140
  - Eyre Peninsula, 295i
  - Eyre Sub-basin, 193f, 221
- F**
- fat-tailed dunnarts, 164i
  - faults, 52–53, 242
  - fauna, 33
    - bioprospecting, 271, 273
    - Devonian, 135
    - extinctions, 168
    - groundwater dependency, 359–360, 361
    - invasive species, 166, 167i
    - Jurassic, 141–142
    - marine environment, 309
    - megafauna, 33, 165
    - Pleistocene, 165
      - see also* amphibians; birds; fish; mammals; reptiles
  - felsic magmatism, 496–514
  - feral animals, *see* invasive species
  - ferns, 134, 138, 140, 146i
  - ferricretes, 243, 245i, 251, 266
  - fertiliser use, 317
  - finches, 163i
  - Finke River, 106
  - fires, 29, 116, 153, 154–155, 539
    - Black Saturday fires, 27
    - Carboniferous, 136
    - geohazards, 24, 38
    - and Indigenous Australians, 158, 234
    - landscape changes, 165
  - first Australians, *see* Indigenous Australians
  - fish, 147–148, 151, 158, 166
  - fish fossils, 33, 131–132, 133, 143i
  - fisheries, 37, 60, 288, 291, 309
  - fission, 514–515
  - Fitzroy Movement, 108, 187
  - Fitzroy River, 246
  - Flanagan, Tom, 400
  - flattest continent, 24, 25–26, 57, 84, 229, 234, 236–249
  - Flinders Island, 25
  - Flinders, Matthew, 57, 468
  - Flinders Ranges, 15m, 33, 58, 68, 234
    - Cambrian explosion, 128–130
    - Cenozoic uplift, 113, 453i
    - formation of, 241
    - radioactive elements, 64
  - Flinders Seismic Zone, 51m, 52
  - flint, 263
  - floodplains, 230i, 236
  - floods, 24, 29, 38, 319, 539
  - flora, 33–36
    - affecting river morphology, 248
    - Albian, 142–143
    - Aptian, 142–143
    - Campanian, 144–145
    - Cenomanian, 143–144
    - Cenozoic, 144
    - Cretaceous, 142, 145, 146i, 147, 148
    - Eocene, 148, 149, 150
    - extinctions, 168
    - geobotanical indicators, 273
    - groundwater dependency, 359, 361
    - invasive species, 166, 167i
    - Jurassic, 140, 142, 143i
    - Maastrichtian, 145
    - Miocene, 150, 154
    - Oligocene, 150
    - origins, 131
    - Paleocene, 148
    - Paleogene, 145, 148
    - Pleistocene, 157
    - Pliocene, 156
    - Quaternary, 157–158
    - Santonian, 144
    - Triassic, 138, 140
    - Turonian, 144
  - Flora River, 339

- flotation method, 19, 409–410
  - flowering plants, 142–147
  - flying insects, 136
  - food plants, 33i, 36
  - food webs, 131
  - foreign investment, 454
  - forest dragons, 161i
  - forests
    - Cretaceous–Paleogene, 148
    - evolution of, 132, 134–147
  - Fortescue Basin, 77m, 95
  - Fortescue Group, 462
  - Fortescue Metals Group, 461
  - Fortescue River, 248
  - fossil fuels, *see* coal; gas; oil
  - fossil record, 33, 85, 103, 123–166
  - fossil water, 350
  - Four Mile uranium deposit, 269, 492, 505
  - foxes, 167i
  - fractional crystallisation, 498f, 501, 506–507, 509
  - Fraser Island, 295i, 305
  - Freeth Junction, 234i
  - Fremantle Gaol, 367
  - Fremantle Harbour, 311
  - Fremantle: water supply, 367
  - freshwater fish, 147–148, 151, 158, 166
  - Freycinet, Louis de, 57
  - frogs, 151, 158–159
  - Frome Embayment, 269
  - froth flotation, 19, 409–410
- G**
- Galah Creek, 260i
  - Galilee Basin, 457
  - Gambier Basin, 55
  - gamma-ray spectrometry, 63–65, 77m
    - heat-producing elements, 507
  - garnets, 55
  - Garrick seam, 458
  - gas, 37
    - Amadeus Basin, 106
    - basins hosting, 175
    - Carnarvon Basin, 217–219
    - delta formations, 188
    - exports, 168, 472, 475–476
    - Gippsland Basin, 216–217
    - life giving rise to, 123
    - natural gas, 470–476
    - North West Shelf, 60, 82
    - Otway Basin, 533
    - Permian deposits, 186
    - Perth Basin, 199
    - shows and discoveries, 206–208
    - value adding, 477–478
    - see also* liquefied natural gas; coal-seam gas
  - gas hydrates, 470
  - Gascoyne Abyssal Plain, 193f, 194, 197
  - Gascoyne Terrane, 191, 194, 199
  - Gawler Craton, 58, 76, 202
    - crust, 81
    - magnetic intensity, 77
    - Nuna amalgamation, 98–100
    - Olympic Dam, 418–419
  - Gawler Range Volcanics, 418
  - geckos, 160, 161i
  - gemstones, 55, 264–265
  - geobotany, 273
  - geochronology, 85, 398–399
  - Geodynamics Ltd, 520
  - geographical features of Australia, 14m, 20
  - geographical position of Australia, 24
  - geohazards, 10, 24, 38, 531, 538–542
    - see also* natural disasters
  - geoids, 51
  - ‘geological consent’, 10, 38
  - geological regions, 68, 70
  - geological surveys, 66–67, 68
  - geological time, 85–88, 93, 125f
  - geology, shaping Australia, 9–10, 20, 47
  - geomorphology
    - land surface, 242–243
    - ocean basins, 4m, 39
  - geophysical exploration, 273
  - Georges River, 249
  - Georgetown: high heat-producing granites, 493, 506–507, 509f
  - Georgina Basin, 102, 106
    - groundwater resources, 335
  - Geoscience Australia
    - bathymetry custodian, 60–61
    - role, 68
  - Geoscience Australia building, 522
  - geothermal energy, 23, 53, 372–374, 489, 514, 516–518, 520–523, 534–535
    - groundwater, 372–373
  - Geraldton: seaport, 281, 282
  - gibber deserts, 258, 274i
  - Gifford Guyot, 42m
  - Gifford seamount, 55
  - gigalitres, 24
  - Giles Igneous Complex, 102
  - ginkgoaleans, 142
  - ginkgophytes, 139i, 146i
  - Gippsland Basin, 108, 109
    - formation of, 71
    - gas reserves, 472
    - groundwater resources, 336
    - oil reserves, 175, 176, 178, 191, 203, 208–217, 221
    - prospectivity, 207
    - weathering, 257
  - Gippsland Lakes, 316, 366i
  - Gippsland Limestone, 214
  - give up coral reefs, 296–297m, 299
  - glacial maximum, *see* Last Glacial Maximum

- glaciations, 92, 112–113, 257
  - Antarctica, 205
  - Carboniferous, 107, 184, 186
  - creating soils, 229
  - Neoproterozoic, 103, 128
  - Permian, 107, 181, 183
  - Pleistocene, 258
  - Quaternary, 24, 113, 230, 292, 296–297
- glaciers, 41
- Gladstone
  - alumina refinery, 444i, 479i, 536–537i
  - oil shales, 112
  - seaport, 282, 288
- Glasshouse Mountains, 26, 57
- Glen Osmond Mine, 385
- Glenberg Terrane, 100
- glendonites, 142
- Glenelg River, 255, 256i
- Glossopteris*, 92, 108, 136–138, 185, 186
- Gnangara Mound, 351, 353f, 357–358, 360
- Gnarlyknots 1, 221
- Gogo Formation, 132, 133
- gold (Au)
  - contraction of production, 387–388
  - discoveries, 266, 345–346, 383
  - Eastern Goldfields, 96, 400–408, 410f, 411f, 438
  - exports, 384, 394
  - gold rushes, 12, 13, 385–387
  - mineral deposits, 37, 94, 100, 101
  - mineral systems, 422–425
  - New Guinea, 113
  - Olympic Dam, 269, 416–422
  - prices and production, 406
  - resurgence, 389–390
  - seabed resources, 43
  - Tanami Desert, 107
  - top-five product, 435
  - Victorian goldfields, 392–400, 402f, 437–438
- Gold Coast, 326
- Golden Beach Subgroup, 214
- Golden Mile, 387, 400–408
- golden wattle (*Acacia pycnantha*), 19
- Gondwana, 89, 93
  - amalgamation with Pangaea, 103–108
  - Australia's separation from, 21, 24, 180–206, 236–237
  - breakup of, 108–110
  - continental comparisons, 238f
  - and modern coastline, 289
  - term coined, 92, 138, 185
- Gondwanan Petroleum Supersystem, 178, 179f, 180m
- Goodwyn gas field, 217
- Gordon–Lake Pedder hydroelectric dam, 32
- Gorgon gas field, 217, 476, 533
- gossans, 267
- Gosses Bluff (*Tnorala*), 59, 258t
- Gotley Glacier, 41
- Goulburn: water supply, 530i
- Gould, Charles, 67
- Gouldian finches, 163i
- Goulds Dam uranium deposit, 269
- Gove: bauxite, 267, 389, 466, 469
- governance, 453–454
- granite–greenstone terranes, 94
- granite tors, 253
- granites
  - and geothermal energy, 517–518
  - and heat-producing elements, 23, 491–492, 496–514, 521, 523
  - tectonic evolution, 68, 97, 112
- grapes, 262
- Grasberg Mine, Papua, 113
- grasses, 33i
- grasslands, 113, 116
- gravel, 115
- gravity, 76, 78–79, 106
- gravity maps, 75, 77
- Gravity Recovery and Climate Experiment, 370
- Great Artesian Basin, 115, 341–345
  - formation of, 196, 336
  - hot bore water, 373
  - hydrothermal resources, 522
  - irrigation, 347
  - mound springs, 360–361
  - water for agriculture, 23, 32
  - weathering, 251
  - see also* groundwater
- Great Australian Bight, 39, 221, 243i, 289i
- Great Barrier Reef, 22, 23i, 58, 205, 288–289, 291–292
  - age of, 258t
  - bathymetry map, 298
  - lagoon health, 317–319
  - sea-levels, 298–299
  - submarine groundwater discharges, 358
- Great Depression (economic), 388
- Great Divide, 26, 54
  - formation of, 238
  - groundwater resources, 336
  - storms, 325
- Great Escarpment, 238, 241, 247, 258t
- Great Ocean Road, 301
- Great Oxygenation Event, 125, 126, 424, 465
- Great Sandy Desert, 64–65, 338, 371i
- Great Victoria Desert, 30
- greenhouse gases, 487
  - and fossil fuels, 486, 532, 534
  - methane, 451
  - per capita amounts, 37
- Gregory, JW, 344–345
- Greta seam, 458
- gross domestic product
  - growth of, 442f
  - resource sector contribution, 446, 447
- ground-source heat pumps, 373, 522
- groundwater, 32–33, 335–336

- groundwater (cont.)
- and acid sulfate soils, 364–366
  - climate change, 367–368
  - and coal-seam gas, 373–374, 450–451
  - coasts, 308, 313
  - deep weathering, 251
  - and dependent ecosystems, 358–360, 361
  - desalination, 371–372
  - domestic supplies, 350–354
  - and drought, 370
  - European settlement, 338, 340–341
  - geothermal energy, 372–373
  - Indigenous Australians' use, 337–338, 339
  - irrigation, 347, 350
  - land subsidence, 366–367, 368f
  - managed aquifer recharge, 368–369, 374–376
  - management, 530, 532
  - and mining, 345–346
  - mound springs, 360–361
  - palaeovalleys, 110, 111
  - and pollution, 366
  - quality, 354
  - Quaternary, 115
  - salinity, 361–364
  - sedimentary basins, 369, 371
  - submarine discharges, 358
  - and surface-water interactions, 356–358
  - sustainable management, 531
  - see also* Great Artesian Basin
- groundwater management units, 348–349
- Group Settlement Scheme, 317
- Grypania* (algae), 125–126
- gudjewg* (tropical season), 27
- Guggu Yimithirr people, 358
- Gulf of Carpentaria, 296–297, 299, 309, 312
- submarine groundwater discharges, 358
- Gulf Stream, 291
- gulfs, 294, 308–309, 310m
- Gunnedah Basin
- coal deposits, 108, 458–459
  - formation of, 186
- Gunpowder: weathering, 253t
- gunumeleng* (tropical season), 27
- Gurnard Formation, 214
- gurrung* (tropical season), 27
- guyots, 42
- gypsum, 115
- H**
- habitat fragmentation, 34–35m, 36
- Hadean, 93
- hailstorms, 319
- Halibut anticline, 214
- Halibut Subgroup, 214
- Hall–Hérault Process, 477
- Hallett Cove, 257, 258t
- Hamelin Pool, 123, 124i
- Hamersley Basin, 77m
- formation of, 95
  - iron ore, 100, 111, 125, 267, 460–466
  - mineralisation, 424
- Hamersley Group, 462
- Hancock, Lang, 461, 463
- Hannan, Paddy, 400
- Hardman, ET, 342
- Hargraves, Edward, 386
- Hart Large Igneous Province, 510
- Hartog, Dirk, 309
- Harvey Estuary, 317
- Hauterivian, 142, 197
- Hawkesbury Sandstone, 108, 188, 189i, 352
- Hay Point: seaport, 282
- hazard appraisal, 53
- Head of the Bight, 289i
- Headings Cliffs, 246i
- headlands, 294, 295i
- Heard Island, 22, 41, 42, 53
- Heart of Auss* (poem), 8
- heat flow, 489, 491, 492, 495m, 496f, 504
- heat-producing elements, 52, 63–65, 100, 489–514, 521, 523, 534–535
- heat pumps, 373, 522
- heatwaves, 24, 27, 38
- Heavitree Quartzite, 102
- heavy metals, 316–317
- heavy-mineral sands, 43, 268, 308, 448, 450
- Helidon Sandstone, 354
- helium, 471
- hematites, 231, 426, 461
- Henry, Ernest, 410
- Henty Mine, 384i
- Hepburn Mineral Spring Reserve, 355
- Herberton: high heat-producing granites, 506–507, 509f
- herbicides, 318
- Hercynian Orogeny, 184
- Hides gas field, 113
- Hills hoist, 19
- Hiltaba Suite, 100, 418
- Hilton–George Fisher deposit, 416
- Hjort Trench, 42
- HMS *Bounty*, 221i
- Hobart: water quality, 314
- Holocene
- coastal dunes, 305, 308
  - coral reefs, 299
  - cyclonic deposits, 324
  - ice age impacts, 113
  - Indigenous occupation, 116
- Homo erectus*, 164
- Homo sapiens*, 164–165
- Honeymoon uranium mine, 269
- Honter, Johann, 56
- horizontal compression, 51, 53
- horsetails, 134, 136i, 138, 139i

hot-briquette iron, 478  
hot rocks, 23, 53, 518, 520  
hot sedimentary aquifers, 517, 518f  
hot springs, 355, 504i, 507  
hotspots, biodiversity, 34–35m, 36  
hotspots, geological, 100  
Houtman Sub-basin, 199  
human dispersal, 164–166  
human habitation, 232, 234  
Humboldt Current System, 291  
Hunter–Bowen cycle, 104  
Hunter–Bowen Orogeny, 187, 460  
Hunter Valley, 458i, 488i  
hydraulic connections, 356–358  
hydrocarbons, 33, 175–180  
    geological processes, 110  
    New Guinea, 113  
    oldest known, 94–95  
    reservoir rocks, 234  
    shows and discoveries, 206–208  
    *see also* gas; North West Shelf; oil  
hydrological cycle, 335, 336f  
hydrothermal barite, 93i  
hydrothermal resources, 373, 517, 521f, 522  
hypersaline groundwater, 346

**I**

ice ages, 103, 113, 131, 136, 296  
ice caps, 113  
ice sheets, 112  
icehouse period, 100  
ilménites, 111, 268, 308, 450  
    top-five product, 435  
immigrants, 10–13, 16  
    to goldfields, 383, 386, 393  
impact craters, 59  
in-situ recovery mining, 494  
in-situ regolith, 250

Indian myna, 167i  
Indian Ocean Dipole, 27  
Indian Plate, 49  
Indigenous Australians, 9, 10, 11, 165  
    and Canning Stock Route, 340–341  
    displacement, 279  
    groundwater use, 337–338, 339  
    habitations, 116, 279, 285  
    mapping country, 56  
    mining activities, 261, 263, 385  
    mining rights, 426  
    mound springs, 361  
    native title, 455–456  
    population, 13  
    rock carvings, 188  
    shell middens, 279–280, 285  
    Tasmanian isolation, 297  
    Torres Strait occupation, 297–298  
    Weipa community, 454  
Indo–Antarctic domain, 103  
Indo–Australian Plate, 49  
Indonesia, plate tectonics, 50  
industrial materials, 43, 115  
industrialisation, 444  
Inglis Creek, 303i  
inland seas, 31, 108, 196, 197, 230  
Innisfail, 319i  
innovation, *see* technology and innovation  
insects, 136, 138, 146i, 166  
    invasive species, 167i  
    and mineral exploration, 271  
Interior Lowlands, 15m, 26  
internet, 19  
invasive species, 166, 167i  
inventions, 19  
invertebrates, *see* arthropods  
Io–Jansz, 219  
Ipswich, 140

Irian (West Papua) ophiolite, 113  
iron, 37, 43  
    in Southern Ocean, 54  
iron ore, 37i, 100, 111  
    discoveries, 388, 389, 440, 461, 463  
    exports, 443, 461  
    exports banned, 389, 463  
    formation of, 424  
    geological processes, 461–462, 464–466  
    life giving rise to, 123, 124–125, 170  
    mining, 346  
    in situ enrichment, 267  
    steel production, 478  
    top-five product, 435  
iron-oxide-copper-gold deposits, 416–422  
iron oxides, 231  
iron sulfides, 316–317, 365–366  
irrigation, 315, 354, 528i  
    groundwater use for, 347, 350  
Isan Orogeny, 99  
isolation of continent, 123  
isotope systems, 259, 399  
isotopes, 85–86

**J**

jabirus, 163i  
Jacinth, 268  
Jack Hills, 86, 93  
Jack, Robert Logan, 67, 341, 358  
Jackson, CFV, 468  
Jandakot Mound, 351  
Jansz gas field, 476  
Janszoon, Willem, 56, 166, 309, 468  
Japan: exports to, 440, 441  
Java Trench, 39, 50  
jawed fishes, 131  
Jawoyn people, 337  
Jenolan Caves, 107, 257, 258t

Jerboa 1, 221  
Jim Jim Billabong, 357i  
Joint Australian Tsunami Warning Centre, 38i, 53, 322  
Joint Ore Reserves Committee Code, 440  
Junction Mine, 266i  
Jurassic  
    delta formations, 188  
    dolerite tors, 107i  
    fauna, 141–142  
    flora, 140, 142, 143i  
    Gondwana breakup, 108, 181, 183, 190  
    oil reserves, 178  
Jutson, JT, 243

## K

Kaapvaal Craton, Africa, 95  
Kakadu National Park, 286–287i, 357i  
Kalahari Craton, 103  
Kalbarri cliffs, 182  
Kalgoorlie, 82, 400–408  
Kalgoorlie Terrane, 96  
Kalkarindji Large Igneous Province, 105  
Kallara bore, 341  
Kambalda: nickel deposits, 389  
Kanawinka Escarpment, 242  
Kangaroo Island, 130, 295i  
kangaroos, 19, 44i, 154, 162, 164i  
Kaniaal beach, 305  
Kanimblan cycle, 104, 396–397  
Kanimblan Orogeny, 184  
Kanmantoo, 416  
Kanowna Belle, 411f  
Kanpa Formation, 124i  
Karijini people, 337  
Karoo–Ferrar Large Igneous Province, 108  
Karoo Ice Age, 136  
Karratha, 446  
karst systems, 107

Karumba Basin, 70, 110, 467  
Kata Tjuta (the Olgas), 103  
Kenn Plateau, 292  
Kenorland, 89, 93, 96–97, 408  
Kerguelen Large Igneous Province, 108, 191, 199  
Kerguelen Plateau, 41, 53, 199  
Kermits Pool, 2i  
Kerribree bore, 342  
kilolitres, 24  
Kimban–Nimrod–Strangways Orogeny, 99  
Kimberley  
    estuaries, 312  
    gamma-ray map, 64  
    Proterozoic rocks, 68  
    tsunami risk, 53  
Kimberley Craton, 112  
Kimberley Plateau, 257  
King Island, 25  
Kingfish 1, 209  
Kingfish anticline, 214  
Kings Canyon, 102  
Kipper field, 200, 209  
Kipper Shale, 212  
koalas, 36, 152, 162, 170i  
Kockatea Shale, 187, 199  
komatiites, 96, 389, 403  
kookaburras, 163i  
Koonalda flint mine, 261, 263  
Koonwarra locality, 145–147  
Krakatau, 321  
Kurnalpi Terrane, 96  
Kuroshio current, 291  
Kwinana steelworks, 478

## L

La Niña, 27–28, 29, 322, 539  
labour supply, 20, 426, 445–446, 448  
Lachlan Orogen, 70, 76, 204, 393, 395–397

Lachlan River, 336  
Lake Argyle, 32  
Lake Bunga No. 1, 208  
Lake Carpentaria, 296–297  
Lake Dieri, 244  
Lake Eildon, 370i  
Lake Eyre, 15m, 26, 31, 32, 115–116, 241, 378i  
    age of, 258t  
Lake Eyre Basin, 28, 58i, 110, 149, 242  
Lake Eyre drainage basin, 244, 246, 247m  
Lake Frome, 241  
Lake George, 156, 232, 242, 258t, 260  
Lake Maitland uranium deposit, 269  
Lake Mungo, 258t  
Lake St Clair, 258  
Lake Taupo, New Zealand, 54  
Lake Way uranium deposit, 269  
lakes, 232  
Lakes Entrance Formation, 214, 217  
Lakes Entrance Oil Shaft Project, 208, 217  
land area, 17, 40t  
land-based seismic reflection, 80  
land bridges, 116, 297–298  
land clearing, 34–35m, 315–316, 317  
    and salinity, 361–364  
land cover, 61–62  
land-speed record, 32  
land subsidence, 366–367, 368f  
land-use planning: coasts, 304  
Landsat 7 Picture Mosaic of Australia, 61, 62m, 77m  
landscape  
    complexity of, 113  
    shaping of, 10  
landslides, submarine, 321–322  
Larapintine Petroleum Supersystem, 106, 178, 179f, 180m, 221  
Larapintine Seaway, 105–106, 181, 183  
    groundwater resources, 335

- large-footed myotis, 165i
  - large igneous provinces, 510
  - Lark Quarry trackway, 145
  - Lasseter's reef, 387
  - last glacial maximum
    - aeolian processes, 115, 116, 232
    - impacts on flora, 116
    - Lake Carpentaria, 297
    - Lake St Clair, 258
    - in Northern Hemisphere, 292
    - sea-levels, 10, 249, 283m
  - last interglacial, 244, 292, 302
  - Latrobe Aquifer, 367
  - Latrobe Group, 209, 212, 214
  - Latrobe Unconformity, 214
  - Latrobe Valley
    - brown coal, 112, 150, 208
    - land subsidence, 367
  - Latrobe Valley Coal Measures, 214
  - Launceston: seaport, 281, 282
  - Laurasia, 108
  - Laurentia, 97, 99
  - lava caves, 110i
  - lava fields, 55
  - Lawson, Henry, 387
  - lead (Pb), 37
    - Broken Hill, 19
    - formation of, 100
    - Glen Osmond Mine, 385
    - top-five product, 435
  - lead–zinc deposits, *see* zinc–lead deposits
  - Leederville Aquifer, 351, 367, 368f
  - Leeuwin Current, 285, 290m, 291
  - Legendre 1, 217
  - legless lizards, 160, 161i
  - Leichhardt, L, 66
  - Leigh Creek, 140
  - Lennis Sandstone, 371
  - Leonora, 345–346
  - leucoxenes, 111
  - Lhotsky, J, 66
  - licensing system for prospecting, 386
  - LiDAR (light detection and ranging), 60, 236
  - Liebig Orogeny, 99, 415
  - Lied Glacier, 41
  - life
    - effect on planet, 123
    - evolution of, 125f
    - in oceans, 128, 130
  - light detection and ranging (LiDAR), 60, 236
  - Lightning Ridge, 264, 265
  - lime, 263, 279
  - limestone coast, 301
  - Line of Lode Mine, 412i
  - liquefied natural gas, 175, 217, 218, 471, 473
    - exports, 168, 472, 475–476, 534
    - production, 443
    - top-five product, 435
  - lithium: top-five product, 435
  - lithosphere, 51, 79
    - crust to mantle, 79, 81–83
    - thickness of, 237–238
    - upper mantle, 83–84
  - liverworts, 131
  - lizards, *see* reptiles
  - Locker Shale, 187
  - Lockyer Creek, 336, 369
  - loggerhead turtles, 359
  - Lord Howe Island, 42, 204, 258t, 299
  - Lord Howe Platform, 204
  - Lord Howe Rise, 55, 58, 108, 183, 194, 203, 204
  - lorikeets, 162i
  - low-latitude position, 21, 24
  - low-pressure systems, 319, 325
  - Loxton–Parilla Sands, 268
  - 'lucky country', 7
  - lunettes, 232
  - lungfishes, 132
  - Lunnon shoot, 389
  - lycophytes, 134, 136, 138
  - lycophods, 138
  - Lydekker Line, 11m
  - Lynchs Crater, 165
- ## M
- Maastrichtian: flora, 145
  - macadamia nuts, 36, 168
  - Macarthur, 68
  - Macarthur Basin, 100
  - Maccullochella peelii* (Murray cod), 151
  - MacDonnell Ranges, 15m, 102, 106
  - Mackay: seaport, 288
  - Mackellar, Dorothea, 8, 9
  - Macquarie Arc, 393, 395–397
  - Macquarie Harbour, 316
  - Macquarie Island, 42
  - Macquarie Microplate, 49
  - Macquarie Ridge, 42
  - macroalgae, 318
  - Macropodidae, *see* kangaroos
  - Macropus rufus* (red kangaroo), 19, 44i
  - Madden–Julian Oscillation, 27
  - Maduwangka people, 400
  - magmatic processes
    - heat-producing elements, 496–514, 523
    - see also* volcanoes
  - magnetics, 74m, 76–77
  - magnetotelluric data, 82
  - Maitland, 220
  - mammals, 36, 109, 162, 164i, 165i
    - Cretaceous, 145, 148, 155
    - Eocene, 150, 152
    - Oligocene, 148, 152, 154
    - Paleocene, 148

- managed aquifer recharge, 368–369, 374–376
- manganese (Mn), 43
  - discoveries, 389
  - steel production, 478
  - top-five product, 435
- mangroves, 157, 294, 295i, 309i
- Manly Beach, 307i, 327
- Mantina Flat, Ord River, 60i
- mantle, 83–84, 92
- mantle xenoliths, 56
- manufacturing, 439
- Manus Basin, 417i
- Manus Microplate, 49
- Manyingee uranium deposit, 269
- mapping, 56–57, 542
  - basins, 70–71
  - bathymetry, 60–61
  - crustal elements, 72–73, 76
  - data acquisition, 234, 236
  - gamma-ray spectrometry, 63–65
  - geological regions, 68, 70
  - Indigenous Australians' systems, 338
  - pioneers, 66–67
  - potential fields, 76–79
  - regolith, 270
  - satellite remote sensing, 61–62
  - seabeds, 305
  - soils, 62–63
  - surface geochemistry, 65, 68
  - surface geology, 68
  - surface relief, 57–58, 60
  - topography, 60
- maps
  - aquifers, 334
  - Australian Antarctic Territory, 4
  - Australian Plate, 50, 174
  - Australian territory, 4
  - basins, 71, 175
- maps (cont.)
  - bauxite, 466
  - beach ridges, 244
  - Canning Stock Route, 341
  - Carnarvon Basin, 218
  - Cenozoic environments, 112
  - climatic influences, 25
  - coal deposits, 175, 457
  - coastal localities, 302
  - coastline and shelf, 283
  - crustal elements, 72
  - crustal plates, 50
  - crustal thickness, 79
  - cyclones, 323
  - denudation, 261
  - desalination, 373
  - desert and dune systems, 232
  - earthquake epicentres, 51
  - energy resources, 91, 436, 484
  - faults, 242
  - fossils localities, 122
  - gamma-ray spectrometry, 64, 77
  - gas reserves, 175, 216, 476
  - geographical features of Australia, 14
  - geological regions, 70
  - Gippsland Basin, 210
  - Gondwana, 190
  - Gondwana breakup, 183
  - granites, 500, 502
  - gravity, 75, 77
  - Great Artesian Basin, 342
  - Great Barrier Reef, 298
  - groundwater salinity, 372
  - Gulf of Carpentaria, 296–297
  - gulfs and estuaries, 310
  - Hamersley Basin, 460
  - heat flow, 495
  - high heat-producing granites, 502
- maps (cont.)
  - hydrocarbon discoveries, 206–207
  - Lake Eyre drainage basin, 247
  - Landsat 7 Picture Mosaic of Australia, 62, 77
  - lithosphere depth, 83
  - Lord Howe Island, 299
  - magnetic intensity, 74, 77
  - mineral resources, 43, 90–91, 382, 484
  - North West Shelf, 195
  - offshore minerals, 43
  - oil reserves, 175, 216
  - opal fields, 265
  - petroleum supersystems, 180
  - physiographic features of Australia, 15, 228, 236–237
  - plateau edges, 240
  - polar-wander paths, 418
  - rainfall, 13, 29
  - sea-surface temperatures, 290
  - seismic techniques, 78
  - seismic zones, 51
  - shear wavespeed, 82
  - southern Australia, 203
  - southern margin, 200, 201
  - southwest margin, 197
  - Sunda and Sahul, 11
  - surface geochemistry, 65
  - surface geology, 69
  - temperatures, 28
  - Terre Australe, 278
  - topographic–bathymetric image, 192
  - tsunami hazard assessment, 321
  - uranium and thorium deposits, 493
  - uranium deposits, 497
  - vegetation patterns, 34–35
  - volcanoes and lava fields, 55
  - weathering intensity, 252
  - Yilgarn Craton geology, 404–405
  - Margaret River: population growth, 284



- margins, continental, 190–195, 197–205
  - distance from, 237
- Marianas/Tonga–Kermadec subduction, 50
- marine environment, 43, 300, 305, 309
- marine jurisdiction, 4m, 17, 38–43
- marine sediments, 241, 243i
- marine seismic data, 83
- marine transgressions, 140, 196, 197
- Marinoan glaciation, 103, 128
- Marion Plateau, 205, 292
- maritime nation, 13, 281–282
- Marlin 1, 209
- Marnpi calcrete, 270i
- Marra Mamba Iron Formation, 346, 453, 461, 462
- marsupial lions, 152, 154, 162
- marsupial moles, 156
- marsupials, 36, 109, 148, 150, 152, 154, 156, 162, 164i
- Martian landscape, 257
- Mary River, 313
- Maryborough Basin, 204
- mass extinctions, *see* extinctions
- Mawson Continent, 99
- Mawson Craton, 101
- Mawson, Sir Douglas, 67
- Mawson's Peak, 41
- McArthur Petroleum Supersystem, 178, 180
- McArthur River deposit, 415, 416
- McBride, 55
- McCamey, Ken, 463
- McDonald Islands, 22, 41, 42, 53
- McLaren Vale, 262
- Meandu Mine, 186i
- measuring time, 85–88
- Meckering earthquake, 538i, 540
- megafauna, 33, 165
- megalitres, 24
- Melbourne
  - city skyline, 486i
- Melbourne (cont.)
  - water quality, 314
- Melbourne Zone, 397
- Menindee Lakes, 368, 374
- Mentelle Basin, 197m, 199
- Mereenie aquifer, 336, 350
- Mereenie oil field, 106
- mesas, 243, 250i
- Mesoarchean
  - acritarchs, 126
  - photosynthesis, 124
- Mesoproterozoic
  - gravity gradient, 79
  - orogenies, 101
  - salt deposition, 102
  - tectonic evolution, 97, 100
- Mesozoic, 70, 71
  - basins, 23
  - coal deposits, 457
  - fossil record, 142
  - landscapes, 110
  - oil and gas reserves, 175
  - surface geology, 68
- Metazoa, 127–128
- meteorite craters, 59
- meteorites, 123
- methane, 451, 470, 474–475
- middens, 279–280, 285
- Middleback Ranges, 461
- Milendella Fault, 242, 243i
- Miles, John, 410
- millipedes, 131
- Mimosaceae, 150
- mine dewatering, 346
- mineral resources, 37, 93, 123
  - commercial exploration, 270–271, 273, 388–390, 417–418, 426–427
  - dating methods, 398–399
- mineral resources (cont.)
  - early exploration, 384–387
  - exploration expenditure, 390f, 463
  - exports, 261, 384, 435, 446, 535
  - future supplies, 531, 537–538
  - maps and figures, 90–91, 94, 99, 104, 382
  - mineral deposits, 94, 100–105
  - regolith processes, 267–270
  - seabed resources, 42–43
    - see also by name of resource, e.g.* gold (Au)
- mineral sands, 43, 268, 308, 448, 450
- Mineral Securities Australia Ltd, 440
- mineral springs, 355
- mineral systems, 390–392, 422–425, 537–538
  - Eastern Goldfields, 400–408
  - Hamersley Basin, 460–466
  - Olympic Dam, 416–425
  - Victorian goldfields, 392–400
  - zinc–lead deposits, 408–416
- mineral water, 354
- mining
  - challenges for industry, 425–427
  - development of sector, 440
  - environmental effects, 384
  - hazards, 383–384
  - history, 384–390
  - Indigenous activities, 261, 263, 385
  - technology and innovation, 19, 389, 406, 409–410, 452–453
- Miocene, 111, 113, 114
  - beach ridges, 242
  - coral reefs, 198
  - crustal stresses, 241
  - flora, 150, 154
  - vertebrates, 151–152, 155–156
- Mirackina Conglomerate, 248
- Mississippi River, United States, 246
- Mitchell, T, 66

- modelling, 374–376
- Moderate Resolution Imaging Spectroradiometer, 62
- Moho, 81, 106
- molluscs, 131
- monazites, 111, 251
- Money Shoal Basin, 82
- Monkey Mia, 116
- monotremes, 36, 145, 155, 161–162, 164i
- monsoons, 27, 28
- Monte Bello Islands, 217
- Montgomery Reef, 300
- Moolawatana Suite, 505
- Moonta mines, 416, 419
- Moree Hot Artesian Pool Complex, 355
- Moreton Bay, 308, 311
  - water quality, 314
- Moreton Island, 305
- mortar, 263, 279
- Moruya Beach, 325
- mosses, 134, 138
- mound springs, 360–361, 362f
- Mount Alexander, 393, 437i
- Mount Babbage Inlier, 504–505
- Mount Bishop, 387
- Mount Dukes Intrusive Complex, 112
- Mount Goodwin Shale, 187
- Mount Lyell, 384i, 387, 438
- Mount Morgan, 387, 438
- Mount Neill Subgroup, 505
- Mount Painter Inlier, 504–505
- Mount Sylvia Formation, 462
- Mount Tom Price Mine, 461f
- Mount Tom Price Railway, 448–449i
- Mount Woods Inlier, 419
- mountain ash (*Eucalyptus regnans*), 33
- mountain pygmy possum, 154
- Moura, 475
- Moyston Fault, 397
- Mt Canobolas, 55
- Mt Gambier, 111, 116, 258t
  - groundwater resources, 339
- Mt Garnet: high heat-producing granites, 506–507, 509f
- Mt Goldsworthy: weathering, 253t
- Mt Gunson, 416
- Mt Horner, 199
- Mt Howitt, 132
- Mt Isa
  - crust, 82
  - gamma-ray spectrometry, 65
  - gravity gradient, 79
  - Proterozoic rocks, 68
  - weathering, 253t
  - zinc–lead deposits, 388, 408–416, 423–425
- Mt Isa Inlier, 68, 70
- Mt Isa Mines Ltd, 390, 410
- Mt Isa Province, 81f, 99, 411, 413f
- Mt Kosciuszko, 26, 258
- Mt Lofty Ranges, 52, 242, 243i
- Mt McClintock, 39
- Mt Menzies, 39
- Mt Schank, 339
- Mt Wellington, 107i, 109
- Muderong Shale, 197, 220
- Mulga Rock uranium deposit, 269
- Mulgrave River, 318
- multicellular organisms, 125–128
- multiculturalism, 10–11
- Mungaroo Formation, 219, 234
- Muridae, 162, 165i
- Murray Basin, 70, 242
  - beach ridges, 241, 244m, 289
  - denudation, 260
  - formation of, 71, 110
  - groundwater resources, 336
  - heavy-mineral sand deposits, 268
- Murray Canyons, 116
- Murray cod (*Maccullochella peelii*), 151
- Murray–Darling Basin, 30, 32
  - groundwater resources, 350, 368, 370
  - irrigation, 315
  - reservoirs capacity, 368
  - river systems, 243, 246, 247, 293
  - and salinity, 363
  - water management, 356–357
- Murray River, 30, 242, 256, 292i
- Murrin Murrin Mine, 369
- Murta Petroleum Supersystem, 178, 179f, 180m
- Musgrave–Paterson Orogen, 73
- Musgrave Province, 99, 101
- MV *Pasha Bulker*, 325
- MV *Syigna*, 325
- My Country* (poem), 8
- Myrtaceae, 148
- myrtle tree (*Nothofagus cunninghamii*), 144i
- ## N
- Namoi River, 336
- Nancar–Flamingo–Sahul area, 194
- Narryer Terrane, 93, 96
- National Carbon Accounting System, 61
- National Heritage listings, 361
- native species, 36
- native title, 455–456
- natural disasters, 319–327, 531, 538–542
  - see also* geohazards
- natural gas, *see* gas; liquefied natural gas
- Naturaliste Plateau, 197m, 199
- Natures Window, 223i
- Nebo–Babel, 102
- Neoproterozoic
  - fossil record, 123
  - iron ore deposits, 125
  - photosynthesis, 124
  - terrestrial organisms, 131

- Neoceratodus forsteri* (Queensland lungfish), 147
- Neogene, 113
- fires, 153, 154–155
  - marine sediments, 241, 243i
  - palaeorivers, 248–249
- neon, 56
- Neoproterozoic
- acritarchs, 126
  - banded iron-formations, 100
  - crustal elements, 73
  - glaciations, 103, 128
  - mountain ranges, 234
  - orogenies, 101
  - rocks, 68
- neotectonic deformations, 241–242
- nepheline hawaiites, 55
- New England, 64
- New England Orogen, 70, 76, 77, 204, 238
- New Guinea, 50, 113
- New Guinea fold belt, 205
- New Hebrides Trench, 50
- New Zealand, 50, 58, 113
- volcanoes, 53–54
- Newcastle
- coal exports, 385, 456
  - earthquakes, 53, 540
  - groundwater resources, 336
  - seaport, 281
- Newer Volcanic Group, 54, 55, 56, 112, 255, 336
- Newman, 446, 452i
- Ngalia Basin, 106, 335
- nickel (Ni)
- Eastern Goldfields, 96, 389, 400
  - Poseidon crash, 440
  - steel production, 478
  - top-five product, 435
- Ninety Mile Beach, 305
- Ningaloo Reef, 285, 291
- niobium (Nb), 505
- nitrate, 354
- Nolans Bore, 101
- non-vascular plants, 131
- Noosa Heads: population growth, 284
- Norfolk Island, 42, 55
- North Australia Craton, 72
- North Australian Element, 73, 82, 89, 94, 97, 205, 415
- formation, 97–100
  - Rodinia formation, 101
- North Flinders Mines, 390
- North Island, New Zealand, 53–54
- North Pole barite deposit, 94
- North Queensland Orogen, 76
- North Rankin A platform, 474i
- North Rankin gas field, 217, 476
- North Stradbroke Island, 308
- North West Shelf
- carbon capture and storage, 533
  - carbonate banks, 300
  - depositional processes, 197–198
  - gas discoveries, 473
  - gas reserves, 60, 71, 82, 175, 188, 218, 472
  - oil discoveries, 207
  - oil reserves, 82, 176, 194, 217, 218
  - structural elements, 195m
- North West Shelf Venture, 217
- Northeast orogens, 72
- Northern Carnarvon Basin, 71
- northern coasts, 286–287, 303, 304–305, 308, 312–313
- northern margin, 191, 205, 290
- coral reefs, 300
- northwest margin, 191, 194–195, 197–198, 292
- Nothofagus cunninghamii* (myrtle tree), 144i
- Nothofagus* (southern beech), 109, 144–145, 148, 154, 156, 230
- nuclear energy, 514–516, 520, 534
- Nullarbor Plain, 15m, 26, 64, 111, 113
- Nullarbor Plain (cont.)
- age of, 258t
  - marine sediments, 241
- numbats, 162, 164i
- Nuna Supercontinent, 89, 93, 97–100, 411–412, 414
- heat-producing elements, 510–513
- ## O
- Oakover River, 346
- Oban uranium deposit, 269
- ocean basin features, 4m, 39
- ocean currents, 285, 290–291
- cyclonic impacts, 324
- Ocean Drilling Programme, 61
- oceanic circulation, 112, 197
- oceanic crust, 39
- oceanic sulfates, 100
- oceanic surface relief, 58
- oceanic vents, 417i
- oceans
- development of animal life, 128, 130
  - extinctions in, 135
- ochres, 231, 261, 263
- Officer Basin, 102, 184
- groundwater resources, 335, 369, 371
- Offshore Basin, 82
- offshore drilling rigs, 198i, 214i
- offshore minerals, 43m
- oil, 178, 470
- basins hosting, 175
  - Carnarvon Basin, 82, 178, 217–220
  - formation of, 220–221
  - Gippsland Basin, 175, 176, 191, 203, 208–217
  - Larapintine Petroleum Supersystem, 106
  - North West Shelf, 82, 176, 194, 218
  - Permian deposits, 186
  - Perth Basin, 197m
  - shows and discoveries, 206–208

- oil play, 100
  - oil shales, 112, 177, 196, 221
  - Ok Tedi Mine, Papua New Guinea, 113
  - oldest rocks, 86, 93–94
  - the Olgas (Kata Tjuta), 103
  - Oligocene
    - flora, 150
    - marsupials, 148, 152, 154
    - vertebrates, 151–152, 154, 155–156
  - olivines, 96
  - Olympic Dam, 82, 100, 269, 416–425, 537
  - Oobagooma uranium deposit, 269
  - Ooloo Limestone aquifer, 336
  - opals, 113, 263i, 264–265
  - Oparara, New Zealand, 185i
  - open-cut mining, 458i
  - Open Pool Australian Lightwater research reactor, 514i
  - ophiolites, 113
  - Ophir, 266, 385
  - Ophthalmia Orogeny, 464
  - Ord River, 32
  - Ordinance Point, 280i
  - Ordovician
    - Gondwana breakup, 181, 183
    - marine sediments, 106
    - terrestrial flora, 131
  - ore deposits, 22–23, 86, 94, 100
    - dating methods, 398–399
  - organic molecules, 123
  - orogenic belts, 23, 70
  - Orogeny Alleghenian, 184
  - Otway Basin, 109, 145
    - carbon capture and storage, 533
    - formation of, 71
    - groundwater resources, 336
    - oil reserves, 178, 203
    - southern margin, 201, 202
  - Otway Ranges, 117i, 171i
  - Outback Billabong, 248i
  - Overland Telegraph, 361
  - oxidation, 100, 107, 113, 124–125, 424
  - oxygen, 124–125, 135–136, 170
  - oyster shells, 263, 279
- P**
- Pacific-Izanagi Ridge, 49–50
  - Pacific Plate, 49, 50, 53
  - Pacific rim of fire, 53
  - paddle steamers, 246
  - palaeoclimatic conditions, 155f
  - palaeogeographic maps, 183
  - Palaeopacific Ocean subduction zone, 108
  - palaeorivers, 248–249
  - palaeoshorelines, 111
  - palaeovalleys, 110, 111, 248
  - palaeowater, 350
  - Paleoarchean: fossil record, 123
  - Paleocene: fauna and flora, 148
  - Paleogene
    - extinctions, 147
    - flora, 145, 148
  - Paleoproterozoic
    - fossil record, 123
    - tectonic evolution, 97
  - Paleozoic
    - acritarchs, 126
    - age of landscape, 23
    - basins, 70, 71
    - extinctions ending, 138
    - gravity gradient, 79
    - mantle, 84
    - rocks, 68
    - supercontinent formation, 92
  - Palm Valley gas field, 106
  - Paluma Shoals, 317
  - Pangaea, 89, 93, 103–108, 136, 184, 187–188
  - Pannawonnica, 267
  - Pannikin uranium deposit, 269
  - Panorama district, 95
  - Panorama Formation, 256
  - Papua New Guinea, 23
  - Papuan Basin, 178, 205, 220
  - Paraburdoo iron ore deposit, 465
  - Parachilna, 263
  - Paralana Hot Springs, 505
  - partial melting, 498f, 501, 502, 507, 509
  - MV *Pasha Bulker*, 325
  - passerines, 150
  - Paterson, AB, 343
  - Paterson Formation, 371
  - Paterson Orogen, 101, 194
  - Paterson Province, 103
  - peak oil, 535
  - pearling industry, 286–287
  - peat, 108, 136, 150, 458
  - pedolith, 250
  - Peel Inlet, 317
  - Pegmont, 412
  - Pejar Dam, 530i
  - Peninsula Hot Springs, 355
  - Pennington Bay, 295i
  - Pepegoona uranium deposit, 268i
  - Pera Bore, 347
  - perenties, 160, 161i
  - Permian
    - coal deposits, 108, 136, 138, 184, 186, 187, 457–460
    - extinctions, 138
    - glaciations, 107, 181, 183
    - Gondwana breakup, 183
    - vertebrates, 138
  - Perth
    - city skyline, 441i
    - climate change, 350–351
    - groundwater resources, 308, 340, 350, 351–352, 353f

- Perth (cont.)  
 managed aquifer recharge, 369  
 water quality, 314
- Perth Abyssal Plain, 198
- Perth Basin, 105, 107  
 geothermal groundwater, 373  
 groundwater resources, 335, 342  
 oil discoveries, 207  
 oil reserves, 178, 197m  
 seismic images, 187f  
 southwest margin, 199
- Perth Canyon, 60, 116, 293, 297
- pesticides, 318
- pests, 166
- Petermann Orogeny, 103, 234
- Petrel gas field, 187
- Petrel Sub-basin, 194
- petroleum  
 exploration for, 42, 82, 206–208, 222, 471i  
 exports, 168
- petroleum resource pyramid, 177, 178f
- petroleum supersystems, 106, 177–180, 221
- petroleum systems, 176–177
- phalangeriforms, 154, 162
- Phanerozoic, 68, 70, 103  
 extinctions, 134f  
 rocks, 89
- Phillip Island, 329i
- Phillips Australian Oil Co., 217
- phosphate, 43
- photosynthesis, 124, 170
- physiographic features of Australia, 15m, 26, 228m, 236–237m
- phytoplankton, 54
- pigs, 167i
- Pilbara, 22, 53, 238–239i, 482i  
 channel-iron deposits, 250i  
 deltas, 313
- Pilbara (cont.)  
 Eocene flora, 230  
 granite domes, 61  
 iron ore, 267, 346, 440, 446, 461  
 iron ore trains, 448–449i  
 Martian landscape, 257  
 radioactive elements, 64
- Pilbara Craton, 73, 77m, 79, 81  
 copper (Cu), 94  
 fossils, 123, 126  
 geological processes, 93–96, 100  
 gold (Au), 94, 408  
 groundwater resources, 335  
 high heat-producing granites, 501  
 iron ore deposits, 125
- Pine Creek, 68
- Pine Creek Province, 100
- Pinjarra: bauxite, 466
- Pinjarra Element, 73, 76, 103
- Pinjarra Orogen, 77, 101, 188, 199
- Pintupi (Bindibu) people, 338
- Pioneer River, 336
- Pittman, Edward, 344–345
- placental mammals, 148, 150, 165i
- placer deposits, 386
- placoderms, 131, 132
- Placozoa, 128
- plate boundaries, 49–50
- plateau edges, 240m
- plateaus, 42, 243
- platypus, 36, 155, 156i, 161, 359
- Pleistocene  
 alluvial sediments, 52i  
 coastal dunes, 305, 308  
 fauna, 165  
 flora, 157  
 ice age impacts, 33, 113  
 Indigenous occupation, 116
- Pliensbachian, 140
- Pliocene, 84, 111, 113  
 flora, 156
- Point Quobba, 382i
- point-source pollution, 366
- polar-wander paths, 414–415, 418m
- Polda Basin, 108
- policy settings, 454
- pollen, 134
- pollution  
 and dust, 233  
 and groundwater, 366
- population, 11, 16  
 Gold Coast, 326  
 Great Barrier Reef coast, 317  
 Indigenous Australians, 13
- population densities, 487
- population distribution, 13m, 16, 18  
 coasts, 280, 320, 328  
 factors influencing, 63
- population growth, 12, 284, 441, 529
- Porcupine Gorge, 260
- Port Douglas: seaport, 288
- Port Fairy: seaport, 281
- Port Hedland: seaport, 282, 446
- Port Jackson: water quality, 314
- Port Kembla steelworks, 478
- Port Phillip Bay  
 water quality, 314  
 wave-dominated estuaries, 311
- ports, coastal, 281–282
- ports, inland, 246
- Portuguese millipede, 166
- Poseidon crash, 440
- possums, 154, 162
- post-settlement alluvium, 255, 256i
- potassium (K)  
 gamma-ray spectrometry, 63–64

potassium (K) (cont.)  
 heat-producing elements, 23, 489–494, 496–514, 521  
 potato production, 347i  
 potential fields, 76–79  
 potentiometric contours, 343  
 Potter, Charles, 409  
 Precambrian  
 elements, 89, 97  
 surface relief, 24, 57, 257  
 Tasman Line, 73  
 precipitation budget, 30f  
 predation, 125  
 Princess Charlotte Bay, 318  
 prison labour, 343, 367  
 production technologies, 406  
 Prominent Hill, 421  
 prospectivity, 206–208  
 Proteaceae, 144–145, 148  
 Proterozoic  
 acritarchs, 126  
 crust–mantle boundary, 81  
 crustal elements, 72, 76  
 fossil record, 123  
 Gondwana assembly, 103  
 gravity gradient, 79  
 heat flow, 491, 496f, 504  
 high heat-producing granites, 507–514  
 lacking vegetation, 103  
 mobile belts, 84  
 oceanic oxidation, 100  
 rocks, 68, 70, 73, 89  
 stromatolites, 22  
 supercontinent formation, 92  
 terrestrial organisms, 131  
 zinc–lead deposits, 408–416  
 proto-Australia, 97–98  
 proto-Pacific Ocean, 104  
 Purnululu National Park (the Bungle Bungles), 26, 48i

Puysegur Trench, 50, 321, 540  
 pyrites, 316, 365–366, 458  
 pyroxenes, 96

## Q

quality of life, 441, 442  
 quarter-acre block, 18  
 quartz, 253  
 quartz sands, 296, 302  
 quartzites, 102  
 Quaternary  
 beach ridges, 241–242  
 fires, 153  
 flora, 157–158  
 glaciations, 24, 113, 230  
 influencing coastlines, 292–293, 296–300  
 landscape, 113–115  
 sea-levels, 292, 296–298  
 Queen River, 384i  
 Queensland lungfish (*Neoceratodus forsteri*), 147  
 Queensland Plateau, 110, 205, 292, 300  
 Queensland Trough, 205  
 Queenstown, 384i  
 Quilpie: hydrothermal resources, 520, 522  
 quolls, 164i

## R

rabbits, 166  
 radioactive decay, 489–492, 514–520  
 radioactive elements, *see* heat-producing elements  
 radiometric dating, 85–86  
 radium, 515  
 Raggatt, Sir Harold George, 67, 68  
 rail, 448–449i, 461  
 ‘rain follows the plough’, 354  
 rainbow lorikeets, 162i  
 Rainbow Serpent, 337i, 338  
 rainfall, 13m, 27–29

rainfall (cont.)  
 precipitation budget, 30f  
 vegetation patterns, 36  
 rainfall recharge, 368  
 rainforests, 111, 113, 117i, 185i  
 Ranger uranium mine, 269, 524i  
 Rankin Platform, 217, 218, 219  
 Rankine cycle heat exchanger, 374i  
 rare earth elements, 37, 101, 505, 538  
 Rasp, Charles, 409  
 ratites, 19, 151, 152i  
 Red Centre, 231  
 red kangaroo (*Macropus rufus*), 19, 44i  
 Redbank Shear Zone, 106  
 Reef Water Quality Protection Plan, 319  
 reflection profiles, 78m, 80, 81f, 82–83  
 refugees, 16  
 Regan, James, 393  
 regolith, 23, 76, 229, 250–256  
 quality for road building, 18, 115, 263, 266  
 resources from, 261–270  
 regolith-landform mapping, 270  
 rehabilitation of environment, 447i  
 relief, 234  
 relief inversion, 248–249, 250i  
 Remarkable Rocks, 490–491i  
 remote-controlled operations, 425–453  
 remote sensing, 61–62  
 remoteness, 18–19  
 renewable energy, 535  
*see also* geothermal energy  
 reptiles, 136, 145, 155, 159–161, 359  
 resistate minerals, 251  
 resource supply and demand, 442–445  
 Rhine Graben, Germany, 53  
 rhododendrons, 109  
*Rhoetosaurus brownei*, 141f  
 rias, 249

- Richmond River, 365
- Rincodon typus* (whale shark), 291
- Rio Tinto–Comalco Aluminium bauxite mine, 454
- river red gums (*Eucalyptus camaldulensis*), 248
- river systems, 58i, 116, 243–244, 246–249
  - aquifer connectivity, 356–358
  - becoming disorganised, 230
  - discharges, 30, 84, 286–287i, 293
  - flat landscape, 24, 25
  - flows, 25, 30, 32, 229
  - and salt burden, 111
- Riversleigh, 151, 152, 155
- Riversleigh inversion, 99
- road trains, 18i
- roads, 14m, 18, 263, 266
- Robe palaeochannel, 111
- Robe River, 248, 267
  - iron ore deposits, 465
- Robe: seaport, 281
- rock bolt, 19
- rock carvings, 188
- Rockhampton: seaport, 282, 288
- rocks, 22, 24, 68, 70
  - ages of, 33, 86, 88, 89f, 93
- rocky coasts, 300–301
- rodents, 162, 165i
- Rodinia, 73, 89, 93, 100–103
  - breakup of, 70, 77, 79, 84
- Roe Creek borefield, 350
- Roebuck Basin, 82, 188
- Rolling Downs Group, 467
- Roma, 207
- root depths, 359
- Ross Sandstone, 188
- Rottnest Island, 308
- Rough Range 1, 207, 217
- Roxby Downs, 417, 420
- Royal Flying Doctor Service, 16i, 18–19
- Ruapehu volcano, New Zealand, 53
- rubies, 55
- runoff, 244
- Russell River, 318
- rutiles, 111, 251, 268, 308, 450
  - top-five product, 435
- Ryan, Patrick, 416
- S**
- sacred sites, 59
- Sahul, 10, 11m, 24
- salinity, 63, 252, 255–256
  - Coorong Estuary, 315
  - and groundwater, 361–364, 371–372
  - soils prone to, 229
- Salt Creek, 206
- salt deposits, 102, 111, 115
- salt interception schemes, 363
- salt lakes, 31
- saltwater crocodiles, 313
- Salvinia* species, 167i
- sand dunes, *see* dunes, coastal; dunes, inland
- sand: industrial materials, 43, 115
- sand mining, 519i
- sandstone coast, 301
- sandstones, 188
  - building material, 108, 385
  - geological processes, 199
  - hydrocarbon reservoirs, 184, 220
- Sandy Bay, 327i
- sandy beaches, *see* beaches
- Santonian: flora, 144
- sapphires, 55
- saprock, 250
- saprolite, 250, 251, 257
- saprolith, 250
- saratogas (*Scleropages*), 147
- satellite remote sensing, 61–62
- Savage River, 461
- Scarborough, 217, 219
- Scleropages* (saratogas), 147
- Scott Reef, 300
- sea-levels, 24–25, 38, 92
  - affecting coastlines, 325–327, 540, 542
  - Cenozoic, 230
  - coral reefs, 298–300
  - highest levels, 196
  - Last Glacial Maximum, 10, 249
  - Quaternary, 114, 292, 296–298
- sea-surface temperatures, 290m
- sea transport, 303
- seafloor
  - cyclonic impacts, 324
  - oldest, 194
- seafloor spreading, 51, 190, 200–201
- sealing, 281
- seamounts, 42, 55, 58
- Seaport gateways of Australia*, 281
- seaports, 281–282, 311
- seasonality, 27, 28, 230
- Seaspray Group, 209, 214
- seaways, 31, 108, 196, 197, 201
  - see also* Larapintine Seaway
- sediment cores, 315–316
- sedimentary basins, 70–71, 84
  - groundwater resources, 369, 371
- sedimentary systems, coastal, 292–293, 302–303, 313
- sedimentation, 24, 230i
  - cyclonic impacts, 324
- seed ferns, 136–140, 143i, 146i
- seeds, 134
- seismic activity, 51–53, 242
- seismic profiles, 193f
- seismic reflection, 80, 81f, 82–83
- seismic techniques, 78m, 81, 209
- seismic tomography, 83

- Selwyn, Alfred Richard Cecil, 67
- Selwyn Block, 202, 203m
- Sensitive High-Resolution MicroProbe, 86, 88
- settlements
- on agricultural land, 18
  - in capital cities, 16, 439
  - coasts, 13, 279–280, 305, 313
  - environmental pressures, 314
  - soldier settlement schemes, 317
- sexual reproduction, 125, 127, 133
- shale deposits, 112, 196
- shale gas, 177, 470, 534
- shale oils, 112, 177, 196, 221, 535
- Shark Bay, 22, 95, 116, 123, 124i, 308i, 309
- sharks, 131, 132
- Shea, Dan, 400
- shear wavespeed, 82m, 83–84
- shell middens, 279–280, 285
- shell sand, 43
- shells, 128
- shelly fossils, 129
- shield volcanoes, 55
- shipping, 37i, 288, 303, 464i, 475i
- Shipwreck Trough, 202
- Shoalhaven River, 247
- Shuttle Radar Topography Mission, 60
- Siberian Traps, 138
- silcretes, 243, 245i, 251, 266
- silicon dioxide, 68
- Silurian: terrestrial flora, 131
- silver (Ag)
- Broken Hill, 19, 267, 387, 409
  - formation of, 100
  - Glen Osmond Mine, 385
  - Olympic Dam, 269
  - top-five product, 435
- Silverton, 408
- Simpson Desert, 20–21i, 77, 115i, 158, 258t
- Simpson Desert (cont.)
- groundwater resources, 337, 352i
- Sirius Passet, Greenland, 130
- skeletons, development of, 128
- skin cancer, 27
- skinks, 160, 161i
- slope failures, 320f, 321–322
- slopes, 234
- Smyth, R Brough, 66
- snakes, 151, 158, 159–160
- Snapper anticline, 214
- Snowball Earth hypothesis, 128
- Snowy Mountains, 23i, 27, 79m, 111i
- Snowy Mountains hydroelectric scheme, 19
- social licence to operate, 448, 450–452
- society
- effects of resource sector, 445–448
  - expectations of mining industry, 425–427
- sodic soils, 254
- soils, 62–63, 253–256
- acid sulphate soils, 316–317
  - deep loams, 233
  - formation of, 254
  - quality, 24, 30, 33, 229
- solar radiation, 27
- soldier settlement schemes, 317
- Soldiers Gap Group, 411
- Solomon Trench, 50
- Song of the Artesian Water* (poem), 343
- Sorell Basin, 110, 201, 202
- Sorell Fault, 202, 203m
- South Alligator River, 311, 312–313
- South Australian Element, 76, 89, 94, 97, 98–99
- South Australian Heatflow Anomaly, 52
- South Tasman Rise, 202, 203m
- Southeast Indian Ridge, 49, 58
- Southern Annular Mode, 27
- southern beech (*Nothofagus*), 109, 144–145, 148, 154, 156, 230
- southern margin, 191, 200–203, 290, 294
- Southern Ocean, 58
- carbon capture and storage, 54
- southwest margin, 191, 197m, 198–200
- Southwest Terrane, 96
- Spa Country, 355
- Sparganiaceae, 148
- spatial terms (defined), 57t
- spinifex hopping mouse, 165i
- spinifex (*Triodia* spp.), 33i, 96
- splendid fairy wrens, 163i
- spoil heaps, 263i
- sponges, 128
- spores, 131
- sporting culture, 20
- Sprigg Canyon, 297
- Stawell Zone, 395–397, 400
- steel, 478
- Stirling Ranges, 127
- stock routes, 340–341
- Stockton Bight, 305
- Stockton dunes, 308
- stony deserts, 258
- storm surges, 323–324
- storms, 319, 325
- stormwater runoff, 369
- Stradbroke Island, 305, 325, 447i
- strategic minerals, 538
- Strelley Pool Formation, 93i, 94, 123, 124i, 256–257
- stresses, tectonic, 50–53
- stromatolites, 22, 33, 93i, 95, 123, 124i, 309
- Strzelecki Group, 212, 214
- Strzelecki, PE, 66
- Strzelecki Ranges, 214
- Stuart Creek silcrete flora, 149
- Stuart, John McDouall, 361



Stuart Shelf, 417  
 stump-jump plough, 19  
 Sturt Desert, 231i  
 Sturtian glaciation, 103, 128, 257  
 stygofauna, 360  
 subduction, 49–51, 53, 320–321  
 submarine canyons, 293, 297  
 submarine groundwater discharges, 358  
 submarine landslides, 321–322  
 Suess, Eduard, 138  
 sugar cane fields, 316i  
 sulfate minerals, 100  
 sulfides, 94, 95, 267, 409–410  
 sulfur content of coal, 451, 458  
 sulfuric acid, 316–317  
 Sullivans Bay, 340  
 Sumatra Trench, 50  
 Sunda, 10, 11m  
 Sunrise Dam, 401  
 Super Pit, 401i  
 supercontinents, 89, 92, 93  
   heat-producing elements, 510–511  
   *see also* Gondwana; Pangaea  
 supercratons, 89, 93, 95  
 Supermountain range, 103  
 superphosphate use, 317  
 Surat Basin, 108, 207  
   coal-seam gas, 373–374  
 surf beaches, 304, 306–307  
 Surf Life Saving Australia, 304  
 surface geochemistry, 65, 68  
 surface geology, 68, 69m  
 surface relief, 57–58, 60  
 surface-water  
   domestic supply, 350  
   and groundwater interactions, 356–358, 532  
 Surfers Paradise, 326  
 surfing, 284

surveys, 66–67, 68, 73i  
 sustainable development of resources sector, 454  
 sustainable environmental management, 531  
 Swan–Canning Estuary: water quality, 314  
 Swan River, 340  
*SydHarbs*, 24, 419  
 Sydney  
   groundwater resources, 340, 343, 352  
   water quality, 314  
 Sydney Basin, 255  
   coal deposits, 108, 457, 458–459  
   formation of, 70, 186  
 Sydney Harbour, 189i, 249, 311  
 MV *Sydney*, 325  
 synapsids, 136  
 Synthetic Aperture Radar, 61

## T

Tabberabberan cycle, 104  
 taipans, 159i  
 Talbot, Henry William Beamish, 67  
 Talbragar Fossil Fish Bed, 141–142, 143i  
 tall ships, 221i  
 Tanami Desert, 107, 230i, 271  
 Tanami Province, 100  
 Tangguh gas field, 113  
 Tank Stream, 340  
 tantalum: top-five product, 435  
 tar sands, 177  
 Taranaki Basin, New Zealand, 203  
 Tarawera volcano, New Zealand, 53  
 Tarkine Wilderness, 280i  
 Tarong, 140  
 Tasman Basin, 42  
 Tasman Element, 73, 76, 93, 237, 238  
 Tasman Fold Belt, 72  
 Tasman Fracture Zone, 49, 183, 201, 202, 203  
 Tasman Island, 512i

Tasman Line, 73, 205  
 Tasman Orogen, 73  
 Tasman Sea, 55, 109, 183, 203  
 Tasmania  
   climate change, 368  
   crust thickness, 82  
   minerals extraction, 43m  
   separation from Antarctica, 205  
 Tasmanian devils, 36  
 Tasmanian tigers, 152, 162, 166, 168–169i  
 Tasmanides, 76  
 Tasmantid Seamount Chain, 42  
 Tate, Ralph, 341  
 Taylor, Griffith, 256  
 technology and innovation, 19, 389, 406, 409–410, 452–453  
   floating LNG technology, 473  
 tectonic evolution, 89, 93, 428–430  
   3800–2200 Ma, 93–97  
   2200–1300 Ma, 97–100  
   1300–700 Ma, 100–103  
   700–250 Ma, 103–108  
   250–160 Ma, 108  
   160–65 Ma, 108–110  
   65–2.6 Ma, 110–113  
   2.6–0 Ma, 113, 115–116  
   Eastern Goldfields, 402–405, 407–408, 423–425  
   Hamersley Basin, 461–462, 464–466  
   Olympic Dam, 416–425  
   Victorian goldfields, 393, 395–397, 400, 424–425  
   zinc–lead deposits, 411–416, 423–425  
 tectonics, 181  
   controlling flatness, 236–238  
   neotectonic deformation, 241–242  
   plate stresses, 50–53  
   tectonic maps, 72  
   tectonic plates, 49–50  
   tectonic stability, 84

- tectonics (cont.)  
     volcanic activity, 53–56
- Teichert, Curt, 217
- tektites, 59
- temnospondyl amphibians, 138, 140, 141, 145
- temperate coasts, 284
- temperate rainforests, 185i
- temperature zones, 43
- temperatures, 27, 28m
- temporal terms (defined), 57t
- Tennant Creek, 79m  
     gold discoveries, 388  
     weathering, 253t
- termites, 271
- terms of trade, 435f
- terraces, 42
- Terre Adélie Craton, 99
- Terre Australe, 278
- terrestrial organisms, 131
- terrigenous sediments, 293, 296, 302
- Tethys Sea formation, 108
- tetrapods, 135, 136
- Thomson, Donald, 338
- Thomson Orogen, 76
- thorium (Th), 65m, 534  
     gamma-ray spectrometry, 63–64  
     heat-producing elements, 23, 489–494, 496–514, 521, 523  
     nuclear fuel, 515–516, 519
- Thorpedale, 347i
- The Three Sisters, 258t
- Thurralgoona bore, 342
- thylacines, 152, 162, 166, 168–169i
- thylacoleonids, 152, 154, 162
- tide-dominated systems, 294, 303, 304–305, 311, 312–313
- tiger quolls, 164i
- tight gas, 177, 470
- tilting of continent, 241
- Timor, 113
- Timor Rock, 54i
- tin (Sn), 43, 387
- Tindall Limestone aquifer, 336, 339
- Tnorala* (Gosses Bluff), 59, 258t
- Toarcian, 140
- Tomago Sandbeds, 336
- tonalite–trondhjemite–granodiorite, 502–503, 504, 512–513
- Tonga–Kermadec Trench, 50
- Toolebuc Formation, 177, 196, 220, 221
- tools, 261, 263
- Top End seasons, 27
- topographic relief, 57–58
- topography, 24, 25–26, 60–61
- Torquay: population growth, 284
- Torres Strait Islander people, *see* Indigenous Australians
- tourism, 285, 287, 288
- Townsville  
     population growth, 284  
     seaport, 288
- Townsville Trough, 205
- trace elements, 253
- trade, Indigenous, 385
- trains, freight, 448–449i
- transient salinity, 364
- transport, 472i
- transport links, 14m, 18
- transported regolith, 250
- Triassic  
     delta formations, 188  
     extinctions, 140  
     flora, 138, 140  
     oil reserves, 178  
     Pangaea breakup, 108  
     shale deposits, 187
- trilobites, 130i
- Triodia* spp. (spinifex), 33i, 96
- tropical cyclones, *see* cyclones
- tropical forests, 115–116
- tropical seasons, 27, 28
- Tropicana gold deposit, 101, 406
- trucks, driverless, 453
- tsunamis, 24, 38, 53, 319, 320–322, 540
- tufa dams, 339i
- Tully, 29
- Tumbiana Formation, 123
- Tumblagooda Sandstone, 182i
- Tuna anticline, 214
- tungsten, 43, 478
- Turonian  
     flora, 144  
     highest sea-level, 196
- turtles, 145, 159, 359
- Tweed Heads: population growth, 284
- Twelve Apostles, 26i, 258t, 294i, 301
- Twofold Bay, 281i
- tyranny of distance, 220, 371
- ## U
- Ulladulla: population growth, 284
- ultraviolet light, 27
- Uluru, 26, 68, 226–227i  
     age of, 257, 258t  
     cultural connection, 8, 9  
     erosion, 253  
     formation of, 103, 234
- unconformities, 93i, 94, 256
- unconventional hydrocarbon resources, 177, 180, 470, 534, 535  
     *see also* coal-seam gas
- Undara lava tubes, 258t
- Undara Volcanic National Park, 110i

## United States

- coal production, 443
- shale gas, 534

upper mantle, 83–84

Upper Roper Group, 100

uranium (U), 37, 111, 534

- demonstrated reserves, 517f
- gamma-ray spectrometry, 63–65
- heat-producing elements, 23, 489–494, 496–514, 521, 523
- mines, 269
- new demand for, 388
- nuclear energy, 514–516
- Olympic Dam, 416–422
- tectonic evolution, 103
- top-five product, 435

uranium (U)–lead (Pb) isotopic system, 88

Urapungan Petroleum Supersystem, 178

urbanisation, *see* settlements

Useless Loop, 116

## V

Vaalbara, 89, 95, 97

Valanginian, 142, 196, 197, 198

value adding, 477–478

*Varanus* species (lizards), 160–161

Variscan Orogeny, 184

vascular plants, 131

Veevers crater, 59

vegetation patterns, 34–35m, 36

- land cover, 61–62

venomous species, 36, 158, 159–160

vibroseis trucks, 80i

Victor Harbor: seaport, 282

Victorian goldfields, 383i, 386, 392–400, 402f, 424–425, 437–438

volcanic hydrothermal resources, 517

volcanoes, 22–23, 53–56

volcanoes (cont.)

causing extinctions, 138, 140

causing tsunamis, 321

geohazards, 24, 38

Heard Island and McDonald Islands, 41

Mt Gambier, 111, 116

soil creation, 33

southwest margin, 199–200

Vulcan Sub-basin, 194

## W

Waarre Formation, 533

Walbiri uranium deposit, 269

Wallaby Dam, 401

Wallaby Plateau, 82, 197m, 199

Wallaby–Zenith Fracture Zone, 191, 194, 199

Wallace Line, 11m

Wallacea, 10, 11m

Walloon Coal Measures, 373–374

Wangkangurru people, 337, 361

Wangkumara people, 265

Warrakuna Large Igneous Province, 102

Warrawoona Group rocks, 94

Warren beach, 305

Warrnambool: seaport, 282

Warrumbungle National Park, 54i, 112

Warumpi Province, 99, 415

waste disposal practices, 366

water dragons, 161i

water quality: coastal waterways, 313–319

water security, 335, 530, 532

water supply, 29, 30–33

- domestic use, 350–354

- to goldfields, 345–346

- Indigenous Australians' knowledge, 337–338, 339

water-table rise, 255

water use per capita, 350, 530

water volumes, measuring, 24

waterfowl, 152

Wattle Gulley gold mine, 398i

wave-dominated systems, 304, 311

wave energy, 306

weathering, 113, 115, 134–135, 229, 230i, 251–253, 466

Weber Line, 11m

Wedge Island, 301i

Weeks, Lewis, 209

Weipa, 454

- bauxite, 267, 388, 466–470

Wenitong, John Michael, 8, 9

West Angelas Mine, 453

West Australian Element, 73, 89, 93

- formation, 97–100

- Rodinia formation, 101

West Australian Petroleum, 217

Western Arrernte people, 59

Western Australia: climate change, 350–351, 367–368

Western Cape Communities Co-Existence Agreement, 454

Western Mining Corporation Ltd, 389, 390, 417–418

Western Plateau, 15m, 26

Western Ridge System, 204

Western Rift Province, 204

Westralian Petroleum Supersystem, 178, 179f, 180m, 218

Westralian Superbasin, 82–83

Westralian trend, 194

'wet' season, 27, 28

wetlands, 357–358

whale sharks (*Rincodon typus*), 291

whaling, 281

wheat, 33i, 37

- exports, 168

- soil quality, 254

- yields, 253, 255

wheat belt, 61

Whicher Range, 199

White Australia Policy, 383  
 White Cliffs, 265  
 Whitehouse, FW, 468  
 Whundo greenstone belt, 94  
 Whyalla steelworks, 478  
 wildfires, *see* fires  
 Wilgie Mai ochre mine, 261, 263  
 Wilkatana Fault, 52  
 Wilkinson, Charles, 341  
 Williams Suite, 100  
 Williamstown–Meadows (Kitchener) Fault, 52i  
 Willyama Supergroup, 411  
 Wiluna, 269  
 Windalia Radiolarite, 220  
 Windalia Sandstone, 220  
 Windarra, 440  
 Windjana Gorge, iv, 22i, 133, 135  
 winds, 232–233  
 wine, 262  
 Wingellina: weathering, 253t  
 Winton Formation, 157  
 Wiso Basin, 106  
     groundwater resources, 335  
 Witjira–Dalhousie Mound Springs, 361  
 Witjira National Park, 158, 234i, 504i  
 Wolf Creek crater, 59  
*Wollemia nobilis* (Wollemi pine), 156–157, 230  
 Wollombi Coal Measures, 458  
 Wollomombi Falls, 241i  
 wombats, 36, 152, 162  
 Wongkamala people, 337  
 wonky holes, 358, 359f  
 Wood, Walter E, 361  
 Woodie Woodie Mine, 346  
 Woodside Petroleum Ltd, 217, 221, 476  
 Woodward, Harvey Page, 461, 463  
 wool industry, 437  
 Woolnough, WG, 243

World Heritage listings, 26, 41, 185i, 204, 285, 309  
 wrens, 163i  
*wurrngeng* (tropical season), 27

## X

xenoliths, 56  
 xenon, 56

## Y

Yadglin uranium deposit, 269  
 Yamarna Terranes, 96  
 Yandi palaeochannel, 111  
 Yapungku–Capricorn Orogeny, 98–99  
 Yarra River, 116  
 Yarragadee Aquifer, 351, 366–367, 368f  
 Yarragadee Formation, 199  
 Yarrakina Mine, 263  
 Yea, 131, 132i  
 Yeelirrie uranium deposit, 269, 494  
*yegge* (tropical season), 27  
 Yeneena Basin, 102, 103  
 Yilgarn Craton, 70, 73  
     crust thickness, 82  
     denudation, 260  
     Eastern Goldfields, 402–408, 409f  
     geological processes, 93, 95–97  
     gold deposits, 267  
     groundwater resources, 335  
     high heat-producing granites, 501, 503, 506f  
     landscape processes, 236, 237m  
     lithosphere, 84  
     mapping, 64, 77, 79, 81  
     nickel deposits, 389  
     southwest margin, 197m, 199  
     uranium deposits, 269  
 Youanmi Terrane, 96  
 Young, 233i  
 Younghusband Peninsula, 292i

## Z

Zambian Copper Belt, 103  
 zinc–lead deposits  
     Broken Hill, 387, 409–410  
     geological evolution, 411–416, 418m, 423–425  
     Mt Isa, 388, 410–411  
 zinc (Zn), 37  
     Broken Hill, 19  
     formation of, 100  
     top-five product, 435  
 zirconium, 68  
 zircons  
     in coastal sands, 296  
     dating of, 88  
     economic deposits, 111, 268, 308, 450  
     Newer Volcanic Group, 55  
     oldest minerals, 93  
     top-five product, 435  
     and weathering, 251  
 Zuytdorp Cliffs, 116, 293, 300i