

List of Figures

Figure 1.1 Map showing the location of the Atherton-Evelyn Tablelands in the rainforest region of far north Queensland, the study area in the southwest part of the Evelyn Tableland, and archaeological sites and other places mentioned in the text.	2
Figure 2.1 The Wet Tropics Bioregion and surrounds in northeast Queensland showing the location of the Atherton Tablelands.	12
Figure 3.1 Campsite image from the rainforest region with Aboriginal huts in an open pocket dominated by <i>Eucalyptus</i> spp. trees.	26
Figure 3.2 Construction of a hut in a cleared area at the edge of the rainforest on the Atherton Tableland.	27
Figure 3.3 Aboriginal walking track through rainforest.	28
Figure 3.4 Aboriginal men in traditional ceremonial costume with their shields, swords, and spears.	29
Figure 3.5 Aboriginal family group on the Atherton Tableland with painted shields, spears and a hardwood sword, as well as two characteristic domestic rainforest items, a water-carrying bark basket (left) and a bicornual lawyer cane basket (right), 1890s.	30
Figure 3.6 King George of Ravenshoe receiving the annual handout of blankets from the Protector of Aborigines, circa 1910.	32
Figure 3.7 Members of the Traveller's Club, Stockholm, Sweden, circa 1912. Mjöberg is seated second from the right.	35
Figure 3.8 Large slate axe with a new lawyer cane handle, Cedar Creek.	40
Figure 4.1 Map of Culpa Lands (historical gold field) in the upper Tully River region and the location of the Urumbal Pocket open archaeological site (circled) on Koombooloomba Dam.	48
Figure 4.2 Campbell's survey map from 1922–23 (left) and aerial photograph from 1951. Red triangle indicates the location of the archaeological open site at Urumbal Pocket.	50
Figure 4.3 Surface finds and archaeological stratified sites located in surveys around Koombooloomba Dam during 2002–03.	51
Figure 4.4 Example of a ground-edge basalt axe found on exposed soil at Koombooloomba Dam.	52
Figure 4.5 Example of incised slate grinding stone (<i>morah</i>) found on exposed soil at Koombooloomba Dam.	52
Figure 4.6 Flaked glass artefacts found on exposed band of soil at Koombooloomba Dam.	53
Figure 4.7 Location of the archaeological open site at Urumbal Pocket on Koombooloomba Dam, July 2003.	54
Figure 4.8 Location of excavation squares at Urumbal Pocket.	55
Figure 4.9 Square A2 showing the surface of spit 10 at a depth of 60 cm.	56
Figure 4.10 Stratigraphic sections in square A2.	57
Figure 4.11 Square V5, surface of spit 12 at a depth of 65 cm (in southeastern quadrant).	58

Figure 4.12 Stratigraphic sections in square V5.	59
Figure 4.13 Square S2, surface of spit 18 (top of unit 2) at a depth of 45 cm.	60
Figure 4.14 Stratigraphic sections in square S2.	61
Figure 4.15 Square O2, surface of spit 12 (top of unit 2) at a depth of 30 cm.	62
Figure 4.16 Stratigraphic sections in square O2.	63
Figure 4.17 Square V8, surface of spit 12 at a depth of 30 cm.	64
Figure 4.18 Stratigraphic sections in square V8.	64
Figure 4.19 Square Z3, surface of spit 18 (in south-eastern quadrant) at a depth of 55 cm.	65
Figure 4.20 Stratigraphic sections in square Z3.	66
Figure 4.21 Excavation squares at Urumbal Pocket at the end of the third season. Squares A2 and V5 were excavated in season 1 and 2 respectively.	67
Figure 5.1 Numbers of large artefacts recovered from Urumbal Pocket, in composite spits 1–12, per excavated square.	76
Figure 5.2 Numbers of small artefacts recovered from Urumbal Pocket, in composite spits 1–12, per excavated square.	77
Figure 5.3 Broken quartz pebble recovered in the excavations at Urumbal Pocket.	80
Figure 5.4 Crystal quartz core recorded on the banks of Koombaloo Dam (scale=cm).	80
Figure 5.5 The distribution of complete cores, including bipolar cores, on quartz, in numbers of artefacts in 5 g intervals.	86
Figure 5.6 Stone anvil of an unknown volcanic raw material type excavated from Urumbal Pocket.	88
Figure 5.7 Complete and broken bipolar cores on (L–R) glass, crystal quartz, quartz, and rhyolite, excavated from Urumbal Pocket.	89
Figure 5.8 Fragment of incised slate grinding stone recovered from the Urumbal Pocket excavations.	92
Figure 5.9 Edge-ground slate axe found <i>in situ</i> during the Urumbal Pocket excavations.	92
Figure 5.10 Piece of ground ochre recovered from the Urumbal Pocket excavations.	94
Figure 5.11 Quartz artefact with ochre residue.	94
Figure 5.12 Top: chert flake with residue. Bottom: magnified close-up of the residue showing its grainy, bubble-like texture.	95
Figure 5.13 Top: bipolar quartz core with residue. Bottom: magnified close-up of the residue showing its grainy, bubble-like texture.	95
Figure 5.14 Top: bipolar quartz flake with residue. Bottom: magnified close-up of the residue showing its grainy, bubble-like texture.	96
Figure 5.15 Top: quartz flake with residue. Bottom: magnified close-up of the residue showing its grainy, bubble-like texture.	96
Figure 6.1 Nut-cracking stones (the largest is approximately 15 cm in maximum dimension) collected by Eric Mjöberg at Cedar Creek.	101
Figure 6.2 Stone artefact used in the cracking open of hard-shelled rainforest nuts found during surveys along the Russell River.	102

Figure 6.3 Rat gnaw marks on modern samples of <i>Pouteria</i> spp.	104
Figure 6.4 Rat gnaw marks on a modern yellow walnut, <i>Beilschmedia bancroftii</i> .	104
Figure 6.5 Modern yellow walnuts (<i>Beilschmedia bancroftii</i>) showing distinct morphological features that were used in the analysis of the archaeological plant remains.	105
Figure 6.6 <i>Jirrbal</i> elder Maisie Barlow next to the carved black walnut tree (<i>Endiandra palmerstonii</i>) discussed in the text.	106
Figure 6.7 The author next to the black pine tree (<i>Sundacarpus amara</i>) discussed in the text.	107
Figure 6.8 Walnut endocarp fragment showing characteristic morphological features discussed in the text.	109
Figure 6.9 Excavated nutshell fragments showing preserved parts of pointed apex and surface ornamentations.	109
Figure 6.10 Excavated seed of <i>Pouteria</i> spp. showing characteristic groove running down the centre of its body.	109
Figure 6.11 Excavated seed tentatively identified by B. Hyland as belonging to the Elaeocarpaceae family.	110
Figure 6.12 Total weights in plant remains recovered from Urumbal Pocket, in composite spits 1–12, per square.	114
Figure 7.1 <i>Boignjul</i> : a clearing located in a dry creek bed, in a saddle within tropical rainforest.	118
Figure 7.2 Surface plan of the <i>Boignjul</i> open archaeological site with surface finds, location of test pits (represented by yellow squares), and excavation trenches T1–T4.	122
Figure 7.3 Trench 1 showing the top of spit 4 and the 1 x 1 m cell excavated in the southwest corner.	123
Figure 7.4 Trench 2 showing the base of spit 4 at a depth of 25 cm.	124
Figure 7.5 Trench 1 stratigraphic sections at <i>Boignjul</i> .	125
Figure 7.6 Trench 2 stratigraphic sections at <i>Boignjul</i> .	125
Figure 7.7 Trench 3 showing the base of spit 2 at a depth of 20 cm.	126
Figure 7.8 Trench 3 stratigraphic sections at <i>Boignjul</i> .	127
Figure 7.9 Trench 4 showing the base of spit 2 at a depth of 15 cm.	127
Figure 7.10 Trench 4 stratigraphic sections at <i>Boignjul</i> .	128
Figure 7.11 Edge-ground axe collected from the surface at <i>Boignjul</i> . Left: Lines incised on butt of the axe and rounded cutting edge. Right: Magnified close-up of the usewear and residue, showing the engraved lines in the top left corner and reddish-black residue in the bottom left.	131
Figure 7.12 Complete bottles from the surface at <i>Boignjul</i> .	133
Figure 7.13 Glass fragment from <i>Boignjul</i> with micro-sized flake scars along one or more edges.	134
Figure 7.14 Glass fragment from <i>Boignjul</i> with apparent retouch modification of one edge.	134
Figure 7.15 Flaked bottle base from <i>Boignjul</i> . Arrows indicate locations showing technological attributes.	135

Figure 7.16 Bipolar core on clear glass from <i>Boignjul</i> .	135
Figure 7.17 Possible notched tool from <i>Boignjul</i> .	135
Figure 7.18 Footwear collected from the surface at <i>Boignjul</i> . Left: remains of boot showing nails used to repair boot and decorative stitching in the leather. Right: close-up of nails used to repair boot.	136
Figure 7.19 Metal files from <i>Boignjul</i> .	137
Figure 7.20 Metal handle recovered from test pit 31 at <i>Boignjul</i> .	137
Figure 7.21 Complete nails from test pits and trench excavations at <i>Boignjul</i> .	138
Figure 7.22 Sew-through bone button collected from surface square B1 at <i>Boignjul</i> .	138
Figure 7.23 <i>Jirrbal</i> people photographed in the early 1920s on South Cedar Creek, near Old Bellamy's farm.	139
Figure 7.24 Vulcanite button recovered from test pit 4 at <i>Boignjul</i> .	141
Figure 7.25 Coins recovered from the excavations at <i>Boignjul</i> .	141
Figure 8.1 Map with the Golf Links property approximately in the centre of the picture. The area highlighted represents a former eucalypt pocket that is bordered by North and South Cedar Creeks and the Millstream River to the west.	144
Figure 8.2 King George's brother demonstrating his tree climbing skills using a rope made from lawyer cane at Cedar Creek.	146
Figure 8.3 Oval-shaped clearing on the Golf Links identified in the 2004 survey.	148
Figure 8.4 Burn-off on the Golf Links property. The flat grassy area in the front of the photo is part of the old golf course and was not surveyed in 2006.	149
Figure 8.5 Stone arrangement located in the western section of the Golf Links.	150
Figure 8.6 Stone arrangement on the Golf Links with the Millstream River located at the base of a steep hill.	150
Figure 8.7 World War II sniper pit in a sclerophyll forest area located northwest of Ravenshoe.	150
Figure 8.8 Mound on the Golf Links property with volcanic stones arranged around it, including a flat grinding stone.	151
Figure 8.9 Bent tree/track-marker tree on the Golf Links.	151
Figure 8.10 Transect located across one of two clusters of oval-shaped clearings on the Golf Links, November 2006.	151
Figure 8.11 Artefacts found on the Golf Links during the 2004 archaeological survey. Top: proximal flake made of chert. Bottom: scraper made on the base of a small brown bottle/jar.	153
Figure 8.12 An area with good quality white quartz in the Evelyn area, located in open sclerophyll forest some 20 km northwest of Ravenshoe, November 2006.	153
Figure 8.13 Worked cobble identified on the Golf Links, November 2006.	154
Figure 8.14 Scraper on a brown bottle base.	156
Figure 8.15 Clear glass fragment with deliberate retouch along one edge.	156

This text is taken from *Journeys into the Rainforest: Archaeology of Culture Change and Continuity on the Evelyn Tableland, North Queensland*, by Åsa Ferrier, published 2015 by ANU Press, The Australian National University, Canberra, Australia.