



Fungi in the litter layer: *E. fastigata* forest, Shoalhaven catchment. Photo: Sandra Berry.

Corymbia maculata, south coast NSW. Photo: Andrew Wong.

REFERENCES

- Abe, H., Sam, N., Niangu, M., Vatnabar, P. and Kiyono, Y. 1999, 'Effect of logging on forest structure at the Mongi-Busiga forest research plots, Finschhafen, Papua New Guinea', Proceedings of the PNGFRI-JICA International Forestry Seminar, 4–7 October 1999, *PNGFRI Bulletin No. 18*, Papua New Guinea Forest Research Institute.
- Ajani, J. 2007, *The Forest Wars*, Melbourne University Press, Carlton.
- Archer, D. 2005, 'Fate of fossil fuel CO₂ in geologic time', *Journal of Geophysical Research*, 110, pp. 1–6.
- Asner, G., Knapp, D. E., Broadbent, E. N., Oliveira, P. J. C., Keller, M. and Silva, J. N. 2005, 'Selective logging in the Brazilian Amazon', *Science*, 310, pp. 480–2.
- Australian Greenhouse Office 2007a, *National Carbon Accounting System*, Australian Greenhouse Office, Department of the Environment, Water, Heritage and the Arts, <<http://www.greenhouse.gov.au/ncas>>
- Australian Greenhouse Office, 2007b, *National Greenhouse Gas Inventory*, Australian Greenhouse Office, Department of the Environment, Water, Heritage and the Arts, <<http://www.greenhouse.gov.au/inventory>>
- Barrett, D. J. 2002, 'Steady state turnover time of carbon in the Australian terrestrial biosphere', *Global Biogeochemical Cycles*, 16 (4), p. 1108, doi:10.1029/2002GB001860.
- Barrett, D. J., Byrne, G. and Senarath, U. 2005, 'The 250m 16-day vegetation index product (MOD13Q1) for Australia', *CSIRO Land and Water Technical Report*, 05/05, CSIRO Land and Water, Canberra.
- Berger, A. and Loutre, M. F. 2002, 'CLIMATE: An exceptionally long interglacial ahead?', *Science*, 297, pp. 1287–8.
- Berry, S., Mackey, B. and Brown, T. 2007, 'Potential applications of remotely sensed vegetation greenness to habitat analysis and the conservation of dispersive fauna', *Pacific Conservation Biology*, 13, pp. 120–7.
- Brack, C. L., Richards, G. and Waterworth, R. 2006, 'Integrated and comprehensive estimation of greenhouse gas emissions from land systems', *Sustainability Science*, 1, pp. 91–106.
- Bradshaw, W. E. and Holzapfel, C. M 2006, 'Evolutionary response to rapid climate change', *Science*, 312, pp. 147–8.
- Brown, J. H., Gillooly, J. F., Allen, A. P., van Savage, M. and West, G. B. 2004, 'Toward a metabolic theory of ecology', *Ecology*, 85, pp. 1771–89.
- Brown, S., Schroeder, P. and Birdsey, R. 1997, 'Aboveground biomass distribution of US eastern hardwood forests and the use of large trees as an indicator of forest development', *Forest Ecology and Management*, 96, pp. 37–47.

- Costa, P. M. and Wilson, C. 2000, 'An equivalence factor between CO₂ avoided emissions and sequestration—description and applications in forestry', *Mitigation and Adaptation Strategies for Global Change*, 5, pp. 51–60.
- Cowan, I. R. and Farquhar, G. D. 1977, 'Stomatal function in relation to leaf metabolism and environment', *Symposia of the Society for Experimental Biology*, 31, pp. 471–505.
- CSIRO 2007, *Australian Soil Resource Information System*, <http://www.asris.csiro.au/index_ie.html>
- Dean, C., Roxburgh, S. and Mackey, B. 2003, 'Growth modelling of *Eucalyptus regnans* for carbon accounting at the landscape scale', in A. Amaro, D. Reed and P. Soares (eds), *Modelling Forest Systems*, CABI, Oxon, pp. 27–39.
- Des Marais, D. J. 2000, 'Evolution: When did photosynthesis emerge on Earth?', *Science*, 289, pp. 1703–5.
- Fargione, J., Hill, J., Tilman, D., Polasky, S. and Hawthorne, P. 2008, 'Land clearing and the biofuel carbon debt', *Science*, 319, pp. 1235–8.
- Farquhar, G. D. 1997, 'Climate change: Carbon dioxide and vegetation', *Science*, 21, p. 1411.
- Farquhar, G. D. and Roderick, M. L. 2003, 'Pinatubo, diffuse light, and the carbon cycle', *Science*, 299, pp. 1997–8.
- Golley, F. B. 1983, 'Decomposition', in F. B. Golley (ed.), *Ecosystems of the World 14A—Tropical Rainforest Ecosystems—Structure and Function*, Elsevier Scientific Publishing Company, Amsterdam, pp. 157–66.
- Gorshkov, V. G., Gorshkov, V. V. and Makarieva, A. M. 2000, *Biotic Regulation of the Environment: Key issues of global change*, Springer Praxis Books, UK.
- Gupta, R. K. and Rao, D. L. N. 1994, 'Potential of wastelands for sequestering carbon by reforestation', *Current Science*, 66, pp. 378–80.
- Hansen, J., Sato, M., Kharecha, P., Russell, G., Lea, D. W. and Siddall, M. 2007, 'Climate change and trace gases', *Philosophical Transactions of the Royal Society A*, 365, pp. 1925–54.
- Harmon, M. E., Ferrell, W. K. and Franklin, J. F. 1990, 'Effects on carbon storage of conversion of old-growth forests to young forests', *Science*, 247, pp. 699–702.
- Hollinger, D. Y., Kelliher, F. M., Schulze, E.-D., Bauer, G., Arneth, A., Byers, J. N., Hunt, J. E., McSeveny, T. M., Kobak, K. I., Milukova, I., Sogatchev, A., Tatarinov, F., Varlargin, A., Ziegler, W. and Vygodskaya, N. N. 1998, 'Forest–atmosphere carbon dioxide exchange in eastern Siberia', *Agricultural and Forest Meteorology*, 90, pp. 291–306.

- Hooper, D. U. and Vitousek, P. M. 1997, 'The effects of plant composition and diversity on ecosystem processes', *Science*, 277, pp. 1302–5.
- Hooper, D. U., Chapin, F. S., Ewel, J. J., Hector, A., Inchausti, P., Lavorel, S., Lawton, J. H., Lodge, D. M., Loreau, M., Naeem, S., Schmid, B., Setälä, H., Symstad, A. J., Vandermeer, J. and Wardle, D. A. 2005, 'Effects of biodiversity on ecosystem functioning: a consensus of current knowledge', *Ecological Monographs*, 75, pp. 3–35.
- Houghton, R. 2007, Balancing the global carbon budget. *Annual Review of Earth and Planetary Sciences*, 35, pp. 313 - 347.
- Intergovernmental Panel on Climate Change (IPCC) 2007, *The Fourth Assessment Report Climate Change 2007: Synthesis report*, Intergovernmental Panel on Climate Change, <<http://www.ipcc.ch/>>
- Keeling, H. C. and Phillips, O. L. 2007, 'The global relationship between forest productivity and biomass', *Global Ecology and Biogeography*, 16, pp. 618–31.
- Lindenmayer, D. B., Incoll R. D., Cunningham, R. B. and Donnelly, C. F. 1999, 'Attributes of logs on the floor of Australian mountain ash (*Eucalyptus regnans*) forests of different ages', *Forest Ecology and Management*, 123, pp. 195–203.
- Lindenmayer D.B. and Fischer J. 2006, *Habitat fragmentation and landuse change: An ecological and conservation synthesis*. Island Press, Washington, USA.
- McCann, K. 2007, 'Protecting biostructure', *Nature*, 446, p. 29.
- Mackey, B., Berry, S. and Brown, T. 2008, 'Reconciling approaches to biogeographic regionalization: a systematic and generic framework examined with a case study of the Australian continent', *Journal of Biogeography*, 35, pp. 213–29.
- Mackey, B. G., Lindenmayer, D. B., Gill, A. M., McCarthy, A. M. and Lindsay, J. A. 2002, *Wildlife, Fire and Future Climate: A forest ecosystem analysis*, CSIRO Publishing.
- Millennium Ecosystem Assessment (MEA) 2005, *Ecosystems and Human Well-Being: Biodiversity synthesis*, World Resources Institute, Washington, DC.
- Milne, C. 2007, Land clearing on the Tiwi Islands, Speech to the Australian Senate, <http://www.christinemilne.org.au/500_parliament_sub.php?deptItemID=163>
- Nabuurs, J-G. et al. 2007, 'Forestry', in E. Metz, O. R. Robinson, P. R. Bosch, R. Dave and L. A. Meyer (eds), *Climate Change 2007: Mitigation. Contribution of Working Group III to the Fourth Assessment Report of the IPCC*, Cambridge University Press, Cambridge.

- NVIS 2003, National Vegetation Information System, version 6.0.
<<http://www.environment.gov.au/erin/nvis>>
- Odum, E. P. and Barret, G. W. 2004, *Fundamentals of Ecology*, Thomson Brooks/Cole, Belmont, CA.
- Odum, H. T. 1981, *Energy Basis for Man and Nature*, McGraw-Hill Book Company, New York.
- Petit, J. R., Jouzel, J., Raynaud, D., Barkov, N. I., Barnola, J.-M., Basile, I., Bender, M., Chappellaz, J., Davis, M., Delaygue, G., Delmotte, M., Kotlyakov, V. M., Legrand, M., Lipenkov, V. Y., Lorius, C., Pépin, L., Ritz, C., Saltzman, E. and Stievenard, M. 1999, 'Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica', *Nature*, 399, pp. 429–36.
- Roderick, M. L., Farquhar, G. D., Berry, S. L. and Noble, I. R. 2001, 'On the direct effect of clouds and atmospheric particles on the productivity and structure of the vegetation', *Oecologia*, 129, pp. 21–31.
- Roxburgh, S. H., Wood, S. W., Mackey, B. G., Woldendorp, G. and Gibbons, P. 2006, 'Assessing the carbon sequestration potential of managed forests: a case study from temperate Australia', *Journal of Applied Ecology*, 43, pp. 1149–59.
- Saldarriaga, J. G., West, D. C., Thorpe, M. L. and Uhl, C. 1988, 'Long-term chronosequence of forest succession in the upper Rio Negro of Colombia and Venezuela', *Journal of Ecology*, 76, pp. 938–58.
- Schulze, E.-D., Wirth, C. and Heimann, M. 2000, 'Managing forests after Kyoto', *Science*, 289, pp. 2058–9.
- Thompson, J. N. 2005, *The Geographic Mosaic of Coevolution*, The University of Chicago Press, Chicago.
- United Nations Framework Convention on Climate Change (UNFCCC), <<http://unfccc.int/resource/docs/convkp/conveng.pdf>>
- United Nations Framework Convention on Climate Change (UNFCCC) 2002, *Biome-Specific Forest Definitions—Technical paper*, Report to the UNFCCC Secretariat, <<http://www.fao.org/docrep/005/y417e/Y4171E52.htm>>
- Varmola, M. and Del Lungo, A. 2003, 'Planted forests database (PFDB): structure and contents', *Planted Forests and Trees Working Papers*, 25, Forest Resources Development Service, Forest Resources Division, Food and Agriculture Organisation, Rome.
- Waring, R. H., Landsberg, J. J. and Williams, M. 1998, 'Net primary production of forests: a constant fraction of gross primary production?', *Tree Physiology*, 18, pp. 129–34.

Watson, R. T., Noble, I. R., Bolin, B., Ravindranath, N. H., Verardo, D. J. and Dokken, D. J. (eds) 2001, *Land Use, Land-Use Change, and Forestry*, Intergovernmental Panel on Climate Change (IPCC), Cambridge University Press.

Zhang, X, Zwiers, F. W., Hegerl, G. C., Lambert, F. H., Gillet, N. P., Solomon, S., Stott, P. A. and Nozwa, T. 2007, 'Detection of human influence on twentieth-century precipitation trends', *Nature*, 448, pp. 461–5.

Corymbia maculata, south coast NSW (580 t C ha⁻¹ of biomass carbon). Photo: Sandra Berry.

E. regnans, East Gippsland (700 t C ha⁻¹ of biomass carbon). Photo: Ern Mainka. (Overleaf)

