

List of tables

Table 5.1: Radiocarbon determinations available for the site of Tamuarawai (EQS).	55
Table 5.2: Number of excavated sherds, number of excavated sherds following conjoining, sherds diagnostic of vessel form, decorated and plain sherds, and minimum number of vessels (MNV) for the site of Tamuarawai (EQS).	61
Table 5.3: Vessel forms identified at the site of Tamuarawai (EQS) Test Pits 1–2; Layers 1–4 and NP (no provenance).	62
Table 5.4: Vessel forms identified at the site of Tamuarawai (EQS) Test Pits 3–4 and Shovel Pit 15; Layers 1–4 and WF (wall fill).	62
Table 5.5: Frequency counts and proportion of decoration within Tamuarawai (EQS) Test Pits 1–2; Layers 1–4 and NP (no provenance) by sherd count (decorated sherds can be counted more than once).	64
Table 5.6: Frequency counts and proportion of decoration within Tamuarawai (EQS) Test Pits 3–4 and Shovel Pit 15; Layers 1–4 and WF (wall fill) by sherd count (decorated sherds can be counted more than once).	64
Table 5.7: Frequency counts and proportion of decoration within Tamuarawai (EQS) Test Pits 1–4 and Shovel Pit 15 by vessel form (vessels can be counted more than once).	65
Table 5.8: Counts and proportions of plainware vessels for the site of Tamuarawai (EQS), alongside the Early Lapita Arawe Islands sites of Adwe (FOH – Squares D, E, F) and Paligmete (FNY).	68
Table 6.1: Summary of temper groups and subgroups identified.	81
Table 6.2: Possible source(s) for samples excavated from ECA Area B and B-extension areas with well-controlled stratigraphic information.	85
Table 6.3: Jaccard similarity measures from EHB, ECA and ECB to other Bismarck Lapita pottery assemblages recorded in the LPOD.	86
Table 6.4: Distribution of different subcategories of both undulated and zigzag motif themes among Bismarck Lapita sites.	89
Table 6.S1: Summary of petrographic results. Dickinson's original grouping and inferred sources are included for comparison.	97
Table 9.1: Isthmus region test pits: Tephrostratigraphy and chronology.	158
Table 9.2: FRI Trench II, Walindi Plantation: Stratigraphy and chronology.	158
Table 9.3: Precision and accuracy of pXRF instrument.	159
Table 9.4: FRI II, Walindi Plantation: Chronological change in counts and weights of obsidian artefacts from each obsidian source.	162
Table 9.5: Isthmus region: Chronological change in counts and weights of obsidian artefacts from each obsidian source.	162
Table 9.6: Isthmus region: Assemblage composition by obsidian source.	165
Table 9.7: FRI II: Assemblage composition by obsidian source.	166
Table 9.8: Comparison of chronological change in the incidence of non-cortical artefacts in the Isthmus regions and FRI II (based on Tables 9.4 and 9.5).	166
Table 9.9: Discard rates for the Isthmus region based on data from 67 test pits.	170
Table 10.1: Results (weight %) of NIST 679 Brick Clay Standard shot using University of Otago.	185

Table 11.1: <i>Conus</i> collections made before 1900 and location.	215
Table 11.2: Provenanced nineteenth-century armshells.	216
Table 11.3: Ring armshells collected in the nineteenth century.	217
Table 11.4: Multi-segment armshells collected in the nineteenth century.	219
Table 11.5: The Mason Brothers collection acquired by the Australian Museum in 1883 (measurement external diameter).	221
Table 11.6: The armshell consignments made by Andrew Goldie to museums and to the organisers of the Sydney International Exhibition.	221
Table 11.7: List of armshells collected on Woodlark by the Italian missionaries.	222
Table 12.1: Descriptions of Marind stone objects.	243
Table 12.2: Outcropping igneous rock units across central New Guinea (Indonesia and Papua New Guinea) and Torres Strait (Australia). Rock types in bold match identified raw material types for sampled Marind stone objects (Table 12.1).	247
Table 13.1: Stratigraphic layers identified in Squares A–C at the Mumwa site.	272
Table 13.2: Radiocarbon accelerator mass spectrometer determinations from the Mumwa site.	273
Table 13.S1: Excavation data from Square A, Mumwa.	293
Table 13.S2: Excavation data from Square B, Mumwa.	294
Table 13.S3: Excavation data from Square C, Mumwa.	294
Table 13.S4: Excavated lithic artefacts from Mumwa.	295
Table 15.1: Morphological data of the tumuli recorded at Tivoli.	323
Table 15.2: Radiocarbon dates obtained from samples collected in tumuli from the plateau of the Isle of Pines (IoP) and from Païta (south-west Grande Terre).	331
Table 16.1: Chronology Jomon to Kofun.	343
Table 17.1: Late Holocene radiocarbon dates from Mololo (TR1 and TR2) and Manwen Bokor (Unit 1 and TP2).	365
Table 17.2: Number of ceramic fragments from excavated contexts at Mololo Cave.	368
Table 17.3: Formal and decorative description of pottery technical classes at Mololo Cave.	369
Table 17.4: Number of ceramic fragments from excavated contexts at Manwen Bokor Cave.	375
Table 17.5: Formal and decorative description of pottery technical classes at Manwen Bokor.	379
Table 18.1: A summary of the 13 tree taxa identified by Bulmer (1964) and updated by Gardner (2010), including local names and judged by Bulmer to likely be processed in mortars and pestles in the Kaironk Valley.	393
Table 18.2: Comparative reference starch and archaeological sample.	398
Table 19.1: Radiocarbon determinations from bead samples from Z10604/E1902.190 and Z10855.	424

This text is taken from *Forty Years in the South Seas: Archaeological Perspectives on the Human History of Papua New Guinea and the Western Pacific Region*, edited by Anne Ford, Ben Shaw and Dylan Gaffney, published 2024 by ANU Press, The Australian National University, Canberra, Australia.