

Bibliography

- Aduse-Poku, K., Brattström, O., Kodandaramaiah, U., Lees, D. C., Brakefield, P. M. & Wahlberg, N. 2015. Systematics and historical biogeography of the old world butterfly subtribe Mycalesina (Lepidoptera: Nymphalidae: Satyrinae). *BMC Evolutionary Biology* 15: 167. doi.org/10.1186/s12862-015-0449-3.
- Andersen, A. N., Cook, G. D., Corbett, L. K., Douglas, M., Eager, R. W., Russell-Smith, J., Setterfield, S. A., Williams, R. J. & Woinarski, J. C. Z. 2005. Fire frequency and biodiversity conservation in Australian tropical savannas: Implications from the Kalpaga fire experiment. *Austral Ecology* 30: 155–167. doi.org/10.1111/j.1442-9993.2005.01441.x.
- Andersen, A. N., Hertog, T. & Woinarski, J. C. Z. 2006. Long-term fire exclusion and ant community structure in an Australian tropical savanna: Congruence with vegetation succession. *Journal of Biogeography* 33: 823–832. doi.org/10.1111/j.1365-2699.2006.01463.x.
- Andersen, A. N., Humphrey, C. & Braby, M. F. 2014. Threatened invertebrates in Kakadu National Park. In: Winderlich, S. and Woinarski, J. C. Z. (eds) *Kakadu National Park Landscape Symposia Series. Symposium 7: Conservation of threatened species, 26–27 March 2013, Bowali Visitor Centre, Kakadu National Park*. Internal Report 623, June. pp. 48–57. Supervising Scientist: Darwin.
- Andersen, A. N., Parr, C. L., Lowe, L. M. & Muller, W. J. 2007a. Contrasting fire-related resilience of ecologically dominant ants in tropical savannas of northern Australia. *Diversity and Distributions* 13: 438–446. doi.org/10.1111/j.1472-4642.2007.00353.x.
- Andersen, A. N. & Reichel, H. 1994. The ant (Hymenoptera: Formicidae) fauna of Holmes Jungle, a rainforest patch in the seasonal tropics of Australia's Northern Territory. *Journal of the Australian Entomological Society* 33: 153–158. doi.org/10.1111/j.1440-6055.1994.tb00942.x.
- Andersen, A. N., van Ingen, L. T. & Campos, R. I. 2007b. Contrasting rainforest and savanna ant faunas in monsoonal northern Australia: A rainforest patch in a tropical landscape. *Australian Journal of Zoology* 55: 363–369. doi.org/10.1071/ZO07066.
- Andersen, A. N., Woinarski, J. C. Z. & Parr, C. L. 2012. Savanna burning for biodiversity: Fire management for faunal conservation in Australian tropical savannas. *Austral Ecology* 37: 658–667. doi.org/10.1111/j.1442-9993.2011.02334.x.
- Anderson, S. J. & Braby, M. F. 2009. Invertebrate diversity associated with tropical mistletoe in a suburban landscape from northern Australia. *Northern Territory Naturalist* 21: 2–23.
- Angel, F. M. 1951. Notes on the Lepidoptera of the Northern Territory of Australia, with description of new species. *Transactions of the Royal Society of South Australia* 74: 6–14.
- Anonymous 1909. A local entomological collection. In *Northern Territory Times and Gazette*, 22 May. pp. 82–83. Darwin.
- Archibald, J. & Braby, M. F. 2017. *Bradshaw Field Training Area Bush Blitz: Diurnal Lepidoptera (butterflies and moths)*. Report to Australian Biological Resources Study, Canberra. Museum & Art Gallery of the Northern Territory: Darwin.

- Asher, J., Warren, M. S., Fox, R., Harding, P., Jeffcoate, G. & Jeffcoate, S. 2001. *The Millenium Atlas of Butterflies in Britain and Ireland*. Oxford University Press: Oxford.
- Atkins, A. F. 1991. Observations on the biology of *Taractrocera anisomorpha* (Lower) (Hesperiidae: Hesperinae). *Australian Entomological Magazine* 18: 121–123.
- Atlas of Living Australia 2017. *Atlas of Living Australia*. NCRIS and CSIRO. Available from: www.ala.org.au (accessed 17 May 2017).
- Australian Plant Census 2017. *Australian Plant Census*. Australian National Botanic Gardens, Centre for Australian National Biodiversity Research and Australian Biological Resources Study: Canberra. Available from: www.anbg.gov.au/chah/apc/about-APC.html (accessed 17 May 2017).
- Australia's Virtual Herbarium 2017. *Australia's Virtual Herbarium*. Atlas of Living Australia. Available from: avh.chah.org.au (accessed 17 May 2017).
- Bailey, W. J. & Richards, K. T. 1975. A report on the insect fauna of the Prince Regent River Reserve, north-west Kimberley, Western Australia. In: Miles, J. M. and Burbidge, A. A. (eds) *A Biological Survey of the Prince Regent River Reserve, North-West Kimberley, Western Australia, in August, 1974*. pp. 101–112. Department of Fisheries and Wildlife: Perth.
- Bisa, D. 2013. New locations of butterflies from northern Arnhem Land, Northern Territory. *Northern Territory Naturalist* 24: 2–13.
- Bland, L. M., Bielby, J., Kearney, S., Orme, C. D. L., Watson, J. E. M. & Collen, B. 2017. Toward reassessing data-deficient species. *Conservation Biology* 31: 531–539. doi.org/10.1111/cobi.12850.
- Bowman, D. M. J. S. 1996. Diversity patterns of woody species on a latitudinal transect from the monsoon tropics to desert in the Northern Territory, Australia. *Australian Journal of Botany* 44: 571–580. doi.org/10.1071/BT9960571.
- Bowman, D. M. J. S. 2000. *Australian Rainforests: Islands of green in a land of fire*. Cambridge University Press: Cambridge. doi.org/10.1017/CBO9780511583490.
- Bowman, D. M. J. S. 2002. The Australian summer monsoon: A biogeographic perspective. *Australian Geographical Studies* 40: 261–277. doi.org/10.1111/1467-8470.00179.
- Bowman, D. M. J. S., Brown, G., Braby, M. F., Brown, J., Cook, L., Crisp, M. D., Ford, F., Haberle, S., Hughes, J. M., Isagi, Y., Joseph, L., McBride, J., Nelson, G. & Ladiges, P. Y. 2010. Biogeography of the monsoon tropics. *Journal of Biogeography* 37: 201–216. doi.org/10.1111/j.1365-2699.2009.02210.x.
- Braby, M. F. 1995a. Reproductive seasonality in tropical satyrine butterflies: Strategies for the dry season. *Ecological Entomology* 20: 5–17. doi.org/10.1111/j.1365-2311.1995.tb00423.x.
- Braby, M. F. 1995b. Seasonal changes in relative abundance and spatial distribution of Australian lowland tropical satyrine butterflies. *Australian Journal of Zoology* 43: 209–229. doi.org/10.1071/ZO9950209.
- Braby, M. F. 1996. A new species of *Nesolycaena* Waterhouse and Turner (Lepidoptera: Lycaenidae) from northeastern Australia. *Australian Journal of Entomology* 35: 9–17. doi.org/10.1111/j.1440-6055.1996.tb01356.x.
- Braby, M. F. 1997. Occurrence of *Eurema alitha* (C. & R. Felder) (Lepidoptera: Pieridae) in Australia and its distinction from *E. hecabe* (Linnaeus). *Australian Journal of Entomology* 36: 153–157. doi.org/10.1111/j.1440-6055.1997.tb01448.x.
- Braby, M. F. 2000. *Butterflies of Australia. Their identification, biology and distribution*. CSIRO Publishing: Melbourne.
- Braby, M. F. 2008a. Biogeography of butterflies in the Australian monsoon tropics. *Australian Journal of Zoology* 56: 41–56. doi.org/10.1071/ZO08021.

- Braby, M. F. 2008b. Taxonomic review of *Candalides absimilis* (C. Felder, 1862) and *C. margarita* (Semper, 1879) (Lepidoptera: Lycaenidae), with descriptions of two new subspecies. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory* 24: 33–54.
- Braby, M. F. 2009. The life history and biology of *Euploea alcatloe enastri* Fenner, 1991 (Lepidoptera: Nymphalidae) from northeastern Arnhem Land, Northern Territory, Australia. *The Australian Entomologist* 36: 51–62.
- Braby, M. F. 2010a. Conservation status and management of the Gove Crow, *Euploea alcatloe enastri* Fenner, 1991 (Lepidoptera: Nymphalidae), a threatened tropical butterfly from the indigenous Aboriginal lands of north-eastern Arnhem Land, Australia. *Journal of Insect Conservation* 14: 535–554. doi.org/10.1007/s10841-010-9282-6.
- Braby, M. F. 2010b. The merging of taxonomy and conservation biology: A synthesis of Australian butterfly systematics (Lepidoptera: Hesperioidea and Papilionoidea) for the 21st century. *Zootaxa* (2707): 1–76.
- Braby, M. F. 2011a. New larval food plant associations for some butterflies and diurnal moths (Lepidoptera) from the Northern Territory and eastern Kimberley, Australia. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory* 27: 85–105.
- Braby, M. F. 2011b. Revised checklist of Australian butterflies (Lepidoptera: Hesperioidea and Papilionoidea): Addendum and errata. *Zootaxa* (3128): 67–68.
- Braby, M. F. 2012a. *Butterflies and diurnal moths of Wongalara Station*. Final Report to Department of Sustainability, Environment, Water and Communities. Department of Land Resource Management: Darwin.
- Braby, M. F. 2012b. The butterflies of El Questro Wilderness Park, with taxonomic remarks on the Kimberley fauna, Australia. *Records of the Western Australian Museum* 27: 161–175. doi.org/10.18195/issn.0312-3162.27(2).2012.161-175.
- Braby, M. F. 2012c. The taxonomy and ecology of *Delias aestiva* Butler, 1897 stat. rev. (Lepidoptera: Pieridae), a unique mangrove specialist of Euphorbiaceae. *Biological Journal of the Linnean Society* 107: 697–720. doi.org/10.1111/j.1095-8312.2012.01970.x.
- Braby, M. F. 2014a. Remarks on the spatial distribution of some butterflies and diurnal moths (Lepidoptera) in the Top End of the Northern Territory, Australia. *Northern Territory Naturalist* 25: 29–49.
- Braby, M. F. 2014b. Taxonomic status of *Delias aestiva smithersi* Daniels, 2012 (Lepidoptera: Pieridae) comb. nov. from the gulf country of northern Australia, with description of the female. *Records of the Australian Museum* 66: 241–246. doi.org/10.3853/j.2201-4349.66.2014.1633.
- Braby, M. F. 2015a. A butterfly found again. *Wildlife Australia* 52: 38–41.
- Braby, M. F. 2015b. First record of *Petrelaea tombugensis* (Röber) (Lepidoptera: Lycaenidae) from Western Australia. *The Australian Entomologist* 42: 127–128.
- Braby, M. F. 2015c. A further record of *Danaus chrysippus cratippus* (C. Felder, 1860) (Lepidoptera: Nymphalidae: Danainae) from the Northern Territory, Australia. *The Australian Entomologist* 42: 253–255.
- Braby, M. F. 2015d. New distribution records for some butterflies from the Gulf of Carpentaria, Queensland. *Northern Territory Naturalist* 26: 67–75.
- Braby, M. F. 2015e. New larval food plant associations for some butterflies and diurnal moths (Lepidoptera) from the Northern Territory and Kimberley, Australia. Part II. *Records of the Western Australian Museum* 30: 73–97. doi.org/10.18195/issn.0312-3162.30(2).2015.073-097.
- Braby, M. F. 2016a. *The Complete Field Guide to Butterflies of Australia*. 2nd edn. CSIRO Publishing: Melbourne.

- Braby, M. F. 2016b. Migration records of butterflies (Lepidoptera: Papilionidae, Hesperiiidae, Pieridae, Nymphalidae) in the 'Top End' of the Northern Territory. *The Australian Entomologist* 43: 151–160.
- Braby, M. F. 2016c. The princess flash, *Deudorix smilis* Hewitson, 1863 (Lepidoptera: Lycaenidae), in northern Australia. *Butterflies* 73: 40–47.
- Braby, M. F. 2017. A new subspecies of *Candalides geminus* Edwards & Kerr, 1978 (Lepidoptera: Lycaenidae) from the Northern Territory, Australia. *Records of the Western Australian Museum* 32: 207–216.
- Braby, M. F. & Archibald, J. 2016. *Diurnal Lepidoptera of Judbarra/Gregory National Park, western Top End, Northern Territory*. Final Report to Bush Blitz, Australian Biological Resources Study. Museum and Art Galleries of the Northern Territory: Darwin.
- Braby, M. F., Bertelsmeier, C., Sanderson, C. & Thistleton, B. 2014a. Spatial distribution and range expansion of the tawny coster butterfly, *Acraea terpsicore* (Linnaeus, 1758) (Lepidoptera: Nymphalidae), in South-East Asia and Australia. *Insect Conservation and Diversity* 7: 132–143. doi.org/10.1111/icad.12038.
- Braby, M. F., Farias Quipildor, G. E., Vane-Wright, R. I. & Lohman, D. J. 2015. Morphological and molecular evidence supports recognition of *Danaus petilia* (Stoll, 1790) (Lepidoptera: Nymphalidae) as a species distinct from *D. chrysippus* (Linnaeus, 1758). *Systematics and Biodiversity* 13: 386–402. doi.org/10.1080/14772000.2014.992378.
- Braby, M. F. & Kessner, V. 2012. *Butterflies/diurnal moths and land/freshwater snails of Fish River Station*. Final Report to Department of Sustainability, Environment, Water and Communities. Department of Land Resource Management: Darwin.
- Braby, M. F., Lane, D. A. & Weir, R. P. 2010a. The occurrence of *Appias albina albina* (Boisduval, 1836) (Lepidoptera: Pieridae: Pierinae) in northern Australia: Phenotypic variation, life history and biology, with remarks on its taxonomic status. *Entomological Science* 13: 258–268. doi.org/10.1111/j.1479-8298.2010.00377.x.
- Braby, M. F. & Nielsen, J. 2011. Review of the conservation status of the atlas moth, *Attacus wardi* Rothschild, 1910 (Lepidoptera: Saturniidae) from Australia. *Journal of Insect Conservation* 15: 603–608. doi.org/10.1007/s10841-011-9402-y.
- Braby, M. F., Thistleton, B. M. & Neal, M. J. 2014b. Host plants, biology and distribution of *Acraea terpsicore* (Linnaeus, 1758) (Lepidoptera: Nymphalidae): A new butterfly for northern Australia with potential invasive status. *Austral Entomology* 53: 288–297. doi.org/10.1111/aen.12078.
- Braby, M. F. & Westaway, J. 2016. Rediscovery of the spinifex sand-skipper (*Proeidosia polysema*) in the Darwin area, Northern Territory. *Northern Territory Naturalist* 27: 121–125.
- Braby, M. F. & Williams, M. R. 2016. Biosystematics and conservation biology: Critical scientific disciplines for the management of insect biological diversity. *Austral Entomology* 55: 1–17. doi.org/10.1111/aen.12158.
- Braby, M. F., Worsnop, A., Yata, O. & Tupper, A. 2010b. First record of *Appias albina infuscata* Fruhstorfer, 1910 (Lepidoptera: Pieridae) from Australia. *The Australian Entomologist* 37: 157–162.
- Braby, M. F. & Zwick, A. 2015. Taxonomic revision of the *Taractrocera ilia* (Waterhouse) complex (Lepidoptera: Hesperiiidae) from north-western Australia and mainland New Guinea based on morphological and molecular data. *Invertebrate Systematics* 29: 487–509. doi.org/10.1071/IS15028.
- Brock, J. 2001. *Native Plants of Northern Australia*. Reed New Holland: Sydney.
- Cameron, R. A. D., Pokryszko, B. M. & Wells, F. E. 2005. Alan Solem's work on the diversity of Australasian land snails: An unfinished project of global significance. *Records of the Western Australian Museum* (Supp. 68): 1–10. doi.org/10.18195/issn.0313-122x.68.2005.001-010.

- Campbell, J. O. 1947. Some notes on Lepidoptera collected at Darwin during November, 1945. *Australian Zoologist* 11: 159–160.
- Cardoso, P., Borges, P. A. V., Triantis, K. A., Ferrández, M. A. & Martín, J. L. 2011a. Adapting the IUCN Red List criteria for invertebrates. *Biological Conservation* 144: 2432–2440. doi.org/10.1016/j.biocon.2011.06.020.
- Cardoso, P., Erwin, T. L., Borges, P. A. V. & New, T. R. 2011b. The seven impediments in invertebrate conservation and how to overcome them. *Biological Conservation* 144: 2647–2655. doi.org/10.1016/j.biocon.2011.07.024.
- Catullo, R. A., Lanfear, R., Doughty, P. & Keogh, J. S. 2014. The biogeographical boundaries of northern Australia: Evidence from ecological niche models and a multi-locus phylogeny of *Uperoleia* toadlets (Anura: Myobatrachidae). *Journal of Biogeography* 41: 659–672. doi.org/10.1111/jbi.12230.
- Clarkson, C., Jacobs, Z., Marwick, B., Fullagar, R., Wallis, L., Smith, M., Roberts, R. G., Hayes, E., Lowe, K., Carah, X., Florin, S. A., McNeil, J., Cox, D., Arnold, L. J., Hua, Q., Huntley, J., Brand, H. E. A., Manne, T., Fairbairn, A., Shulmeister, J., Lyle, L., Salinas, M., Page, M., Connell, K., Park, G., Norman, K., Murphy, T. & Pardoe, C. 2017. Human occupation of northern Australia by 65,000 years ago. *Nature* 547: 306–310. doi.org/10.1038/nature22968.
- Coleman, N. C. & Monteith, G. B. 1981. Life history of the north Queensland day-flying moth, *Alcides zodiaca* Butler (Lepidoptera: Uraniidae). *North Queensland Naturalist* 45: 2–6.
- Collaborative Australian Protected Area Database 2014. *Collaborative Australian Protected Area Database*. Australian Government, Department of the Environment and Energy: Canberra. Available from: www.environment.gov.au/land/nrs/science/capad/2014 (accessed 17 May 2017).
- Common, I. F. B. 1973. Lepidoptera (moths and butterflies). *Alligator Rivers Region: Environmental fact finding study: Entomology*. Appendix 9. CSIRO Division of Entomology: Canberra.
- Common, I. F. B. 1978. The distinction between *Hypolimnias antilope* (Cramer) and *H. anomala* (Wallace) (Lepidoptera: Nymphalidae), and the occurrence of *H. anomala* in Australia. *Australian Entomological Magazine* 5: 41–44.
- Common, I. F. B. 1981. Part IV. Insects. In: McKenzie, N. L. (ed.) *Wildlife of the Edgar Ranges area, south-west Kimberley, Western Australia*. Wildlife Research Bulletin of Western Australia. No. 10. pp. 60–67. Department of Fisheries and Wildlife: Perth.
- Common, I. F. B. & Upton, M. S. 1977. Part XI. A report on insects collected in the Drysdale River National Park north Kimberley, Western Australia. In: Kabay, E. D. and Burbidge, A. A. (eds) *A biological survey of the Drysdale River National Park north Kimberley, Western Australia in August 1975*. Wildlife Research Bulletin of Western Australia. No. 6. pp. 121–131. Department of Fisheries and Wildlife: Perth.
- Common, I. F. B. & Waterhouse, D. F. 1981. *Butterflies of Australia*. Rev. edn. Angus & Robertson: Sydney.
- Couchman, L. E. 1951. Notes on a collection of Hesperidae made by F. M. Angel in the Northern Territory. *Transactions of the Royal Society of South Australia* 74: 15–17.
- Couchman, L. E. & Couchman, R. 1977. The butterflies of Tasmania. *Tasmanian Year Book*, 1977 11: 66–96.
- Cracraft, J. 1991. Patterns of diversification within continental biotas: Hierarchical congruence among the areas of endemism of Australian vertebrates. *Australian Systematic Botany* 4: 211–227. doi.org/10.1071/SB9910211.
- Criscione, F. & Köhler, F. 2013. More on snails and islands: Molecular systematics and taxonomic revision of *Setobaudinia* Iredale (Gastropoda: Camaenidae) from the Kimberley, Western Australia, with description of new taxa. *Invertebrate Systematics* 27: 634–654. doi.org/10.1071/IS13027.

- Criscione, F., Law, M. L. & Köhler, F. 2012. Land snail diversity in the monsoon tropics of northern Australia: Revision of the genus *Exiligada* Iredale, 1939 (Mollusca: Pulmonata: Camaenidae), with description of 13 new species. *Zoological Journal of the Linnean Society* 166: 689–722. doi.org/10.1111/j.1096-3642.2012.00863.x.
- Crisp, M. D., Laffan, S., Linder, H. P. & Monro, A. 2001. Endemism in the Australian flora. *Journal of Biogeography* 28: 183–198. doi.org/10.1046/j.1365-2699.2001.00524.x.
- Crosby, D. F. 1986. *Preliminary Distribution Maps of Butterflies in Victoria*. Entomological Society of Victoria: Melbourne.
- Daniels, G. 2005. The butterflies of the eastern and southern Gulf of Carpentaria, Queensland, taken during the Flinders Bicentenary Expedition, October–November 2002. In: Comben, L., Preker, M. and Long, K. (eds) *Gulf of Carpentaria Scientific Study Report*. pp. 133–135. The Royal Geographical Society of Queensland Inc.: Brisbane.
- Daniels, G. 2012. A new subspecies of *Delias mysis* (Fabricius) (Lepidoptera: Pieridae) from the Gulf of Carpentaria, Queensland, Australia. *The Australian Entomologist* 39: 273–276.
- Daniels, G. & Edwards, E. D. 1998. Butterflies from Lawn Hill National Park and Musselbrook Reserve, Queensland. In: Comben, L., Long, S. and Berg, K. (eds) *Musselbrook Reserve Scientific Study Report*. Geography Monograph Series No. 4. pp. 89–91. The Royal Geographical Society of Queensland Inc.: Brisbane.
- d'Apice, J. W. C. & Miller, C. G. 1992. The genus *Nesolycaena* Waterhouse and Turner (Lepidoptera: Lycaenidae) with a description of a new species. *Australian Entomological Magazine* 19: 75–80.
- De Baar, M. 2004. Notes on the status of some *Elodina* C. & R. Felder species (Lepidoptera: Pieridae). *The Australian Entomologist* 31: 37–42.
- De Baar, M. & Hancock, D. L. 1993. The Australian species of *Elodina* C. & R. Felder (Lepidoptera: Pieridae). *The Australian Entomologist* 20: 25–43.
- Dodd, W. D. 1935a. Meanderings of a naturalist. No. 6. *The North Queensland Register*, 9 March. Cairns.
- Dodd, W. D. 1935b. Meanderings of a naturalist. No. 14. *The North Queensland Register*, 11 May. Cairns.
- Dodd, W. D. 1935c. Meanderings of a naturalist. No. 18. *The North Queensland Register*, 8 June. Cairns.
- Dodd, W. D. 1935d. Meanderings of a naturalist. No. 19. *The North Queensland Register*, 22 June. Cairns.
- Douglas, M. M. & Setterfield, S. A. 2005. Impacts of exotic tropical grasses: Lessons from gamba grass in the Northern Territory. In: Vogler, W. D. (ed.) *Proceedings of the Eighth Queensland Weed Symposium*. pp. 69–73. The Weed Society of Queensland Inc.: Townsville.
- Drosowsky, W. & Wheeler, M. C. 2014. Predicting the onset of the north Australian wet season with the POAMA dynamical prediction system. *Weather and Forecasting* 29: 150–161. doi.org/10.1175/WAF-D-13-00091.1.
- Dunn, K. L. 1980. A Northern Territory–Western Australia safari. *Victorian Entomologist* 10: 4–6.
- Dunn, K. L. 1985. Specimens of interest in the J. C. Le Souef collection of Australian butterflies. *The Victorian Naturalist* 102: 94–98.
- Dunn, K. L. 2009. Notes on *Cephrènes augiades* (C. Felder) in the Northern Territory, Australia (Lepidoptera: Hesperidae). *Victorian Entomologist* 39: 53–56.
- Dunn, K. L. 2013. Field notes: Major extensions to the known distribution of the bright purple azure, *Ogyris barnardi* (Miskin 1890) in Queensland (Lepidoptera: Lycaenidae). *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 68: 26–32.

- Dunn, K. L. 2015a. New distribution records for nymphalid butterflies (Lepidoptera: Nymphalidae) in Queensland. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 76: 18–34.
- Dunn, K. L. 2015b. New distribution records for hesperiine butterflies (Lepidoptera: Hesperidae: Hesperinae) in Australia. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 77: 17–32.
- Dunn, K. L. 2016. New distribution records for thecline butterflies (Lepidoptera: Lycaenidae) in Australia. Part I: *Jalmenus*, *Hypochrysops*, *Hypolycaena* and *Rapala*. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 81: 21–34.
- Dunn, K. L. 2017a. New and important distribution records for *Candalides* butterflies in Australia, with observations on their biology and adult food plants. *North Queensland Naturalist* 47: 1–5.
- Dunn, K. L. 2017b. New distribution records for Polyommata butterflies (Lepidoptera: Lycaenidae) in Australia, including biological notes. Part I: *Zizeeria* and *Famegana*. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 84: 12–21.
- Dunn, K. L. 2017c. New distribution records for Polyommata butterflies (Lepidoptera: Lycaenidae) in Australia, including biological notes. Part II: *Nacaduba* and *Prosotas*. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 85: 14–22.
- Dunn, K. L. 2017d. New distribution records for Polyommata butterflies (Lepidoptera: Lycaenidae) in Australia, including biological notes. Part III: *Anthene*, *Catopyrops*, *Catochrysops*, *Euchrysops* and *Freyeria*. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 87: 18–28.
- Dunn, K. L. & Dunn, L. E. 1991. *Review of Australian Butterflies: Distribution, life history and taxonomy. Parts 1–4*. Self-published: Melbourne.
- Eastwood, R. G., Boyce, S. L. & Farrell, B. D. 2006. The provenance of Old World swallowtail butterflies, *Papilio demoleus* (Lepidoptera: Papilionidae), recently discovered in the New World. *Annals of the Entomological Society of America* 99: 164–168.
- Eastwood, R. G., Braby, M. F., Lohman, D. J. & King, A. 2008. New ant–lycaenid associations and biological data for some Australian butterflies (Lepidoptera: Lycaenidae). *The Australian Entomologist* 35: 47–56.
- Eastwood, R. G. & Fraser, A. M. 1999. Associations between lycaenid butterflies and ants in Australia. *Australian Journal of Ecology* 24: 503–507.
- Ebach, M. C. 2012. A history of biogeographical regionalisation in Australia. *Zootaxa* (3392): 1–34.
- Ebach, M. C., Murphy, D. J., González-Orozco, C. E. & Miller, J. T. 2015. A revised area taxonomy of phytogeographical regions within the Australian Bioregionalisation Atlas. *Phytotaxa* 208: 261–277. doi.org/10.11646/phytotaxa.208.4.2.
- Edwards, E. D. 1977. *Junonia erigone* (Cramer) (Lepidoptera: Nymphalidae) recorded from Australia. *Australian Entomological Magazine* 4: 41–43.
- Edwards, E. D. 1980. The early stages of *Adaluma urumelia* Tindale and *Candalides geminus* Edwards and Kerr (Lepidoptera: Lycaenidae). *Australian Entomological Magazine* 7: 17–20.
- Edwards, E. D. 1987. A new species of *Mesodina* Meyrick from the Northern Territory (Lepidoptera: Hesperidae). *Australian Entomological Magazine* 14: 4–12.
- Edwards, E. D. 1996. Noctuidae. In: Nielsen, E. S., Edwards, E. D. and Rangsi, T. V. (eds) *Checklist of the Lepidoptera of Australia*. Monographs on Australian Lepidoptera Vol. 4. pp. 291–336, 370–380. CSIRO Publishing: Collingwood, Melbourne.
- Edwards, E. D., Newland, J. & Regan, L. 2001. *Lepidoptera: Hesperioidea, Papilionoidea*. *Zoological Catalogue of Australia*. Vol. 31.6. CSIRO Publishing: Collingwood, Melbourne.

- Edwards, R. D., Crisp, M. D., Cook, D. H. & Cook, L. G. 2017. Congruent biogeographical disjunctions at a continent-wide scale: Quantifying and clarifying the role of biogeographic barriers in the Australian tropics. *PLoS ONE* 12(4): e0174812. doi.org/10.1371/journal.pone.0174812.
- Eldridge, M. D. B., Potter, S. & Cooper, S. J. B. 2012. Biogeographic barriers in north-western Australia: An overview and standardisation of nomenclature. *Australian Journal of Zoology* 59: 270–272. doi.org/10.1071/ZO12012.
- Executive Steering Committee for Australian Vegetation Information 2003. *Australian Vegetation Attribute Manual: National vegetation information system, Version 6.0*. Department of the Environment and Heritage: Canberra.
- Fenner, T. L. 1991. A new subspecies of *Euploea alcatloe* (Godart) (Lepidoptera: Nymphalidae) from the Northern Territory, Australia. *Australian Entomological Magazine* 18: 149–155.
- Field, A. R. 2017. Arrival of tawny coster butterflies on the east Australian coast coinciding with the winds of Tropical Cyclone Debbie. *North Queensland Naturalist* 47: 28–31.
- Field, R. P. 1990a. New and extended distribution records of butterflies from the Northern Territory. *Victorian Entomologist* 20: 40–44.
- Field, R. P. 1990b. Range extensions and the biology of some Western Australian butterflies. *Victorian Entomologist* 20: 76–82.
- Field, R. P. 2013. *Butterflies: Identification and life history*. Museum Victoria: Melbourne.
- Fisher, C. & Calaby, J. 2009. The top of the Top End: John Gilbert's manuscript notes for John Gould on vertebrates from Port Essington and Cobourg Peninsula (Northern Territory, Australia); with comments on specimens collected during the settlement period 1838 to 1849, and subsequently. *The Beagle, Records of the Museums and Art Galleries of the Northern Territory* Supplement 4: 1–239.
- Fisher, R. H. 1992. A new distribution record for the pierid butterfly *Elodina perdita* Miskin. *Victorian Entomologist* 22: 45.
- FloraBase 2017. *FloraBase, The Western Australian Flora*. Western Australian Herbarium, Department of Parks and Wildlife: Perth. Available from: florabase.dpaw.wa.gov.au (accessed 17 May 2017).
- Forster, P. I. 1991. Host records (Family Asclepiadaceae) and distribution of *Danaus chryippus petilia* (Stoll) (Lepidoptera: Nymphalidae) in Australia. *Australian Entomological Magazine* 18: 97–98.
- Forster, P. I. & Martin, G. 1990. Host records (Family Asclepiadaceae) and distribution of *Tirumala hamata hamata* (W. S. Macleay) (Lepidoptera: Nymphalidae) in Australia. *Australian Entomological Magazine* 17: 131–132.
- Franklin, D. C. 2007. Dry season observations of butterflies in the 'Gulf Country' of the Northern Territory and far north-west Queensland. *Northern Territory Naturalist* 19: 9–14.
- Franklin, D. C. 2011. Butterfly counts at Casuarina Coastal Reserve in the seasonal tropics of northern Australia. *Northern Territory Naturalist* 23: 18–28.
- Franklin, D. C. & Bate, P. J. 2013. *Brachychiton megaphyllus*, the red-flowered kurrajong. *Northern Territory Naturalist* 24: 81–88.
- Franklin, D. C., Binns, D. & Mace, M. 2007a. Glistening Line-blue: Fifth record of this butterfly in the Northern Territory. *Nature Territory. Newsletter of the Northern Territory Field Naturalists Club Inc.* (February): 4–5.
- Franklin, D. C., Brocklehurst, P. S., Lynch, D. & Bowman, D. M. J. S. 2007b. Niche differentiation and regeneration in the seasonally flooded *Melaleuca* forests of northern Australia. *Journal of Tropical Ecology* 23: 457–467. doi.org/10.1017/S0266467407004130.

- Franklin, D. C., Michael, B. & Mace, M. 2005. New location records for some butterflies of the Top End and Kimberley regions. *Northern Territory Naturalist* 18: 1–7.
- Franklin, D. C., Morrison, S. C. & Wilson, G. W. 2017. A colourful new Australian reaches Talaroo: The tawny coster butterfly, *Acraea terpsicore*. *North Queensland Naturalist* 47: 10–13.
- Froggatt, W. W. 1934. A naturalist in Kimberley in 1887. *The Australian Naturalist* 9: 69–82.
- Gaffney, D. O. 1971. *Seasonal rainfall zones in Australia*. Working Paper No. 141. Bureau of Meteorology: Canberra.
- Garnett, S. T. & Williamson, G. 2010. Spatial and temporal variation in precipitation at the start of the rainy season in tropical Australia. *The Rangeland Journal* 32: 215–226. doi.org/10.1071/RJ09083.
- Garnett, S. T., Woinarski, J. C. Z., Crowley, G. M. & Kutt, A. S. 2010. Biodiversity conservation in Australian tropical rangelands. In: du Toit, J. T., Kock, R. and Deutsch, J. C. (eds) *Wild Rangelands: Conserving wildlife while maintaining livestock in semi-arid ecosystems*. Conservation Science and Practice Series. pp. 191–234. Wiley-Blackwell: Oxford. doi.org/10.1002/9781444317091.ch8.
- Gaston, K. J. & Fuller, R. A. 2009. The sizes of species' geographic ranges. *Journal of Applied Ecology* 46: 1–9. doi.org/10.1111/j.1365-2664.2008.01596.x.
- Gibb, W. F. 1977. The rediscovery of *Hypolimnias antilope* (Cramer) (Lepidoptera: Nymphalidae) in Australia. *Australian Entomological Magazine* 4: 39.
- González-Orozco, C. E., Ebach, M. C., Laffan, S., Thornhill, A. H., Knerr, N. J., Schmidt-Lebuhn, A. N., Cargill, C. C., Clements, M., Nagalingum, N. S., Mishler, B. D. & Miller, J. T. 2014. Quantifying phylogeographical regions of Australia using geospatial turnover in species composition. *PLoS ONE* 9: e9258. doi.org/10.1371/journal.pone.0092558.
- Grund, R. 1996. The distribution of *Theclinesithes albocincta* (Waterhouse) and *Theclinesithes hesperia littoralis* Sibatani & Grund, based on herbarium records of eggs (Lepidoptera: Lycaenidae). *The Australian Entomologist* 23: 101–10.
- Grund, R. 1998. New foodplant recordings and biological observations for some Western Australian butterflies. *Victorian Entomologist* 28: 65–68.
- Grund, R. 2005. Some new butterfly observations for Central Australia. *Victorian Entomologist* 35: 111–114.
- Grund, R. & Hunt, L. 2001. Some butterfly observations for the Kimberley and Tanami regions, Western Australia. *Victorian Entomologist* 31: 19–23.
- Gullan, P., Crosby, D. F. & Quick, W. N. B. 1996. *Victorian Butterfly Database*. CD-ROM. Viridans Biological Databases: Melbourne.
- Hall, M. C. 1976. Native food plant records for some Northern Territory butterflies. *Australian Entomological Magazine* 3: 41.
- Hall, M. C. 1981. Notes on the life history of *Cethosia penthesilea paksha* Fruhstorfer (Lepidoptera: Nymphalidae). *Australian Entomological Magazine* 7: 89–90.
- Harrison, M. 2010. The zodiac moth: A discovery and study. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 57: 4–7.
- Harvey, M. S. 2002. Short-range endemism among the Australian fauna: Some examples from non-marine environments. *Invertebrate Systematics* 16: 555–570. doi.org/10.1071/IS02009.
- Harvey, M. S., Rix, M. G., Framenau, V. W., Hamilton, Z. R., Johnson, M. S., Teale, R. J., Humphreys, G. & Humphreys, W. F. 2011. Protecting the innocent: Studying short-range endemic taxa enhances conservation outcomes. *Invertebrate Systematics* 25: 1–10. doi.org/10.1071/IS11011.

- Hopkinson, M. & Bourne, S. A. 2018. Life history notes and observations on *Petrelaea tombugensis* (Röber) (Lepidoptera: Lycaenidae). *The Australian Entomologist* 45: 11–16.
- Hutchinson, J. F. 1973. A list of butterflies collected at Daly River crossing, Northern Territory. *Victorian Entomologist* 3: 11–14.
- Hutchinson, J. F. 1978. Butterflies of the Daly River area, Northern Territory. *Victorian Entomologist* 8: 15–19.
- International Union for Conservation of Nature (IUCN) 2001. *IUCN Red List Categories: Version 3.1*. IUCN Species Survival Commission: Gland, Switzerland.
- International Union for Conservation of Nature (IUCN) 2012. *Guidelines for Application of IUCN Red List Criteria at Regional and National Levels: Version 4.0*. IUCN: Gland, Switzerland.
- International Union for Conservation of Nature (IUCN) Standards and Petitions Subcommittee 2016. *Guidelines for Using the IUCN Red List Categories and Criteria: Version 12*. Prepared by the Standards and Petitions Subcommittee of the IUCN Species Survival Commission: Gland, Switzerland.
- Johnson, S. J. 1993. Butterfly records of interest from northern Australia. *The Australian Entomologist* 20: 75–76.
- Johnson, S. J. & Valentine, P. S. 1988. Butterflies collected on Mt White in January 1988. *News Bulletin of the Entomological Society of Queensland* 16: 12–13.
- Johnson, S. J. & Valentine, P. S. 1989. The life history of *Libythea geoffroy nicevillei* Olliff (Lepidoptera: Libytheidae). *Australian Entomological Magazine* 16: 59–62.
- Johnson, S. J. & Valentine, P. S. 2004. Butterfly field notes from northwestern Australia including new distributions of several species. *Victorian Entomologist* 34: 58–59.
- Jones, R. E. 1987. Reproductive strategies for the seasonal tropics. *Insect Science and Application* 8: 515–521. doi.org/10.1017/s1742758400022566.
- Jones, R. E. & Rienks, J. 1987. Reproductive seasonality in the tropical genus *Eurema* (Lepidoptera: Pieridae). *Biotropica* 19: 7–16. doi.org/10.2307/2388454.
- Kallies, A. 2001. New records and a revised checklist of the Australian clearwing moths (Lepidoptera: Sesiidae). *Australian Journal of Entomology* 40: 342–348. doi.org/10.1046/j.1440-6055.2001.00251.x.
- Kemp, D. J. 2001. Reproductive seasonality in the tropical butterfly *Hypolimnas bolina* (Lepidoptera: Nymphalidae) in northern Australia. *Journal of Tropical Ecology* 17: 483–494. doi.org/10.1017/S0266467401001365.
- Kenneally, K. F., Keighery, G. J. & Hyland, B. P. M. 1991. Floristics and phytogeography of Kimberley rainforests, Western Australia. In: McKenzie, N. L., Johnston, R. B. and Kendrick, P. G. (eds) *Kimberley Rainforests of Australia*. pp. 93–131. Surrey Beatty & Sons: Sydney.
- Kikkawa, J. & Monteith, G. B. 1980. *Animal ecology of monsoon forests of the Kakadu region, Northern Territory*. Queensland Museum consultancy report to Director, Australian National Parks and Wildlife Service: Canberra.
- Kikkawa, J., Monteith, G. B. & Ingram, G. 1981. Cape York Peninsula, major region of faunal interchange. In: Keast, A. (ed.) *Ecological Biogeography of Australia*. pp. 1695–1742. Dr W. Junk bv Publishers: The Hague.
- Kiriakoff, S. G. 1977. Lepidoptera Noctuiformes. Agaristidae I (Palearctic and Oriental genera). *Das Tierreich* 97: i–ix, 1–180.
- Koch, L. E. 1957. East Kimberley butterflies. *Western Australian Naturalist* 11: 83–84.
- Koch, L. E. 1975. *Graphium* butterflies at Kooland Island. *Western Australian Naturalist* 13: 64.

- Koch, L. E. & van Ingen, F. C. 1969. The butterflies of Koolan Island, Western Australia. *Western Australian Naturalist* 11: 98.
- Kodandaramaiah, U., Lees, D. C., Müller, C. J., Torres, E., Karanth, K. P. & Wahlberg, N. 2010. Phylogenetics and biogeography of a spectacular Old World radiation of butterflies: The subtribe Mycalesina (Lepidoptera: Nymphalidae: Satyrini). *BMC Evolutionary Biology* 10: 72.
- Köhler, F. 2010. Uncovering local endemism in the Kimberley, Western Australia: Description of new species of the genus *Amplirbagada* Iredale, 1933 (Pulmonata, Camaenidae). *Records of the Australian Museum* 62: 217–284. doi.org/10.3853/j.0067-1975.62.2010.1554.
- Köhler, F. & Criscione, F. 2013. Small snails in a big place: A radiation in the semi-arid rangelands in northern Australia (Eupulmonata, Camaenidae, Nanotrachia n. gen.). *Zoological Journal of the Linnean Society* 169: 103–123. doi.org/10.1111/zoj.12051.
- Kudrna, O., Harpke, A., Lux, K., Pennerstorfer, J., Schweiger, O., Settele, J. & Wimers, M. 2011. *Distribution Atlas of Butterflies in Europe*. Gesellschaft für Schmetterlingsschutz: Halle, Germany.
- Lambkin, T. A. 2006. Clinal variation in female *Hypolycaena phorbis phorbis* (Fabricius) (Lepidoptera: Lycaenidae) and revision of the status of *H. p. ingura* Tindale. *The Australian Entomologist* 33: 81–92.
- Lambkin, T. A. & Kendall, R. 2016. The status of *Yoma algina* (Boisduval, 1832) and *Y. sabina* (Cramer, 1780) (Lepidoptera: Nymphalidae: Nymphalinae) in Australia. *The Australian Entomologist* 43: 211–234.
- Lambkin, T. A., Braby, M. F., Eastwood, R. G. & Zalucki, M. P. 2017. Taxonomic revision of the *Euploea alcatheae* complex (Lepidoptera: Nymphalidae) from Australia and New Guinea. *Austral Entomology*. doi.org/10.1111/aen.12299.
- Lazarides, M. 2005. Micraira. In: Mallet, K. (ed.) *Flora of Australia. Volume 44B: Poaceae 3*. pp. 120–131. ABRIS/CSIRO Publishing: Melbourne.
- Le Souëf, J. C. 1971. Winter insect collecting in the Northern Territory. *The Victorian Naturalist* 88: 350–356.
- Le Souëf, J. C. & Tindale, N. B. 1970. A new subspecies of *Virachola smilis* (Hewitson) (Lepidoptera: Lycaenidae) from northern Australia. *Journal of the Australian Entomological Society* 9: 219–222. doi.org/10.1111/j.1440-6055.1970.tb00794.x.
- Lewis, O. T. & Senior, M. J. M. 2011. Assessing conservation status and trends for the world's butterflies: The sampled Red List Index approach. *Journal of Insect Conservation* 15: 121–128. doi.org/10.1007/s10841-010-9329-8.
- Liddle, D. T., Russell-Smith, J., Brock, J., Leach, G. J. & Connors, G. T. 1994. *Atlas of the Vascular Rainforest Plants of the Northern Territory*. Australian Biological Resources Study: Canberra.
- Lokkers, C. 1986. The distribution of the weaver ant, *Oecophylla smaragdina* (Fabricius) (Hymenoptera: Formicidae). *Australian Journal of Zoology* 34: 683–687. doi.org/10.1071/ZO9860683.
- Macleay, W. S. 1826. Annulosa. Catalogue of insects, collected by Captain King, R. N. Appendix B. Containing a list and descriptions of the subjects of natural history collected during Captain King's survey of the intertropical and western coasts of Australia. In: King, P. P. (ed.) *Narrative of a Survey of the Intertropical and Western Coasts of Australia, Performed between the Years 1818 and 1822. Volume II*. pp. 438–469. John Murray: London.
- McCubbin, C. 1971. *Australian Butterflies*. Nelson: Melbourne.
- McGeoch, M. A. 1998. The selection, testing and application of terrestrial insects as bioindicators. *Biological Reviews* 73: 181–201. doi.org/10.1111/j.1469-185X.1997.tb00029.x.

- McGeoch, M. A. 2007. Insects and bioindication: Theory and progress. In: Stewart, A. J. A., New, T. R. and Lewis, O. T. (eds) *Insect Conservation Biology. Proceedings of the Royal Entomological Society's 23rd Symposium*. pp. 144–174. CABI Publishing: Wallingford, UK. doi.org/10.1079/9781845932541.0144.
- McKay, L. 2017. *A Guide to Wildlife of the Top End*. The Environment Centre Northern Territory: Darwin.
- McKenzie, N. L., Belbin, L., Keighery, G. J. & Kenneally, K. F. 1991. Kimberley rainforest communities: Patterns of species composition and Holocene biogeography. In: McKenzie, N. L., Johnston, R. B. and Kendrick, P. G. (eds) *Kimberley Rainforests of Australia*. pp. 423–451. Surrey Beatty & Sons: Sydney.
- McKenzie, N. L., Fontanini, L., Lindus, N. V. & Williams, M. R. 1995. Biological inventory of Koolan Island, Western Australia 2. Zoological notes. *Records of the Western Australian Museum* 17: 249–266.
- Merckx, T., Huertas, B., Basset, Y. & Thomas, J. A. 2013. A global perspective on conserving butterflies and moths and their habitats. In: Macdonald, D. W. and Willis, K. J. (eds) *Key Topics in Conservation Biology* 2. pp. 239–257. John Wiley & Sons: London. doi.org/10.1002/9781118520178.ch14.
- Meyer, C. E. 1995. Notes on the life history of *Danaus genutia alexis* (Waterhouse and Lyell) (Lepidoptera: Nymphalidae: Danainae). *The Australian Entomologist* 22: 137–139.
- Meyer, C. E. 1996a. Butterfly larval food plant list for the Northern Territory and the Kununurra district in Western Australia. *Victorian Entomologist* 26: 66–72.
- Meyer, C. E. 1996b. Notes on the life history of *Nacaduba kurava felsina* Waterhouse and Lyell (Lepidoptera: Lycaenidae). *The Australian Entomologist* 23: 73–74.
- Meyer, C. E. 1996c. A new record of *Nesolycaena caesia* d'Apice & Miller (Lepidoptera: Lycaenidae) from north-eastern Western Australia. *The Australian Entomologist* 23: 79.
- Meyer, C. E. 1996d. Notes on the immature stages of *Euploea darchia darcia* (W. S. Macleay) (Lepidoptera: Nymphalidae). *The Australian Entomologist* 23: 81–82.
- Meyer, C. E. 1997a. Notes on the life history and variations in adult forms of *Euploea sylvester pelor* Doubleday (Lepidoptera: Nymphalidae: Danainae). *The Australian Entomologist* 24: 73–77.
- Meyer, C. E. 1997b. Notes on the life history of *Borbo impar lavinia* (Waterhouse) (Lepidoptera: Hesperidae). *The Australian Entomologist* 24: 78–80.
- Meyer, C. E., Weir, R. P. & Brown, S. S. 2013. Some new and interesting butterfly (Lepidoptera) distribution and temporal records from Queensland and northern Australia. *The Australian Entomologist* 40: 7–12.
- Meyer, C. E., Weir, R. P. & Brown, S. S. 2015. A new subspecies of *Hasora hurama* (Butler, 1870) (Lepidoptera: Hesperidae: Coeliadinae) from the Northern Territory, Australia. *The Australian Entomologist* 42: 133–47.
- Meyer, C. E., Weir, R. P. & Wilson, D. N. 2006. Butterfly (Lepidoptera) records from the Darwin region, Northern Territory. *The Australian Entomologist* 33: 9–22.
- Meyer, C. E. & Wilson, D. N. 1995. A new distribution record for *Theclinesthes sulphitius* (Miskin) (Lepidoptera: Lycaenidae) in the Northern Territory and notes on the life history. *The Australian Entomologist* 22: 63.
- Miller, C. G. & Lane, D. A. 2004. A new species of *Acrodipsas* Sands (Lepidoptera: Lycaenidae) from the Northern Territory. *The Australian Entomologist* 31: 141–146.
- Mollet, B. & Tarmann, G. M. 2010. Notes on the ecology, phenology, and distribution of *Pollanisis eumetopus* Turner (Lepidoptera: Zygaenidae, Procradinae, Artonini). *The Australian Entomologist* 37: 63–67.
- Monteith, G. B. 1982. Dry season aggregations of insects in Australian monsoon forests. *Memoirs of the Queensland Museum* 20: 533–543.

- Monteith, G. B. 1991. *The Butterfly Man of Kuranda, Frederick Parkhurst Dodd*. Queensland Museum: South Brisbane.
- Monteith, G. B. & Wood, G. B. 1987. *Endospermum*, ants and uraniid moths in Australia. *Queensland Naturalist* 28: 35–41.
- Morgun, D. V. & Wiemers, M. 2012. First record of the Lime Swallowtail *Papilio demoleus* Linnaeus, 1758 (Lepidoptera: Papilionidae) in Europe. *Journal of Research on the Lepidoptera* 45: 85–89.
- Moritz, C., Ens, E. J., Potter, S. & Catullo, R. A. 2013. The Australian monsoonal tropics: An opportunity to protect unique biodiversity and secure benefits for Aboriginal communities. *Pacific Conservation Biology* 19: 343–355. doi.org/10.1071/PC130343.
- Moss, J. T. 2010. Hostplants of the zodiac moth in Australia. *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 57: 7–9.
- Müller, C. J., Olive, J. & Lambkin, T. A. 1998. New records for *Petrelaea tombugensis* (Röber) (Lepidoptera: Lycaenidae) in Queensland. *The Australian Entomologist* 25: 61–63.
- Naumann, I. D., Weir, T. A. & Edwards, E. D. 1991. Insects of Kimberley rainforests. In: McKenzie, N. L., Johnston, R. B. and Kendrick, P. G. (eds) *Kimberley Rainforests of Australia*. pp. 299–332. Surrey Beatty & Sons: Sydney.
- New, T. R. 1997. Are Lepidoptera an effective ‘umbrella group’ for biodiversity conservation? *Journal of Insect Conservation* 1: 5–12. doi.org/10.1023/A:1018433406701.
- Nielsen, E. S., Edwards, E. D. & Rangsi, T. V. 1996. *Checklist of the Lepidoptera of Australia*. Monographs on Australian Lepidoptera Vol. 4. CSIRO Publishing: Collingwood, Melbourne.
- Normand, S. 2009. *Marranbala Country*. Simon Normand: Melbourne.
- Oberprieler, S. K., Jennings, D. & Oberprieler, R. G. 2016. Captain King’s lost weevil: Alive and well in the Northern Territory? *Northern Territory Naturalist* 27: 106–120.
- Oliver, P. M., Laver, R. J., De Mello Martins, F., Pratt, R. C., Hunjan, S. & Moritz, C. 2017. A novel hotspot of vertebrate endemism and an evolutionary refugium in tropical Australia. *Diversity and Distributions* 23: 53–66.
- Parr, C. L., Lehmann, C. E. R., Bond, W. J., Hoffmann, W. A. & Andersen, A. N. 2014. Tropical grassy biomes: Misunderstood, neglected, and under threat. *Trends in Ecology and Evolution* 29: 205–213. doi.org/10.1016/j.tree.2014.02.004.
- Paton, G. 2013. A new host plant for the satin azure (*Ogyris amaryllis meridionalis*). *Metamorphosis Australia. Magazine of the Butterfly and Other Invertebrates Club* 70: 37–38.
- Pepper, M. & Keogh, J. S. 2014. Biogeography of the Kimberley, Western Australia: A review of landscape evolution and biotic response in an ancient refugium. *Journal of Biogeography* 41: 1443–1455. doi.org/10.1111/jbi.12324.
- Peters, J. V. 1969. Notes on the distribution of Australian Hesperoidea and Papilionoidea. *Australian Zoologist* 15: 178–184.
- Peters, J. V. 2006. New distribution records for Australian butterflies (Lepidoptera). *The Australian Entomologist* 33: 113–114.
- Peters, J. V. 2008. New distribution records for Australian butterflies (Lepidoptera: Lycaenidae) from Broome, Western Australia. *The Australian Entomologist* 35: 66.
- Pierce, F. 2008. Range extension records for various butterflies throughout Australia. *Victorian Entomologist* 38: 15–16.

- Pierce, F. 2010. More range extension records for various butterflies throughout Australia. *Victorian Entomologist* 40: 133–134.
- Pierce, F. 2011. 'Corrigenda' to the editors. *Victorian Entomologist* 41: 38.
- Pierce, F. 2017. Range extension records for various butterflies throughout Australia. *Victorian Entomologist* 47: 131–133.
- Pollard, E. & Yates, T. J. 1993. *Monitoring Butterflies for Ecology and Conservation*. Chapman & Hall: London.
- Powell, R. J. 1993. The use of two species of *Parietaria* (Urticaceae) as food plants by the butterfly *Vanessa itea* (Fabricius) in south-western Australia. *The Australian Entomologist* 20: 57–58.
- Press, T., Brock, J. & Andersen, A. N. 1995. Fauna. In: Press, T., Lea, D., Webb, A. and Graham, A. (eds) *Kakadu: Natural and cultural heritage and management*. pp. 167–216. Australian Nature Conservation Agency and the North Australian Research Unit, The Australian National University: Darwin.
- Prout, L. B. 1921–34. The Indo–Australian Geometridae. Hemitheinae. In: Seitz, A. (ed.) *The Macrolepidoptera of the World. Volume 12*. pp. 44–142. Alfred Kern Verlag: Stuttgart.
- Puccetti, M. 1991. Butterflies of Doomadgee, northwestern Queensland. *Victorian Entomologist* 21: 142–147.
- Reichel, H. & Andersen, A. N. 1996. The rainforest ant fauna of Australia's Northern Territory. *Australian Journal of Zoology* 44: 81–95. doi.org/10.1071/ZO9960081.
- Rosauer, D. F., Bloma, M. P. K., Bourke, G., Catalanob, S., Donnellanb, S., Gillespie, G., Mulder, E., Oliver, P. M., Potter, S., Pratt, R. C., Rabosky, D. L., Skipwith, P. L. & Moritz, C. 2016. Phylogeography, hotspots and conservation priorities: An example from the Top End of Australia. *Biological Conservation* 204: 83–93. doi.org/10.1016/j.biocon.2016.05.002.
- Rosauer, D. F., Laffan, S., Crisp, M. D., Donnellan, S. C. & Cook, L. G. 2009. Phylogenetic endemism: A new approach for identifying geographical concentrations of evolutionary history. *Molecular Ecology* 18: 4061–4072. doi.org/10.1111/j.1365-294X.2009.04311.x.
- Rossiter, N. A., Setterfield, A. A., Douglas, M. M. & Hutley, L. B. 2003. Testing the grass–fire cycle: Alien grass invasion in the tropical savannas of northern Australia. *Diversity and Distributions* 9: 169–176. doi.org/10.1046/j.1472-4642.2003.00020.x.
- Russell-Smith, J. 1991. Classification, species richness, and environmental relations of monsoon rain forest in northern Australia. *Journal of Vegetation Science* 2: 259–278. doi.org/10.2307/3235959.
- Russell-Smith, J. & Bowman, D. M. J. S. 1992. Conservation of monsoonal vine-forest isolates in the Northern Territory, Australia. *Biological Conservation* 59: 51–63. doi.org/10.1016/0006-3207(92)90713-W.
- Russell-Smith, J., McKenzie, N. L. & Woinarski, J. C. Z. 1992. Conserving vulnerable habitat in northern and north-western Australia: The rainforest archipelago. In: Moffatt, I. and Webb, A. (eds) *Conservation and Development issues in Northern Australia*. pp. 63–68. North Australia Research Unit, The Australian National University: Darwin.
- Russell-Smith, J., Ryan, P. G. & Cheal, D. C. 2002. Fire regimes and the conservation of sandstone heath in monsoonal northern Australia: Frequency, interval, patchiness. *Biological Conservation* 104: 91–106. doi.org/10.1016/S0006-3207(01)00157-4.
- Russell-Smith, J., Ryan, P. G., Klessa, D., Waight, G. & Harwood, R. 1998. Fire regimes, fire-sensitive vegetation and fire management of the sandstone Arnhem Plateau, monsoonal northern Australia. *Journal of Applied Ecology* 35: 829–846. doi.org/10.1111/j.1365-2664.1998.tb00002.x.
- Russell-Smith, J. & Yates, C. P. 2007. Australian savanna fire regimes: Context, scale, patchiness. *Fire Ecology* 3: 48–63. doi.org/10.4996/fireecology.0301048.

- Samson, P. R. 1991. The life history of *Everes lacturnus australis* Couchman (Lepidoptera: Lycaenidae). *Australian Entomological Magazine* 18: 71–74.
- Samson, P. R. & Lambkin, T. A. 2003. The immature stages and seasonality of *Petrelaea tombugensis* (Rober) (Lepidoptera: Lycaenidae). *The Australian Entomologist* 30: 181–183.
- Samson, P. R. & Wilson, D. N. 1995. The life history of *Candalides gilberti* Waterhouse (Lepidoptera: Lycaenidae). *The Australian Entomologist* 22: 71–73.
- Sands, D. P. A. 1986. *A Revision of the Genus Hypochrysops C. & R. Felder (Lepidoptera: Lycaenidae)*. E. J. Brill/Scandinavian Science Press: Leiden & Copenhagen.
- Sands, D. P. A. & New, T. R. 2002. *The Action Plan for Australian Butterflies*. Environment Australia: Canberra.
- Scheermeyer, E. 1993. Overwintering of three Australian danaines: *Tirumala hamata hamata*, *Euploea tulliolus tulliolus*, and *E. core corinna*. In: Malcolm, S. B. and Zalucki, M. P. (eds) *The Biology of Conservation of the Monarch Butterfly*. pp. 345–353. Natural History Museum of Los Angeles County: Los Angeles.
- Scheermeyer, E. 1999. The crows, *Euploea* species, with notes on the blue tiger, *Tirumala hamata* (Nymphalidae: Danaeinae). In: Kitching, R. L., Scheermeyer, E., Jones, R. E. and Pierce, N. E. (eds) *Biology of Australian Butterflies*. Monographs on Australian Lepidoptera Vol. 6. pp. 191–216. CSIRO Publishing: Collingwood, Melbourne.
- Setterfield, S. A., Rossiter-Rachor, N. A., Douglas, M. M., Wainger, L., Petty, A. M., Barrow, P., Shepherd, I. J. & Ferdinands, K. B. 2013. Adding fuel to the fire: The impacts of non-native grass invasion on fire management at a regional scale. *PLoS ONE* 8(5): e59144. doi.org/10.1371/journal.pone.0059144.
- Setterfield, S. A., Rossiter-Rachor, N. A., Hutley, L. B., Douglas, M. M. & Williams, R. J. 2010. Turning up the heat: The impacts of *Andropogon gayanus* (gamba grass) invasion on fire behaviour in northern Australian savannas. *Diversity and Distributions* 16: 854–861. doi.org/10.4996/fireecology.0301048.
- Smithers, C. N. 1978. Migration records in Australia. 2. Hesperiidae and Papilionidae (Lepidoptera). *Australian Entomological Magazine* 5: 11–14.
- Smithers, C. N. 1983a. Migration records in Australia. 3. Danaeinae and Acraeinae (Lepidoptera: Nymphalidae). *Australian Entomological Magazine* 10: 21–27.
- Smithers, C. N. 1983b. Migration records in Australia. 4. Pieridae (Lepidoptera) other than *Anaphaeis java teutonia* (F.). *Australian Entomological Magazine* 10: 47–54.
- Smithers, C. N. 1985. Migration records in Australia. 5. Lycaenidae and Nymphalidae (Lepidoptera). *Australian Entomological Magazine* 11: 91–97.
- Smithers, C. N. & McCartney, I. B. 1970. Record of a migration of the chequered swallowtail *Papilio demoleus sthenelus* Macleay (Lepidoptera: Papilionidae). *North Queensland Naturalist* 37: 8.
- Smithers, C. N. & Peters, J. V. 1977. A record of migration and aggregation in *Alcides zodiaca* (Butler) (Lepidoptera: Uraniidae). *Australian Entomological Magazine* 4: 44.
- Start, A. N. 2013. Mistletoe flora (Loranthaceae and Santalaceae) of the Kimberley, a tropical region in Western Australia, with particular reference to fire. *Australian Journal of Botany* 61: 309–321. doi.org/10.1071/BT13021.
- Talbot, G. 1928–37. *A Monograph of the Pierine Genus Delias. Parts I–VI*. British Museum (Natural History): London.
- Tarmann, G. M. 2004. *Zygaenid Moths of Australia: A revision of the Australian Zygaenidae (Procridinae: Artonini)*. Monographs of Australian Lepidoptera Vol. 9. CSIRO Publishing: Collingwood, Melbourne.

- Thackway, R. & Cresswell, I. D. 1995. *An Interim Biogeographic Regionalisation for Australia: A framework for establishing the national system of reserves, Version 4.0*. Australian Nature Conservation Agency: Canberra.
- Tindale, N. B. 1922. On a new genus and species of Australian Lycaeninae. *Transactions and Proceedings of the Royal Society of South Australia* 46: 537–538.
- Tindale, N. B. 1923. On Australian Rhopalocera. *Transactions and Proceedings of the Royal Society of South Australia* 47: 342–354.
- Tindale, N. B. 1927. A new butterfly of the genus *Papilio* from Arnhem Land. *Records of the South Australian Museum* 3: 339–341.
- van Swaay, C., Nowicki, P., Settele, J. & van Strien, A. 2008. Butterfly monitoring in Europe: Methods, applications and perspectives. *Biodiversity and Conservation* 17: 3455–3469. doi.org/10.1007/s10531-008-9491-4.
- Virtue, J. & McQuillan, P. 1994. *Butterflies of Tasmania*. Tasmanian Field Naturalists Club Inc.: Hobart.
- Wade, A. 1978. Notes on the habits of the northern jezebel butterfly. *Northern Territory Naturalist* 1: 13–14.
- Walker, F. 1854. List of the specimens of Lepidopterous insects in the collection of the British Museum. *Lepidoptera Heterocera* 1: 1–278.
- Warham, J. 1957. West Kimberley butterflies. *Western Australian Naturalist* 5: 229–230.
- Waterhouse, G. A. 1932. Australian Hesperiidae. II. Notes and descriptions of new forms. *Proceedings of the Linnean Society of New South Wales* 57: 218–238.
- Waterhouse, G. A. 1933. Australian Hesperiidae. IV. Notes and descriptions of new forms. *Proceedings of the Linnean Society of New South Wales* 58: 461–466.
- Waterhouse, G. A. 1937a. Australian Hesperiidae. VI. Descriptions of new subspecies. *Proceedings of the Linnean Society of New South Wales* 62: 32–34.
- Waterhouse, G. A. 1937b. Presidential address: The biology and taxonomy of the Australian butterflies. *Report of the Australian and New Zealand Association for the Advancement of Science, Auckland Meeting, January 1937* 23: 101–133.
- Waterhouse, G. A. 1938. Notes on Australian butterflies in the Australian Museum. *Records of the Australian Museum* 20: 217–222. doi.org/10.3853/j.0067-1975.20.1938.570.
- Waterhouse, G. A. & Lyell, G. 1909. New and rare Australian butterflies of the genus *Miletus*. *The Victorian Naturalist* 26: 110–116.
- Waterhouse, G. A. & Lyell, G. 1914. *The Butterflies of Australia: A monograph of the Australian Rhopalocera*. Angus & Robertson: Sydney.
- Weir, R. P., Meyer, C. E. & Brown, S. S. 2011. Notes on the biology of *Ogyris zosine* (Hewitson, 1853) (Lepidoptera: Lycaenidae: Theclinae), including the first record of the purple female form from the Northern Territory, Australia. *The Australian Entomologist* 38: 97–100.
- White, D. L., O'Brien, E. A., Fejo, D. M., Yates, R. W., Goodman, A. A., Harvey, M. & Wightman, G. 2009. *Warray plants and animals: Aboriginal flora and fauna knowledge from the upper Adelaide and upper Finnis rivers, northern Australia*. Northern Territory Botanical Bulletin No. 33. Department of Natural Resources, Environment, the Arts and Sport: Palmerston, NT.
- Williams, A. A. E., Hay, R. W. & Bollam, H. H. 1992. New records for six lycaenid butterflies in Western Australia (Lepidoptera: Lycaenidae). *Australian Entomological Magazine* 19: 25–27.
- Williams, A. A. E. & Powell, R. J. 1998. The butterflies (Lepidoptera) of East and West Wallabi islands, Western Australia. *The Australian Entomologist* 25: 107–112.

- Williams, A. A. E. & Powell, R. J. 2006. The butterflies (Lepidoptera) of Middle, Mondrain, Sandy Hook, Woody and Goose islands in the Recherche Archipelago, Western Australia. *The Australian Entomologist* 33: 39–48.
- Williams, A. A. E., Williams, M. R., Edwards, E. D. & Coppen, R. A. M. 2016. The sun-moths (Lepidoptera: Castniidae) of Western Australia: An inventory of distribution, larval food plants, habitat, behaviour, seasonality and conservation status. *Records of the Western Australian Museum* 31: 90–162. doi.org/10.18195/issn.0312-3162.31(2).2016.090-162.
- Williams, A. A. E., Williams, M. R. & Swann, G. 2006. Records of butterflies (Lepidoptera) from the Kimberley region of Western Australia. *Victorian Entomologist* 36: 9–16.
- Williams, M. R. 2014. *Butterflies of Home Valley, Durack River and Karunjie stations, East Kimberley region, Western Australia*. Final Report to Department of Sustainability, Environment, Water and Communities. Department of Parks and Wildlife: Perth.
- Williams, M. R., Lamont, B. B. & Henstridge, J. D. 2009. Species-area functions revisited. *Journal of Biogeography* 36: 1994–2004. doi.org/10.1111/j.1365-2699.2009.02110.x.
- Willmott, K. R., Lamas, G. & Huertas, B. 2011. *Priorities for Research and Conservation of Tropical Andean Butterflies*. McGuire Center for Lepidoptera and Biodiversity: Gainesville, FL.
- Wilson, P. R. 2016. Tawny coster arrives in Queensland. *News Bulletin of the Entomological Society of Queensland* 44: 121–122.
- Wilson, P. R. & Johnson, I. R. 2017. Five new butterfly life histories (Lepidoptera) from Christmas Island, Australia. *The Australian Entomologist* 44: 181–195.
- Woinarski, J. C. Z. 1992. Biogeography and conservation of reptiles, mammals and birds across north-western Australia: An inventory and base for planning an ecological reserve system. *Wildlife Research* 19: 665–705. doi.org/10.1071/WR9920665.
- Woinarski, J. C. Z., Fisher, A. & Milne, D. 1999. Distribution patterns of vertebrates in relation to an extensive rainfall gradient and variation in soil texture in the tropical savannas of the Northern Territory, Australia. *Journal of Tropical Ecology* 15: 381–398. doi.org/10.1017/S0266467499000905.
- Woinarski, J. C. Z., Hempel, C., Cowie, I., Brennan, K., Kerrigan, R., Leach, G. & Russell-Smith, J. 2006. Distributional pattern of plant species endemic to the Northern Territory, Australia. *Australian Journal of Botany* 54: 627–640. doi.org/10.1071/BT05041.
- Woinarski, J. C. Z., Mackey, B. G., Nix, H. A. & Traill, B. 2007a. *The Nature of Northern Australia: Natural values, ecological processes and future prospects*. ANU E Press: Canberra.
- Woinarski, J. C. Z., Pavey, C., Kerrigan, R., Cowie, I. & Ward, S. 2007b. *Lost from Our Landscape: Threatened species of the Northern Territory*. Northern Territory Government: Darwin.
- Woinarski, J. C. Z., Williams, R. J., Price, O. F. & Rankmore, B. 2005. Landscapes without boundaries: Wildlife and their environments in northern Australia. *Wildlife Research* 32: 377–388. doi.org/10.1071/WR03008.
- Yata, O. 1985. Part 1: Pieridae. In: Tsukada, E. (ed.) *Butterflies of the South East Asian Islands. II: Pieridae, Danaidae*. pp. 205–438. Plapac: Tokyo.
- Yeates, D. K. 1990. New records of butterflies from the east Kimberley, Western Australia. *Australian Entomological Magazine* 17: 73–74.
- Young, D. A. 2005. Spring–summer–autumn 2004–2005; field and other notes. *Victorian Entomologist* 35: 87–97.

This text is taken from *Atlas of Butterflies and Diurnal Moths in the Monsoon Tropics of Northern Australia*, by M.F. Braby, D.C. Franklin, D.E. Bisa, M.R. Williams, A.A.E. Williams, C.L. Bishop and R.A.M. Coppen, published 2018 by ANU Press, The Australian National University, Canberra, Australia.