

List of Tables

Table 2.1	Main geological/landscape units found within the study area and surrounding region.	18
Table 2.2	Main vegetation units found within the study area.	32
Table 2.3	Seasonal calendar from the Yolngu of Blue Mud Bay, northeast Arnhem Land. This table has been collated from information collected by Barber (2002) through direct observation and conversations with Djambawa Marawili and Ngulpurr Marawili.	37
Table 3.1	Number and rank order of site types within the study area.	44
Table 3.2	Surface radiocarbon age estimate ranges for sites across the Point Blane Peninsula.	46
Table 3.3	The number and percentage of sites by distance to present coastline relative to all sites.	49
Table 3.4	The number and percentage of sites by height above sea level interval relative to all sites.	49
Table 3.5	The number and percentage of sites by minimum distance to water interval.	52
Table 3.6	Molluscan species identified on the surface of the sites and their habitat.	54
Table 3.7	The number and percentage of sites containing molluscan species by broad locality.	55
Table 3.8	Descriptive statistics for the number of molluscan taxa by broad peninsula locality.	57
Table 3.9	The number and percentage of sites by molluscan habitat and broad locality.	58
Table 3.10	Descriptive statistics for the number of molluscan species from the defined habitats by broad peninsula locality.	59
Table 3.11	t -test results for the relationship between the mean number of molluscan taxa by habitat for the Myaoola and Grindall Bay sites.	59
Table 3.12	Number and type of stone artefacts per raw material.	61
Table 3.13	Descriptive statistics for quartzite core measurements.	63
Table 3.14	Descriptive statistics for quartzite core platforms and negative scars.	64
Table 3.15	Descriptive statistics for quartzite and silcrete unretouched flakes.	64
Table 3.16	Quartzite artefact data at 4km intervals from quartzite outcrop.	67
Table 3.17	Silcrete artefact data at 4km intervals from quartzite outcrop.	67
Table 3.18	Descriptive statistics for quartzite unretouched flakes at 6km intervals from quartzite outcrop.	68
Table 4.1	Conventional and calibrated radiocarbon age obtained for site BMB/018.	75
Table 4.2	Quantitative data for the excavated components from BMB/018, 6mm sieve fraction.	76
Table 4.3	Conventional and calibrated radiocarbon ages obtained for site BMB/067b Test-pit 1.	79
Table 4.4	Quantitative data for the excavated components from BMB/067b Test-pit 1, 6mm sieve fraction.	80

Table 4.5	Conventional and calibrated radiocarbon ages obtained for site BMB/084, Test-pit 1.	84
Table 4.6	Quantitative data for the excavated components from Test-pit 1, BMB/084, 6mm sieve fraction.	85
Table 4.7	Conventional and calibrated radiocarbon ages obtained for site BMB/029.	90
Table 4.8	Quantitative data for the excavated components from BMB/029, 6mm sieve fraction.	91
Table 4.9	Conventional and calibrated radiocarbon ages obtained for site BMB/071.	94
Table 4.10	Quantitative data for the excavated components from BMB/071, 6mm sieve fraction.	97
Table 4.11	Conventional and calibrated radiocarbon ages obtained for site BMB/045.	101
Table 4.12	Quantitative data for the excavated components from BMB/045, 6mm sieve fraction.	103
Table 4.13	Comparison of the excavated components recovered from the six sites by percentage of weight (g), 6mm sieve fraction.	105
Table 4.14	Comparison of the total density of the excavated components (g/cm^3) recovered from the six sites, 6mm sieve fraction.	105
Table 4.15	Comparison of density estimates (g/cm^3) of shell and other faunal material from excavated sites on the Point Blane Peninsula and the Darwin region.	106
Table 5.1	Correlation coefficients for the relationship between species richness (number of taxa) and sample size (MNI) by site.	110
Table 5.2	The presence / absence of molluscan species of possible economic origin within the six excavated sites.	112
Table 5.3	BMB/018, number and percentage of species, MNI values and MNI density estimates (MNI/cm^3) for molluscan habitats.	114
Table 5.4	BMB/018, MNI values and volume-corrected MNI estimates (MNI/cm^3) for all molluscan species (species above dashed line at > 5% MNI viewed as dominant).	115
Table 5.5	BMB/067b, number of species, the percentage of the total number of species and number of species for molluscan habitats by excavation unit.	116
Table 5.6	BMB/067b, MNI values and volume-corrected MNI estimates (MNI/cm^3) for species from molluscan habitats by excavation unit.	116
Table 5.7	BMB/067b, MNI values and corrected MNI estimates (MNI/cm^3) for all molluscan species (species above dashed line at > 5% MNI viewed as dominant).	117
Table 5.8	BMB/067b, MNI and corrected MNI values for the dominant species by excavation unit.	118
Table 5.9	BMB/084, number of species, the percentage of the total number of species and number of species for molluscan habitats by excavation unit.	119
Table 5.10	BMB/084, MNI values and volume-corrected MNI estimates (MNI/cm^3) for species from molluscan habitats by excavation unit.	120
Table 5.11	BMB/084, MNI values and MNI density estimates (MNI/cm^3) for all molluscan species (species above dashed line at > 5% MNI viewed as dominant).	121

Table 5.12	BMB/084, MNI and corrected MNI values for the dominant species by excavation unit.	121
Table 5.13	Myaoola Bay sites, overall species richness and the frequency of species per habitat area.	123
Table 5.14	Myaoola Bay sites, MNI and percentage MNI of species per habitat area.	123
Table 5.15	BMB/029, number of species, the percentage of the total number of species and number of species for molluscan habitats by excavation unit.	124
Table 5.16	BMB/029, MNI values and volume-corrected MNI estimates (MNI/cm ³) for species from molluscan habitats by excavation unit.	125
Table 5.17	BMB/029, MNI values and MNI density estimates (MNI/cm ³) for all molluscan species (species above dashed line at > 5% MNI viewed as dominant).	127
Table 5.18	BMB/029, MNI and corrected MNI values for the dominant species by excavation unit.	127
Table 5.19	BMB/071, number of species, the percentage of the total number of species and number of species for molluscan habitats by excavation unit.	129
Table 5.20	BMB/071, MNI values and volume-corrected MNI estimates (MNI/cm ³) for species from molluscan habitats by excavation unit.	130
Table 5.21	BMB/071, MNI values and MNI density estimates (MNI/cm ³) for all molluscan species (species above dashed line at > 5% MNI viewed as dominant).	131
Table 5.22	BMB/071, MNI and corrected MNI values for the dominant species by excavation unit.	131
Table 5.23	BMB/045, number of species, the percentage of the total number of species and number of species for molluscan habitats by excavation unit.	132
Table 5.24	BMB/045, MNI values and volume-corrected MNI estimates (MNI/cm ³) for species from molluscan habitats by excavation unit.	133
Table 5.25	BMB/045, MNI values and MNI density estimates (MNI/cm ³) for all molluscan species (species above dashed line at > 5% MNI viewed as dominant).	134
Table 5.26	BMB/045, MNI and corrected MNI values for the dominant species by excavation unit.	135
Table 5.27	Grindall Bay sites, overall species richness and the frequency of species per habitat area.	135
Table 5.28	Grindall Bay sites, MNI and percentage MNI of species per habitat area.	136
Table 5.29	Dominant species ranking per site.	137
Table 5.30	MNI and percentage MNI by species ranking per site and locality.	137
Table 6.1	Radiocarbon age estimate ranges for sites in Myaoola Bay.	141
Table 6.2	Radiocarbon age estimate ranges for sites in Grindall Bay.	142
Table 6.3	Site density estimates for Myaoola and Grindall Bays, Point Blane Peninsula.	145
Table 6.4	Descriptive statistics for site areas in Myaoola and Grindall Bays.	145
Table 6.5	Descriptive statistics for Grindall Bay mounds (BMB/029, BMB/071, BMB/045) and midden (BMB/061); and Myaoola Bay shell midden BMB/067b.	155

Table 6.6	Results of Mann-Whitney <i>U</i> -tests comparing <i>Anadara granosa</i> valve size from the Grindall Bay mounds (BMB/029, BMB/071, BMB/045) and midden (BMB/061); and from the Myaoola Bay midden BMB/067b.	157
Table 6.7	Descriptive statistics for <i>Anadara granosa</i> valve size from the Grindall Bay mounds (BMB/029, BMB/071, BMB/045) and midden (BMB/061); and from the Myaoola Bay midden BMB/067b.	159