

terra australis 25

Terra Australis reports the results of archaeological and related research within the south and east of Asia, though mainly Australia, New Guinea and island Melanesia — lands that remained *terra australis incognita* to generations of prehistorians. Its subject is the settlement of the diverse environments in this isolated quarter of the globe by peoples who have maintained their discrete and traditional ways of life into the recent recorded or remembered past and at times into the observable present.

Since the beginning of the series, the basic colour on the spine and cover has distinguished the regional distribution of topics as follows: ochre for Australia, green for New Guinea, red for South-East Asia and blue for the Pacific Islands. From 2001, issues with a gold spine will include conference proceedings, edited papers and monographs which in topic or desired format do not fit easily within the original arrangements. All volumes are numbered within the same series.

List of volumes in *Terra Australis*

- Volume 1:* Burrill Lake and Currarong: Coastal Sites in Southern New South Wales. R.J. Lampert (1971)
- Volume 2:* Ol Tumbuna: Archaeological Excavations in the Eastern Central Highlands, Papua New Guinea. J.P. White (1972)
- Volume 3:* New Guinea Stone Age Trade: The Geography and Ecology of Traffic in the Interior. I. Hughes (1977)
- Volume 4:* Recent Prehistory in Southeast Papua. B. Egloff (1979)
- Volume 5:* The Great Kartan Mystery. R. Lampert (1981)
- Volume 6:* Early Man in North Queensland: Art and Archaeology in the Laura Area. A. Rosenfeld, D. Horton and J. Winter (1981)
- Volume 7:* The Alligator Rivers: Prehistory and Ecology in Western Arnhem Land. C. Schrire (1982)
- Volume 8:* Hunter Hill, Hunter Island: Archaeological Investigations of a Prehistoric Tasmanian Site. S. Bowdler (1984)
- Volume 9:* Coastal South-West Tasmania: The Prehistory of Louisa Bay and Maatsuyker Island. R. Vanderwal and D. Horton (1984)
- Volume 10:* The Emergence of Mailu. G. Irwin (1985)
- Volume 11:* Archaeology in Eastern Timor, 1966–67. I. Glover (1986)
- Volume 12:* Early Tongan Prehistory: The Lapita Period on Tongatapu and its Relationships. J. Poulsen (1987)
- Volume 13:* Coobool Creek. P. Brown (1989)
- Volume 14:* 30,000 Years of Aboriginal Occupation: Kimberley, North-West Australia. S. O'Connor (1999)
- Volume 15:* Lapita Interaction. G. Summerhayes (2000)
- Volume 16:* The Prehistory of Buka: A Stepping Stone Island in the Northern Solomons. S. Wickler (2001)
- Volume 17:* The Archaeology of Lapita Dispersal in Oceania. G.R. Clark, A.J. Anderson and T. Vunidilo (2001)
- Volume 18:* An Archaeology of West Polynesian Prehistory. A. Smith (2002)
- Volume 19:* Phytolith and Starch Research in the Australian-Pacific-Asian Regions: The State of the Art. D. Hart and L. Wallis (2003)
- Volume 20:* The Sea People: Late-Holocene Maritime Specialisation in the Whitsunday Islands, Central Queensland. B. Barker (2004)
- Volume 21:* What's Changing: Population Size or Land-Use Patterns? The Archaeology of Upper Mangrove Creek, Sydney Basin. V. Attenbrow (2004)
- Volume 22:* The Archaeology of the Aru Islands, Eastern Indonesia. S. O'Connor, M. Spriggs and P. Veth (2005)
- Volume 23:* Pieces of the Vanuatu Puzzle: Archaeology of the North, South and Centre. S. Bedford (2006)
- Volume 24:* Coastal Themes: An Archaeology of the Southern Curtis Coast, Queensland. S. Ulm (2006)
- Volume 25:* Lithics in the Land of the Lightning Brothers: The Archaeology of Wardaman Country, Northern Territory. C. Clarkson (2007)

terra australis 25

Lithics in the Land of the Lightning Brothers: The Archaeology of Wardaman Country, Northern Territory

Chris Clarkson





© 2007 ANU E Press

Published by ANU E Press
The Australian National University
Canberra ACT 0200 Australia
Email: anuepress@anu.edu.au
Web: <http://epress.anu.edu.au>

National Library of Australia Cataloguing-in-Publication entry

Clarkson, Chris.
Lithics in the land of the lightning brothers : the
archaeology of Wardaman Country, Northern Territory.

Bibliography.
ISBN 9781921313288 (pbk.).
ISBN 9781921313295 (online)

1. Wardaman (Australian people) - Victoria River Region
(N.T.) - Antiquities. 2. Social archaeology - Victoria
River Region (N.T.). 3. Cave dwellings - Victoria River
Region (N.T.). 4. Victoria River Region (N.T.) -
Antiquities. I. Title.

930.1099429

Copyright of the text remains with the contributors/authors, 2006. This book is copyright in all countries subscribing to the Berne convention. Apart from any fair dealing for the purpose of private study, research, criticism or review, as permitted under the *Copyright Act*, no part may be reproduced by any process without written permission. Inquiries should be made to the publisher.

Series Editor: Sue O'Connor

Typesetting and design: ANU E Press

Cover: A pair of large striped anthropomorphs from a rockshelter site known as Murdya near the Yingalarri waterhole in Wardaman Country. The image was photographed with the permission of senior Wardaman Traditional Owners present at the time. Photo taken by the author and reproduced with the permission of the Wardaman Aboriginal Corporation.

Back cover map: *Hollandia Nova*. Thevenot 1663 by courtesy of the National Library of Australia.
Reprinted with permission of the National Library of Australia.

Terra Australis Editorial Board: Sue O'Connor, Jack Golson, Simon Haberle, Sally Brockwell, Geoff Clarke, Ben Marwick

Table of Contents

Foreword	xiii
Preface	xv
Acknowledgements	xvii
1. Defining Research Questions in Northern Australian Lithic Studies	1
Problems in North Australian Prehistory	1
Defining the Aims of the Research	6
Chapter Outline	7
2. Modelling Optimality in Subsistence and Technology	9
Optimal Foraging Theory	9
The Organisation of Technology	14
Design Theory	17
Toward a Synthesis	22
Kuhn's Provisioning Model	23
Conclusion	25
3. Procedures for Lithic Analysis	27
Stone Fracture, Knapping Strategies and Morphological Attributes	27
Depicting the Core and Flake Reduction Process	32
Analysing Artefact Form	37
Conclusion	38
4. Wardaman Country: Physiography and Climate Change	41
Overview of the Region	41
The Distribution and Quality of Raw Materials	46
The Differential Distribution of Resources in the Landscape	49
Climate Change	49
Climatic Variability	51
Implications of ENSO-Driven Variability for the Study Region	52
Conclusion	54
5. The Sites: Nimji, Garnawala 2, Gordolya and Jagoliya	55
Nimji (Ingaladdi)	55
Garnawala 2	67
Jagoliya	72
Gordolya	77
Conclusion	82
6. Reduction Sequences: Artefact Form and Manufacturing Technology in Wardaman Country	83
Documenting Reduction Sequences: Core Reduction	83
Flake Reduction	88
Retouched Flakes	94
Reduction Sequences and Tool Design	126
Conclusion	127
7. Change and Continuity in Stone Artefact Manufacture	129
Building a Regional Technological Database	129

Stone Artefact Discard Rates Through Time	130
Changing Reduction Intensity	134
Changing Technological Diversity	141
Rates of Implement Recycling	142
Changing Stone Procurement	144
Continuity in Stone Artefact Manufacture	149
Standardization in Production Systems	150
Technological Change, Toolkit Design and Provisioning	153
Conclusion	157
8. Wardaman Country in Broader Context: A New Look at North Australian Prehistory	159
The Nature of Technological Change in Wardaman Country	159
Kinds or Continuums?	160
Changing Land Use and Mobility	161
Wardaman Country in Regional Context	162
Conclusion	167
References	169
Appendix A. Attributes recorded on stone artefacts	187
Attributes recorded on broken artefacts or artefacts smaller than 2cm in maximum dimension.	187
Attributes recorded on complete artefacts greater than 2cm in maximum dimension.	189
Appendix B. Descriptions of excavated materials from Nimji	193
Appendix C. Descriptions of excavated materials from Garnawala 2	199
Appendix D. Descriptions of excavated materials from Jagoliya	205
Appendix E. Descriptions of excavated materials from Gordolya	215

List of Figures

1.1. The location of the study region in relation to major physiographic features and the edge of the semi-arid zone.	2
1.2. Common implement types discussed in the text (backed artefact reproduced from Hiscock and Attenbrow (2005a) with permission).	3
1.3. Distribution map of common retouched implement forms in Australia (modified from Hiscock 1994b).	4
2.1. The Horn (1968) geometric model of optimal dispersion. Optimal settlement locations (triangles) are predicted for stable/evenly dispersed environments (solid circles), and for mobile/clumped environments (open circles). The mean round-trip travel cost from settlement to resource locations, weighted by the probability of locating the resource, is given by d .	11
2.2. Illustration of the relationship between stochastic variation and risk sensitivity, after Fitzhugh (2001). A: hypothetical return rate from foraging over time, B: sigmoid curve representing utility / time (gain rate) for foraging.	23
3.1. Types and features of fracture initiation and termination (after Andrefsky 1998; Cotterell and Kamminga 1987). A: fracture variables, B: formation of a hertzian cone, C: fracture initiations, and D: fracture terminations.	28
3.2. Fracture features often found on the ventral and dorsal faces of a conchoidal flake (reproduction is by courtesy of the Trustees of the British Museum).	29
3.3. The effects of increasing or decreasing platform angle and platform thickness on flake size.	30
3.4. An 'event tree' describing the sequence of manufacturing actions and the frequencies attached to each conceptual stage of the process. Reproduced from Bleed (2001).	34
3.5. The Index of Invasiveness (from Clarkson 2002b).	36
3.6. The geometric index of unifacial reduction (GIUR).	36
3.7. Measurement procedures for describing flake shape. A: angle of the lateral margins, and B: curvature of the retouched edge.	39
4.1. Location of Wardaman Country, the survey region and sites discussed in the text.	42
4.2. Permanent waterhole on the Flora River.	43
4.3. Large permanent waterhole along the Victoria River.	43
4.4. Location of the major physiographic units in Wardaman Country.	44
4.5. Remnant of the Victoria River Plateau.	45
4.6. Northwest trending sandstone ridges of the Antrim Plateau Volcanics within the Delamere Plains and Benches.	45
4.7. Edge of the Sturt Plateau.	46
4.8. View over the Daly River Basin toward the distant hills of the Victoria River Plateau.	46
4.9. Location of the Antrim Plateau Volcanics and encapsulated sandstone ridges that are frequently associated with quartzite outcrops and gibbers.	47
4.10. Map showing the location of different chert sources in Wardaman Country.	48
4.11. Calibrated radiocarbon ages (solid line) for each of the excavated sites in the region based on the lowest date, as well as the estimated basal age (dashed line) of each site determined using linear regression.	50
4.12. The timing of major wet and dry phases for several regions of Australia and other selected locations during the Holocene (from Schulmeister and Lees 1995).	51
5.1. Nimji at the time of Mulvaney's 1966 excavation (courtesy of John Mulvaney).	56
5.2. View of the floor from the brow of the shelter (courtesy of Colin Macdonald).	57

5.3. Plan of Nimji rockshelter showing the location of the 1963 and 1966 excavation trenches, the location of the squares analysed by Cundy (1990), and the location of major rock art panels.	58
5.4. North-south and east-west cross-sections of the Nimji sandstone residual, passing through the excavated trenches.	58
5.5. The 1966 AB trench at the completion of the excavation (courtesy of John Mulvaney).	59
5.6. Section drawings of the 1963 trench, redrawn from Mulvaney's originals.	60
5.7. Section drawings for the 1966 trench, redrawn from Mulvaney's originals.	61
5.8. Stone artefact numbers from adjacent squares.	64
5.9. Age-depth curve for all dates from the 1966 AB trench.	65
5.10. The Garnawala outcrop with open savanna woodland and sand sheet in the foreground.	67
5.11. View of Garnawala 2 rockshelter from the south, showing the rock ledge and the magnificent rock art panels on the back wall.	67
5.12. View from the rock ledge down into the 1990 excavation pit. The analysed squares are the deepest ones furthest from the camera (courtesy of Bryce Barker and Bruno David).	68
5.13. Site plan of Garnawala 2 rockshelter showing the location of the analysed squares P27-Q27.	68
5.14. Section drawing of the 1990 excavation (from Clarkson and David 1995).	69
5.15. Depth-age graph for conventional dates from Garnawala 2, Squares P27-Q28.	71
5.16. View of Jagoliya rockshelter. The opening to the shelter is beneath the two pandanus trees at the base of the rock.	73
5.17. View of the shelter floor before excavation. Rock art is visible on the back wall and the excavation squares have been strung out.	73
5.18. Jagoliya rockshelter. A: site plan showing excavated squares, and B: cross-section through the site and through the excavated squares.	74
5.19. Stratigraphic section of Jagoliya rockshelter, Squares 8F-9E.	75
5.20. View into the completed excavation at Jagoliya. Note the dark band formed by Layer V and the massive rubble at the base of the excavation.	75
5.21. Depth-age curve for Jagoliya. Only conventional radiocarbon dates are plotted.	76
5.22. View of Gordolya with the excavation in progress in the background (courtesy of Jacqui Collins).	77
5.23. Site plan of Gordolya rockshelter. A: site plan showing excavated squares, and B: cross-section through the excavated squares.	78
5.24. Section drawings for Gordolya, Squares J27 to N25.	79
5.25. Depth-age curve for M squares at Gordolya rockshelter.	81
6.1. Changes in core morphology over the reduction sequence.	84
6.2. Changes in core size associated with changes in reduction strategy.	86
6.3. Event tree summarising the changes in core form that result from several modes of reduction, and their frequencies.	87
6.4. Histogram of the lengths of flakes found at quarries and inferred to be 'core-struck' flakes.	89
6.5. Changes in flake morphology as reduction continues. Reduction stage is measured using four platform types: cortical, single conchoidal, multiple conchoidal and bipolar. Changes in morphology include: A: % dorsal cortex, B: mean weight, C: platform area, and D: frequency of overhang removal as platform angle increases.	90
6.6. A: lancet flake, and B: frequency of lancet flakes produced at each stage of reduction.	91

6.7. Cores found at quarries associated with lancet flakes. Note the large amounts of cortex on both cores, the cortical platform on one (A) and the single conchoidal scar on the platform of the other (B).	92
6.8. Conjoined quartzite cores and lancet flakes from A: a quarry near Wynbarr waterhole (Site 17), B and C: a quarry near Garnawala 2. Illustration C shows the actual conjoined core, while A and B show reconstructions of the original nodules and the series of flake removals taken as a slice through the centre of the platform.	93
6.9. Graphs showing the mean and standard deviations for changes in various aspects of scraper morphology as reduction intensity increases, as measured using Kuhn's GIUR or % perimeter retouched. A: mean retouched edge angle, B: % step terminated retouch, C: % perimeter retouched, D: curvature of the retouched edge, and E: % with notches.	96
6.10. Graphic depiction of changes to the frequency and evenness with which retouch is distributed across eight segments as retouch increases.	97
6.11. A reduction model for scrapers from Wardaman Country. A-C: increasing reduction.	98
6.12. Graphs showing the selection of a restricted range of flake shapes for scraper manufacture. A: marginal angle and elongation, and B: marginal angle and cross-section.	100
6.13. Changes in the morphology of points over the reduction sequence. A and B: changes in weight, and C: changes in the % of perimeter retouched.	103
6.14. Changes in point cross-section measured in two ways. A: lateral cross-section (width:thickness ratio), and B: longitudinal cross-section (length:thickness ratio).	105
6.15. Changes in the proximal morphology of points. A: base curvature, and B: % proximal thinning.	106
6.16. Changes to the location and ordering of retouch over the sequence of point reduction. A: order of retouch as determined from scar superimposition, and B: the evenness of retouch across 16 segments (changes in point shape and size are also represented).	107
6.17. Variation in blank shape for points.	108
6.18. Reduction model for points, showing the flexibility in the system to either take points into a bifacial stage if large enough, or continue with unifacial reduction (generally if small).	111
6.19. Examples of non-point retouch on leiliras and lancets.	112
6.20. The nature of burinate reduction. A: frequency of burinate retouch on different artefact classes, B: frequency of different initiation surfaces, and C: the frequency of rotation.	113
6.21. Changes in burin morphology as the number of platforms and scars increases. A: number of orientations, B: changes in mean platform angle, and C: changes in the frequency of step and hinge terminations.	115
6.22. Changes to the length of burin scars as reduction continues.	116
6.23. A reduction model for burins. Two common sequences are illustrated. A: the sequence leading to dihedral burins, and B: a sequence of rotations leading to multiple orientations and the removal of substantial numbers of spalls.	117
6.24. Changes in the morphology of tulas over the sequence of reduction. A: reduction in mean length, B: reductions in the % perimeter of retouch, and C: % platforms retouched.	118
6.25. Changes in edge curvature for tulas as reduction continues, measured using flake elongation (length:width ratio).	119
6.26. Variation in tula shape in comparison with unretouched flakes.	120
6.27. A reduction sequence for tulas. The A sequence represents continued reduction of the distal end. The B sequence results from turning the tula around and flaking the platform.	121
6.28. Relationship between burrens and scrapers. A: % perimeter retouched, B: edge curvature (against perimeter of retouch), C: edge angle, and D: Index of Invasiveness.	123

6.29. Variation in flake shape for burrens.	124
6.30. Overlay of the variation in retouched implement shapes by class. A: marginal angle plotted against elongation, and B: marginal angle plotted against longitudinal cross-section.	125
7.1. Method of interdigitation for each pit and each square for Gordolya and Jagoliya.	131
7.2. Method of interdigitation for each spit and square for Nimji and Garnawala 2.	132
7.3. Changes in discard rates over the last 15,000 years. A: stone artefact numbers discarded per millennium for each site, and B: number of complete artefacts over 2cm in maximum dimension, bone weights (from Gordolya only), and charcoal and burnt earth weights overlaid over the average number of artefacts deposited over time for all sites.	133
7.4. Three measures of artefact reduction plotted against changes in artefact discard. A: numbers of core rotations, B: mean retouch intensity for either the GIUR or the Index of Invasiveness, and C: percentage of late stage flake platforms.	135
7.5. Changes in core morphology over time.	137
7.6. Changes in flake morphology over time.	138
7.7. Temporal modes in the discard of various types of pointed flakes.	139
7.8. Frequency of reduction sequences through time, as well as changing technological diversity for the region over time.	140
7.9. Frequency of artefact reuse as a possible indicator of the use of situational gear. A: frequency of retouched broken edges, and B: reuse of flakes with old weathered surfaces.	143
7.10. Changes in raw material richness over time superimposed over changes in pooled artefact discard for all four sites. A: Nimji, B: Garnawala 2, and C: Gordolya.	145
7.11. Changes in the proportions of local versus exotic raw materials. A: Nimji, and B: Garnawala 2	146
7.12. Changes in the size and abundance of cores transported over varying distances to Nimji. A: number of cores, and B: mean weight of cores.	147
7.13. Evidence of continuity in stone artefact manufacturing technologies over the last 14,000 years.	148
7.14. Changes in mean and standard error for four measures of retouched implement shape.	151
7.15. Changes in mean and standard error for several measures of retouched implement size.	152
7.16. Changes in mean and standard error for two measures of flake retouching. A: the Index of Invasiveness, and B: the number of bifacially retouched segments.	153
7.17. Examples of pressure flaked points from Nimji dating to the last 1,000 years.	156

List of Tables

5.1. Location of excavated rockshelters in relation to land systems, permanent waterholes and stone sources.	55
5.2. Radiocarbon dates for the 1966 excavation.	62
5.3. Radiocarbon dates from Garnawala 2.	70
5.4. Radiocarbon dates obtained for Jagoliya, Squares 8E-9F.	76
5.5. Dates obtained from the Gordolya excavation.	80
6.1. Mean, standard deviation and coefficient of variation for four measures of core reduction, morphology and reduction technique over the sequence of core rotations.	85
6.2. Mean, standard deviation and coefficient of variation for a further seven measures of core reduction, morphology and reduction technique over the sequence of core rotations.	85
6.3. Changes in flake morphology over the sequence of reduction, as inferred from platform surface type.	91
6.4. <i>t</i> -test results for changes in measures of implement morphology for adjacent GIUR intervals.	98
6.5. Chi-Square statistics for percentages of step terminations and frequency of notching for each of the six intervals of the GIUR.	99
6.6. ANOVA tests of significance for each of the attributes used to measure change in point morphology as reduction increases.	104
6.7. Mean attributes of lancets and lightly retouched points.	109
6.8. <i>t</i> -tests for differences in platform attributes between lancet flakes and lightly retouched points.	110
6.9. ANOVA tests for significant changes in burin morphology as reduction continues.	114
7.1. Break down of core types found in each site per 1000 years.	136
7.2. Numbers of artefacts over time grouped by reduction sequence and combined for all four rockshelters.	142
Appendix B. Descriptions of excavated materials from Nimji	
B.1. Stratigraphic descriptions for Squares AB 8-10 from the 1966 excavation at Nimji (Ingaladdi) (after Cundy 1990).	193
B.2. Non-Stone cultural materials from Squares AB9, Nimji.	193
B.3. Non-stone cultural materials from Squares AB10, Nimji.	194
B.4. Stone artefact counts from Squares AB9, Nimji.	195
B.5. Stone artefact counts from Squares AB10, Nimji.	196
B.6. Raw material counts from Squares AB9, Nimji.	197
B.7. Raw material counts from Squares AB10, Nimji.	198
Appendix C. Descriptions of excavated materials from Garnawala 2	
C.1. Description of stratigraphic layers from the 1990 and 1991 excavations at Garnawala 2.	199
C.2. Size and stratigraphic association of excavation units from Square Q28, Garnawala 2.	200
C.3. Non-stone cultural materials from Square Q28, Garnawala 2.	201
C.4. Stone artefact counts from Square Q28, Garnawala 2.	202
C.5. Raw material counts from Square Q28, Garnawala 2.	203

Appendix D. Descriptions of excavated materials from Jagoliya

D.1. Stratigraphic description for the 1998 excavation at Jagoliya.	205
D.2. Spit depths by square for Jagoliya.	206
D.3. Non-stone cultural materials for Square 8E, Jagoliya.	207
D.4. Non-stone cultural materials for Square 8F, Jagoliya.	208
D.5. Non-stone cultural materials for Square 9E, Jagoliya.	209
D.6. Non-stone cultural materials for Square 9F, Jagoliya.	210
D.7. Stone artefact counts from Square 8E, Jagoliya.	211
D.8. Stone artefact counts for Square 8F, Jagoliya.	212
D.9. Stone artefact counts for Square 9E, Jagoliya.	213
D.10. Stone artefact counts for Square 9F, Jagoliya.	214

Appendix E. Descriptions of excavated materials from Gordolya

E.1. Stratigraphic descriptions for Square N25, Gordolya.	215
E.2. Non-stone cultural materials from Square M24, Gordolya.	215
E.3. Non-stone cultural materials from Square M25, Gordolya.	216
E.4. Non-stone cultural materials from Square N24, Gordolya.	216
E.5. Non-stone cultural materials from Square N25, Gordolya.	217
E.6. Stone artefact counts from Square M24, Gordolya.	217
E.7. Stone artefact counts for Square M25, Gordolya.	218
E.8. Stone artefact counts for Square N24, Gordolya.	218
E.9. Stone artefact counts for Square N25, Gordolya.	219
E.10. Raw material counts for Square M24, Gordolya.	219
E.11. Raw material counts for Square M25, Gordolya.	220
E.12. Raw material counts for Square N25, Gordolya.	220
E.13. Raw material counts for Square N25, Gordolya.	221