

REFERENCES

- Abbott, I & Burbidge, AA 1995, 'The occurrence of mammal species on the islands of Australia: a summary of existing knowledge', *CALMScience* 1, pp. 259–324.
- Abrahams, H, Mulvaney, M, Glasco, D & Bugg, A 1995, *Areas of conservation significance on Cape York Peninsula*, Australian Heritage Commission, Canberra.
- Andersen, AN 1991, 'Responses of ground-foraging ant communities to three experimental fire regimes in a savanna forest of tropical Australia', *Biotropica* 23, pp. 575–585.
- Andersen, AN 1992, 'Regulation of "momentary" diversity by dominant species in exceptionally rich ant communities of the Australian seasonal tropics', *American Naturalist* 140, pp. 401–420.
- Andersen, AN 1993a 'Ant communities in the Gulf region of Australia's semi-arid tropics: species composition, patterns of organization and biogeography', *Australian Journal of Zoology* 41, pp. 399–414.
- Andersen, AN 1993b 'Ants as indicators of restoration success at a uranium mine in tropical Australia', *Restoration Ecology* 1, pp. 156–167.
- Andersen, AN & Lonsdale, WM 1990, 'Herbivory by Insects in Australian Tropical Savannas: A Review', *Journal of Biogeography*, vol. 17, No. 4/5, *Savanna Ecology and Management: Australian Perspectives and Intercontinental Comparisons* July–September, pp. 433–444.
- Andersen, AN & Patel, AD 1994, 'Meat ants as dominant members of Australian ant communities: an experimental test of their influence on the foraging success and forager abundance of other species', *Oecologia* 98, pp. 15–24.
- Andersen, AN 2000, *The Ants of Northern Australia: A Guide to the Monsoonal Fauna*, CSIRO Publishing, Collingwood.
- Andersen, AN, Azcarate, FM & Cowie, ID 2000a, 'Seed selection by an exceptionally rich community of harvester ants in the Australian seasonal tropics', *Journal of Animal Ecology* 69, pp. 975–984.
- Andersen, AN, Lowe, LM & Rentz, DCF 2000b, 'The grasshopper (Orthoptera: Acridoidea, Eumastacoidea and Tettigoniodea) fauna of Kakadu National Park in the Australian seasonal tropics: biogeography, habitat associations and functional groups', *Australian Journal of Zoology* 48, pp. 431–442.
- Andersen, AN, Cook, GD & Williams, RJ (eds) 2003, *Fire in tropical savannas: the Kapalga experiment*, Springer, New York.
- Andersen, AN & Majer, JD 2004, 'Using invertebrates as bioindicators in land management: ants show the way Down-Under', *Frontiers in Ecology and the Environment* 2, pp. 291–298.
- Andersen, AN, Woinarski, JCZ & Hoffmann, BD 2004, 'Biogeography of the ant fauna of the Tiwi islands, in northern Australia's monsoonal tropics', *Australian Journal of Zoology* 52, pp. 97–110.
- Andersen, AN, Hertog, T & Woinarski, JCZ 2006, 'Long-term fire exclusion and ant community structure in an Australian tropical savanna: congruence with vegetation succession', *Journal of Biogeography* 33, pp. 823–832.
- Andrew, MH & JJ Mott, 'Annuals with transient seed banks: the population biology of indigenous *Sorghum* species of tropical north-west Australia', *Australian Journal of Ecology*, 1983, pp. 8:265–276.
- Anon. 2006, 'Baby boabs: the exciting new taste sensation from the Kimberly in Western Australia', *Agriculture WA Bulletin* 4672, ISSN 1448-0352, pp. 1–13.
- Archer, M, Hand, SJ & Godthelp, H 1991, *Riversleigh: the story of animals in ancient rainforests of inland Australia*, Reed, Sydney.
- Australian Government, *State of the Environment Report* 2001.
- Australian Government, *State of the Environment Report* 2006.
- Australian Survey and Land Information Group (AUSLIG) 1990, *Atlas of Australian Resources*, vol. 6, *Vegetation*, third series, Canberra, viewed 20 July 2006, Australian Government Geoscience Australia, 2004, <http://www.ga.gov.au/nmd/products/thematic/veg.htm>.
- Banfai, DS & Bowman, DMJS 2005, 'Dynamics of a savanna-forest mosaic in the Australian monsoon tropics inferred from stand structures and historical aerial photography', *Australian Journal of Botany* 53, pp. 185–194.
- Banfai, DS & Bowman, DMJS 2006, 'Forty years of lowland monsoon rainforest expansion in Kakadu National park, Northern Australia', *Biological Conservation* 131, pp. 553–565.
- Bauer, FH (ed.) 1977, *Cropping in North Australia: Anatomy of Success and Failure*, Australian National University, Canberra.
- Baum, DA, Small, RL & Wendel, JF 1998, 'Biogeography and floral evolution of baobabs (*Adansonia*, *Bambaceae*) as inferred from multiple data sets', *Systematic Biology* 47, pp. 2:181–207.
- Bayliss, BL, Brennan, KG, Eliot, I Finlayson, CM, Hall, RN, House, T, Pidgeon, RWJ, Walden, D & Waterman, P 1998, 'Vulnerability assessment of predicted climate change and sea level rise in the Alligator Rivers region, Northern Territory, Australia', *Supervising Scientist Report* 123, Supervising Scientist, Canberra.
- Bayon, R, Hawn, A & Hamilton, K (eds) 2004, *Voluntary carbon markets: an international business guide to what they are and how they work*, Sterling VA: Earthscan, London.
- Beard JS, Chapman AR, Gioia P 2000, 'Species richness and endemism in the Western Australian flora', *Journal of Biogeography* 27, pp. 1257–1268.
- Begg, GW, van Dam, RA, Lowry, JB, Finlayson, CM & Walden, DJ 2001, 'Inventory and risk assessment of water dependent ecosystems in the Daly Basin, Northern Territory, Australia', *Supervising Scientist Report* 162, Supervising Scientist, Canberra.
- Blandford, DC 1979, *Ord River catchment (NT) regeneration and research*, Territory Parks and Wildlife Commission, Darwin.
- Boekel, C 1979, 'Notes on the status and behaviour of the purple-crowned fairy-wren *Malurus coronatus* in the Victoria River Downs area, Northern Territory', *Australian Bird Watcher* 8, pp. 91–97.
- Bowman DMJS, Wilson BA, Dunlop CR 1988, 'Preliminary biogeographic analysis of the Northern Territory vascular flora', *Australian Journal of Botany* 36, pp. 503–517.
- Bowman DMJS, Panton WJ 1993, 'Decline of *Callitris intratropica* RT Baker & HG Smith in the Northern Territory: implications for pre- and post-European colonization fire regimes', *Journal of Biogeography* 20, pp. 373–381.
- Bowman, DMJS 1997, 'Observations on the demography of the Australian Boab (*Adansonia gibbosa*) in the North-west of the Northern Territory, Australia', *Australian Journal of Botany* 45, pp. 893–904.
- Bowman, DMJS, Walsh, A & Milne, DJ 2001a, Forest expansion and grassland contraction within a Eucalyptus savanna matrix between 1941 and 1994 at Litchfield National Park in the Australian monsoon tropics', *Global Ecology and Biogeography* 10, pp. 535–548.
- Bowman DMJS, Price O, Whitehead PJ, Walsh, A 2001b, 'The "wilderness effect" and the decline of *Callitris intratropica* on the Arnhem Land Plateau, Northern Australia', *Australian Journal of Botany* 49, pp. 665–672.
- Brennan, K 1996, 'An annotated checklist of the vascular plants of the Alligator Rivers Region, Northern Territory, Australia', *Supervising Scientist Report* 109, Supervising Scientist, Canberra.
- BRS, The Bureau of Rural Sciences 2003, *Integrated Vegetation Cover VI*, Australian Government Department of Agriculture, Fisheries and Forestry, viewed 20 July 2006, [ivc03_md.doc \(D:\Data\wc_Data\vegetation\BRS\Integrated_veg\vcov_exp\)](http://ivc03_md.doc(D:\Data\wc_Data\vegetation\BRS\Integrated_veg\vcov_exp)).
- Burbidge, AA, McKenzie, NL & Kenneally, KF 1991, *Nature Conservation Reserves in the Kimberley Western Australia*, Department of Conservation and Land Management.

- Burnett, S 1997, 'Colonising cane toads cause population declines in native predators: reliable anecdotal information and management implications', *Pacific Conservation Biology* 3, pp. 65–72.
- Chapman, S 2000, 'Occurrence and eradication of a small population of the Eurasian Tree Sparrow *Passer montanus* in Darwin', *Northern Territory Naturalist* 16, pp. 32–34.
- Chappell, J & Thom, BG 1986, 'Coastal morphodynamics in North Australia: review and prospect', *Australian Geographical Studies* 24, pp. 110–127.
- Chen, X, Hutley, LB & Eamus, D 2003, 'Carbon balance of a tropical savanna of northern Australia', *Oecologia* 137, pp. 405–416.
- Clarkson JR, Kenneally KF 1988, 'The floras of Cape York and the Kimberley: a preliminary comparative analysis', *Proceedings of the Ecological Society of Australia* 15, pp. 259–266.
- Cook, GD, Setterfield, SA & Maddison, J 1996, 'Scrub invasion of a tropical wetland: implications for weed management', *Ecological Applications* 6, pp. 531–537.
- Cook, GD, Liedloff, AC, Eager, RW, Chen, X, Williams, RJ, O'Grady, AP & Hutley, LB 2005, 'The estimation of carbon budgets of frequently burnt tree stands in savannas of northern Australia, using allometric analysis and isotopic discrimination', *Australian Journal of Botany* 53, pp. 621–630.
- Cook, GD, Taylor, RJ, Williams, RJ & Banks, JCG 2005, 'Sustainable harvesting rates of ironwood, *Erythrophloeum chlorostachys*, in the Northern Territory, Australia', *Australian Journal of Botany* 53, pp. 821–826.
- Cook, GD & Dias, L 2006, 'It was no accident: deliberate plant introductions by Australian government agencies during the 20th century', *Australian Journal of Botany* 54, pp. 601–625.
- Coombs, HC 1977, 'Opening remarks, in F H Bauer (ed), *Cropping in North Australia: Anatomy of Success and Failure*', Australian National University, Canberra, pp. 8–9.
- Cork, S, Sattler, P & Alexandra, J 2006, 'Biodiversity' theme commentary prepared for the 2006 Australian State of the Environment Committee, Department of Environment and Heritage, Canberra.
- Cowie, ID & Werner, PA 1993, 'Alien plant species invasive in Kakadu National park, tropical northern Australia', *Biological Conservation* 63, pp. 127–135.
- Crowley, GM & Garnett, ST 1998, 'Vegetation change in the grasslands and grassy woodlands of east-central Cape York Peninsula, Australia', *Pacific Conservation Biology* 4, pp. 132–48.
- Crowley, GM & Garnett, ST 1999, 'Seed of the annual grasses *Schizachyrium* spp. as a food for tropical granivorous birds', *Australian Journal of Ecology*, pp. 24:208–220.
- Crowley, GM & Garnett, ST 2000, 'Changing fire management in the pastoral lands of Cape York Peninsula of northeast Australia, 1623 to 1996', *Australian Geographic Studies* 38, pp. 10–26.
- Crowley, GM 2001, 'Grasslands of Cape York Peninsula – a fire-dependent habitat', *Savanna Burning – Understanding and Using Fire in Northern Australia*, eds Dyer, R, Jacklyn, P, Partridge, I, Russell-Smith, J & Williams, R, Tropical Savannas CRC, Darwin, pp. 34.
- Crowley, GM & Garnett, ST 2001, 'Growth, seed production and effect of defoliation in an early flowering perennial grass, *Allotetopsis semialata* (Poaceae), on Cape York Peninsula, Australia', *Australian Journal of Botany*, pp. 49:735–43.
- Crowley, GM, Garnett, ST & Shephard, S 2004, *Management guidelines for golden-shouldered parrot conservation*, Queensland Parks and Wildlife Service, Brisbane.
- CSIRO 1953, 'Survey of Katherine-Darwin Region, 1946', *Land Research series No. 1*, CSIRO, Melbourne.
- Dahl, K 1897, 'Biological notes on north-Australian mammalia', *Zoologist, Series 4*, 1, pp. 189–216.
- Dahl, K 1926, *In savage Australia: an account of a hunting and collecting expedition to Arnhem Land and Dampier Land*, Philip Allan & Co., London.
- Doody, JS, Green, B, Sims, R, Rhind, D, West, P & Steer, D 2006, 'Indirect impacts of invasive cane toads *Bufo marinus* on nest predation in pig-nosed turtles *Carettochelys insculpta*', *Wildlife Research* 33, pp. 349–354.
- Dostine, PL, Johnson, GC, Franklin, DC & Hempel, C 2001, 'Seasonal use of savanna landscapes by the Gouldian finch, *Erythrura gouldiae* and co-existing finches in the Yinberrie Hills area, Northern Territory', *Wildlife Research* 28, pp. 445–458.
- Dostine, PL 2002, *Australia-wide assessment of river health: Northern Territory program*, NT Department of Infrastructure Planning and Environment, Darwin.
- Doupe RG & Pettit NE 2002, 'Ecological perspectives on regulation and water allocation for the Ord River, Western Australia', *River Research and Applications* 18, pp. 307–320.
- Duretto MF 1997, 'Taxonomic notes on *Boronia* species of north-western Australia, including a revision of the *Boronia lanuginosa* group (*Boronia* section *Valvatae*: Rutaceae)', *Nuytsia* 11, pp. 301–346.
- Duretto MF & Ladiges PY 1997, 'Morphological variation within the *Boronia grandisepala* group (Rutaceae) and the description of nine taxa endemic to the Northern Territory, Australia', *Australian Systematic Botany* 10, pp. 249–302.
- du Toit, JT, Walker, BH & Campbell, BM 2003, 'Conserving tropical nature: current challenges for ecologists', *Trends in Ecology and Evolution*.
- Edwards, A, Kennett, R, Price, O, Russell-Smith, J, Spiers, G & Woinarski, J 2003, 'Monitoring the impacts of fire regimes on biodiversity in northern Australia: an example from Kakadu National Park', *International Journal of Wildland Fire* 12, pp. 427–440.
- Eliot, I, Finlayson, CM & Waterman, P 1999, 'Predicted climate change, sea level rise and wetland management in the Australian wet-dry tropics', *Wetlands Ecology and Management* 7, pp. 63–81.
- Fairfax, RJ & Fensham, RJ 2000, 'The effect of exotic pasture development on floristic diversity in central Queensland, Australia', *Biological Conservation* 94, pp. 11–21.
- Fensham, RJ & Fairfax, RJ 2003, 'Assessing woody vegetation cover change in north-west Australian savanna using aerial photography', *International Journal of Wildland Fire* 12, pp. 359–367.
- Fensham, RJ & Holman, JE 1999, 'Temporal and spatial patterns in drought-related tree dieback in Australian savanna', *Journal of Applied Ecology* 36, pp. 1035–1050.
- Finlayson, CM, Lowry, J, Bellio, MG, Nou, S, Pidgeon, R, Walden, D, Humphrey, C & Fox, G 2006, 'Biodiversity of the wetlands of the Kakadu Region, northern Australia', *Aquatic Science* 68, pp. 374–399.
- Firth, RSC, Woinarski, JCZ & Noske, RA 2006a, 'Home range and den characteristics of the brush-tailed rabbit-rat *Conilurus penicillatus* in the monsoonal tropics of the Northern Territory, Australia', *Wildlife Research* 33, pp. 397–408.
- Firth, RSC, Woinarski, JCZ, Brennan, KG & Hempel, C 2006b, 'Environmental relationships of the brush-tailed rabbit-rat *Conilurus penicillatus* and other small mammals on the Tiwi Islands, Northern Australia', *Journal of Biogeography* 33, pp. 1820–1837.
- Fisher, A 2001, *Biogeography and conservation of Mitchell grasslands in northern Australia*, PhD thesis, Northern Territory University, Darwin.
- Ford, HA, Barrett, GW, Saunders, DA & Recher HF 2001, 'Why have birds in the woodlands of Southern Australia declined?', *Biological Conservation* 97 (1), pp. 71–88.
- Franklin, DC 1999, 'Opportunistic nectarivory: an annual dry season phenomenon among birds in monsoonal northern Australia', *Emu* 99, pp. 135–141.
- Franklin, DC, Whitehead, PJ, Pardon, G, Matthews, J, McMahon, P & McIntyre, D 2005, 'Geographic patterns and correlates of the decline of granivorous birds in northern Australia', *Wildlife Research* 32, pp. 399–408.
- Franklin, DC, Petty, AM, Williamson, GJ, Brook, BW & Bowman, DMJS, 2007 (in press), 'Monitoring contrasting land management in the savanna landscapes of Northern Australia', *Environmental Management*.
- Fraser FJ 2001, *The impacts of fire and grazing on the Partridge Pigeon: the ecological requirements of a declining tropical granivore*, PhD thesis, Australian National University, Canberra.

- Freeland, WJ, Winter, JW & Raskin, S 1988, 'Australian rock-mammals: a phenomenon of the seasonally dry tropics', *Biotropica* 20, pp. 70–79.
- Garnett, ST & Crowley, GM 1994, 'Wet season feeding by four species of granivorous birds in the Northern Territory', *Australian Bird Watcher*, pp. 5:306–9.
- Garnett, ST & Crowley, GM 1995, 'Feeding ecology of hooded parrots *Psephotus dissimilis* during the early wet season', *Emu*, pp. 95:54–61.
- Garnett, ST & Crowley, GM 2003, 'National recovery plan for the golden-shouldered parrot *Psephotus chrysopterygius* 2003–2007', Queensland Environmental Protection Agency, Brisbane.
- Garnett, ST & Crowley, GM 2003, 'Cape York Peninsula', *Wilderness: Earth's Last Wild Places*, eds RA Mittermeier, CG Mittermeier, PR Gil, J Pilgrim, G Fonesca, T Brooks & WR Konstant, Cemex, Mexico City, pp. 220–229.
- Garnett, ST & Sithole, B 2007, *Sustainable Northern Landscapes and the Nexus with Indigenous Health: Healthy Country Healthy People: Final Draft*, Land and Water Australia, Canberra.
- Gilligan, B 2006, *The Indigenous Protected Areas Programme*, 2006 evaluation, Department of Environment and Heritage, Canberra.
- Graham, G & McKenzie, NL 2004, *A Conservation Case Study of Western Australia's Mitchell Subregion (North Kimberley I) in 2003*, Department of Conservation and Land Management, Perth.
- Grice, AC 2000, 'Weed management in Australian rangelands', *Australian weed management systems*, ed. BM Sindel, pp. 429–458. (RG & FJ Richardson, Frankston.)
- Grice, AC 2006, 'The impacts of invasive plant species on the biodiversity of Australian rangelands', *Rangeland Journal* 28, pp. 27–36.
- Grigg, GC, Johansen, K, Harlow, P & Taplin, LE 1986, 'Facultative aestivation in a tropical freshwater turtle *Chelodina rugosa*', *Comparative Biochemistry and Physiology* 83A, pp. 321–323.
- Groves, RH, Hosking, JR, Batianoff, GN, Cooke, DA, Cowie, ID, Johnson, RW, Keighery, GJ, Lepschi, BJ, Mitchell, AA, Moerkerk, M, Randall, RP, Rozefelds, AC, Walsh, NG & Waterhouse, BM 2003, *Weed categories for natural and agricultural ecosystem management*, Bureau of Rural Sciences, Canberra.
- Hoffmann, BD, Andersen, AN & Hill, GJE 1999, 'Impact of an introduced ant on native rain forest invertebrates *Pheidole megacephala* in monsoonal Australia', *Oecologia* 120, pp. 595–604.
- Hoffmann, BD 2000, 'Changes in ant species composition and community organisation along grazing gradients in semi-arid rangelands of the Northern Territory', *The Rangeland Journal* 22, pp. 171–189.
- Hoffmann, BD, Griffiths, AD & Andersen, AN 2000, 'Response of ant communities to dry sulphur deposition from mining emissions in semi-arid northern Australia, with implications for the use of functional groups', *Austral Ecology* 25, pp. 653–663.
- Hoffmann, BD & O'Connor, S 2004, 'Eradication of two exotic ants from Kakadu National Park', *Ecological management & Restoration* 5, pp. 98–105.
- Jacklyn, PM 1992, 'Magnetic termite mound surfaces are oriented to suit wind and shade conditions', *Oecologia* 91, pp. 385–395.
- Johnson, C 2006, *Australia's mammal extinctions: a 50,000 year history*, Cambridge University Press, Cambridge.
- Johnson, C, Isaacs, JL & Fisher, DO 2006, 'Rarity of a top predator triggers continent-wide collapse of mammal prey: dingoes and marsupials in Australia', *Proceedings of the Royal Society B* xxx.
- Johnston, FH, Kavanagh, AM, Bowman, DMJS & Scott, RK 2002, 'Exposure to bushfire smoke and asthma: an ecological study', *Medical Journal of Australia* 176, pp. 535–538.
- Johnston, F, Jacklyn, S, Vickery, A & Bowman, DMJS 2007, 'Ecohealth and the Aboriginal testimony of the nexus between human health and place', *Ecohealth*, accepted June 2007
- Johnson, KA & Kerle, JA 1991, *Flora and vertebrate fauna of the Sir Edward Pellew group of islands, Northern Territory*, report to the Australian Heritage Commission, Conservation Commission of the Northern Territory, Alice Springs.
- Kennett, R & Christian, K 1993, 'Aestivation by freshwater crocodiles *Crocodylus johnstoni* occupying a seasonally ephemeral creek in tropical Australia', *Herpetology in Australia: a diverse discipline*, eds D Lunney & D Ayers, Surrey Beatty & Sons: Chipping Norton, pp. 315–319.
- Kingsford, RT 2000, 'Review: Ecological impacts of dams, water diversions and river management on floodplain wetlands in Australia', *Austral Ecology* (25), pp. 109–127.
- Land and Water Resources Australia, Land and Water Resources Audit, *Assessment of Terrestrial Biodiversity* 2002.
- Lees, BG 1992, 'Geomorphological evidence for late Holocene climatic changes in northern Australia', *Australian Geographer*, pp. 23, 1–10.
- Letts, GA, Bassingthwaighe, A & de Vos, WEL 1979, *Feral animals in the Northern Territory*, Report of Board of Inquiry, Department of Primary Production, Darwin.
- Lewis, D 2002, *Slower than the eye can see. Environmental change in northern Australia's cattle lands. A case study from the Victoria River District, Northern Territory*, Tropical Savannas CRC, Darwin.
- Mackey, BG, Nix, H & Hitchcock, P 2001, *The National Heritage significance of Cape York Peninsula*, ANUTECH, Canberra.
- Mackey, BG, Soulé, ME, Nix, HA, Recher, HF, Lesslie, RG, Williams, JE, Woinarski, JCZ, Hobbs, J & Possingham, HP 2007, 'Towards a scientific framework for the WildCountry project', *Key Topics and Perspectives in Landscape Ecology*, Chapter 11, eds J Wu and RJ Hobbs, Cambridge University Press, pp. 92–208.
- Macknight, CC 1976, *The voyage to Marege*, Melbourne University Press, Melbourne.
- Madsen, T & Shine, R 1996, 'Seasonal migration of predators and prey – a study of pythons and rats in tropical Australia', *Ecology* 77, pp. 149–156.
- Madsen, T, Ujvari, B, Shine, R, Buttemer, W & Olsson, M 2006, 'Size matters: extraordinary rodent abundance on an Australian tropical flood plain', *Austral Ecology* 31, pp. 361–365.
- Majer, JD 1984, 'Recolonisation by ants in rehabilitated open-cut mines in northern Australia', *Reclamation and Revegetation Research* 2, pp. 279–298.
- Majer, JD 1990, 'The abundance and diversity of arboreal ants in northern Australia', *Biotropica*, pp. 22:191–199.
- Martin, TG, Campbell, SD & Grounds, S 2006, 'Weeds of Australian rangelands', *Rangeland Journal* 28, pp. 3–26.
- McKenzie, NL, Burbidge, AA, Chapman, A & Youngson K 1978, 'Part III Mammals: The islands of the north-west Kimberley, Western Australia', *Wildlife Research Bulletin Western Australia* No 7, eds AA Burbidge & NL McKenzie, pp. 22–28.
- McKenzie, NL 1981, 'Mammals of the Phanerozoic south-west Kimberley, Western Australia: biogeography and recent changes', *Journal of Biogeography* 8, pp. 263–280.
- McKenzie, NL, Johnston, RB & Kendrick, PG (eds) 1991, *Kimberley rainforests of Australia*, Surrey Beatty & Sons, Chipping Norton.
- Mott, JJ 1978, 'Dormancy and germination in five native grass species from savannah woodland communities of the Northern Territory', *Australian Journal of Botany*, pp. 26:621–631.
- Natural Resources Policies and Programs Committee Biodiversity Working Group 2005, *A national approach to biodiversity decline*, report to the Natural Resources Management Ministerial Council.
- Neldner, VJ & Clarkson, JR 1995, *Vegetation survey and mapping of Cape York Peninsula*, CYPLUS, Brisbane.
- Neldner, VJ, Fensham, RJ, Clarkson, JR & Stanton, JP 1997, 'The natural grasslands of Cape York Peninsula, Australia: Description, distribution and conservation status', *Biological Conservation* 81, pp. 121–136.
- Newsome, AE, Catling, PC, Cooke, BD & Smyth, R 2001, 'Two ecological universes separated by the dingo barrier fence in semi-arid Australia: interactions between landscapes, herbivory and carnivory, with and without dingoes', *Rangeland Journal* 23, pp. 71–98.

- NGIS Australia 2004, *Australia's Tropical Rivers – Data Audit*, Land & Water Australia, Canberra. Product Number PR040674.
- Nix, HA & Kalma, JD 1972, 'Climate as a dominant control in the biogeography of northern Australia and New Guinea', *Bridge and Barrier: the natural and cultural history of Torres Strait*, ed. D Walker, ANU, Canberra.
- Nix, HA 2004, 'Inverting the paradigm', *Pacific Conservation Biology* 10, pp. 73–76.
- Noirot, CH 1970, 'The Nests of Termites', *Biology of Termites* vol. 2, eds K Krishna & FM Weesner, Academic Press: New York and London, pp. 73–125.
- Ockwell, D & Lovett, JC 2005, 'Fire assisted pastoralism vs. sustainable forestry – the implications of missing markets for carbon in determining optimal land use in the wet-dry tropics of Australia', *Journal of Environmental Management* 75, pp. 1–9.
- Palmer, C & Woinarski, JCZ 1999, 'Seasonal roosts and foraging movements of the Black Flying-fox *Pteropus alecto* in the Northern Territory: resource tracking in a landscape mosaic', *Wildlife Research* 26, pp. 823–838.
- Pardon, LG, Brook, BW, Griffiths, AD & Braithwaite, RW 2003, 'Determinants of survival for the northern brown bandicoot under a landscape-scale fire experiment', *Journal of Animal Ecology* 72, pp. 106–115.
- Pople, AR, Grigg, GC, Cairns, SC, Beard, LA & Alexander, P 2000, 'Trends in the numbers of red kangaroos and emus on either side of the South Australian dingo fence: evidence for predator regulation?', *Wildlife Research* 27, pp. 269–276.
- Price, O & Bowman, DMJS 1994, 'Fire-stick forestry: a matrix model in support of skilful fire management of *Callitris intratropica* RT Baker by north Australian Aborigines', *Journal of Biogeography* 21, pp. 573–580.
- Price, O, Milne, D, Connors, G, Harwood, B, Woinarski, JCZ & Butler, M 2000, *A conservation plan for the Daly Basin bioregion*, report to Natural Heritage Trust, Parks and Wildlife Commission of the Northern Territory: Darwin.
- Pringle, H & Tinley, K 2003, 'Are we overlooking critical geomorphic determinants of landscape change in Australian rangelands?', *Ecological Management & Restoration*, vol. 4, issue 3, pp. 180.
- Prior, LD, Bowman, DMJS & Brook, BW 2007, 'Growth and survival of two north Australian relictual tree species, *Allosyncarpia ternata* (Myrtaceae) and *Callitris intratropica* (Cupressaceae)', *Ecological Review* 22, pp. 228–236.
- Reichel, H & Andersen, AN 1996, 'The rainforest ant fauna of Australia's Northern Territory', *Australian Journal of Zoology* 44, pp. 81–95.
- Robinson, CJ, Smyth, D & Whitehead, PJ 2005, 'Bush tucker, bush pets and bush threats: cooperative management of feral animals in Australia's Kakadu National Park', *Conservation Biology* 19, pp. 1385–1391.
- Rogers et al. 2003, *Life along land's edge – wildlife on the shores of Roebuck Bay*, Broome, CALM, Perth.
- Rossiter, NA, Setterfield, SA, Douglas, MM & Hutley, LB 2003, 'Testing the grass-fire cycle: alien grass invasion in the tropical savannas of northern Australia', *Diversity and Distributions* 9, pp. 169–176.
- Rowley, I 1993, 'The purple-crowned fairy-wren *Malurus coronatus*, History, distribution and present status', *Emu* 93, pp. 220–234.
- Russell-Smith, J & Bowman, DMJS 1992, 'Conservation of monsoon rainforest isolates in the Northern Territory, Australia', *Biological Conservation* 59, pp. 51–63.
- Russell-Smith, J, McKenzie, NL & Woinarski, JCZ 1992, 'Conserving vulnerable habitat in northern and northwestern Australia: the rainforest archipelago', *Conservation and development issues in northern Australia*, eds I Moffatt & A Webb, North Australia Research Unit, Darwin, pp. 63–68.
- Russell-Smith, J, Lucas, D, Gapindi, M, Gunbunuka, B, Kapirigi, N, Namingum, G, Lucas, K, Giuliani, P & Chaloupka, G 1997, 'Aboriginal resource utilization and fire management practice in western Arnhem Land, monsoonal northern Australia: notes for prehistory and lessons for the future', *Human Ecology* 25, pp. 159–195.
- Russell-Smith, J, Ryan, PG, Klessa, D, Weight, G & Harwood, R 1998, 'Fire regimes, fire-sensitive vegetation and fire management of the sandstone Arnhem plateau, monsoonal northern Australia', *Journal of Applied Ecology* 35, pp. 829–846.
- Russell-Smith, J, Ryan, PG & Cheal, D 2002, 'Fire regimes and the conservation of sandstone heath in monsoonal northern Australia: frequency, interval, patchiness', *Biological Conservation* 104, pp. 91–106.
- Russell-Smith, J, Whitehead, PJ, Cook, GD & Hoare, JL 2003, 'Response of *Eucalyptus*-dominated savann to frequent fires: lessons from Munmarlary 1973–1996', *Ecological Monographs* 73, pp. 349–375.
- Russell-Smith, J, Stanton, PJ, Whitehead, PJ & Edwards, A 2004a, 'Rain forest invasion of eucalypt-dominated woodland savanna, Iron Range, north-eastern Australia: I successional processes', *Journal of Biogeography* 31, pp. 1293–1303.
- Russell-Smith, J, Stanton, PJ, Edwards, A & Whitehead, PJ 2004b, 'Rain forest invasion of eucalypt-dominated woodland savanna, Iron Range, north-eastern Australia: II rates of landscape change', *Journal of Biogeography* 31, pp. 1293–1303.
- Russell-Smith, J 2006, 'Recruitment dynamics of the long-lived obligate seeders *Callitris intratropica* (Cupressaceae) and *Petraeomyrtus punicea* (Myrtaceae)', *Australian Journal of Botany* 54, pp. 479–485.
- Sattler, P & Creighton, C 2002, *Australian Terrestrial Biodiversity Assessment 2002*, National Land & Water Resources Audit, Land and Water Australia, Commonwealth of Australia.
- Sattler, P & Glanznig, A 2006, *Building nature's safety net: a review of Australia's terrestrial protected area system, 1991–2004*, WWF, Sydney.
- Schulmeister, J 1992, 'A Holocene pollen record from lowland tropical Australia', *The Holocene* 2, pp. 107–116.
- Sebastien, L, Cook, PG, O'Grady, A & Eamus, D 2005, 'Groundwater used by vegetation in a tropical savanna riparian zone (Daly River, Australia)', *Journal of Hydrology*, pp. 310:280–293.
- Sinden, J, Jones, R, Hester, S, Odom, D, Kalisch, C, James, R & Cacho, O 2004, 'The economic impact of weeds in Australia', *CRC for Australian Weed Management Technical Series* 8, pp. 1–55.
- Skeat, AJ, East, TJ & Corbett, LK 1996, 'Impact of feral water buffalo', *Landscape and vegetation ecology of the Kakadu region, Northern Australia*, eds CM Finlayson and I von Oertzen, Kluwer, Dordrecht, pp. 155–178.
- Smith, JG & Phillips, BL 2006, 'Toxic tucker: the potential impact of cane toads on Australian reptiles', *Pacific Conservation Biology* 12, pp. 40–49.
- Smith, LA & Johnstone, RE 1977, 'Status of the purple-crowned wren *Malurus coronatus* and buff-sided robin *Poecilodryas superciliosa* in Western Australia', *Western Australian Naturalist* 13, pp. 185–188.
- Soulé, ME & Terborgh, J (eds) 1999, *Continental conservation: scientific foundations of regional reserve networks*, Island Press, Washington DC.
- Soulé, ME, Mackey, BG, Recher, HF, Williams, JE, Woinarski, JCZ, Driscoll, D, Dennison, WC & Jones, M 2004, 'Continental connectivity: its role in Australian conservation', *Pacific Conservation Biology* 10, pp. 266–279.
- Southgate, R, Palmer, C, Adams, M, Masters, P, Triggs, B & Woinarski, J 1996, 'Population and habitat characteristics of the Golden Bandicoot *Isodon auratus* on Marchinbar Island, Northern Territory', *Wildlife Research* 23, pp. 647–664.
- Specht, RL 1981, 'Major vegetation formations in Australia', *Ecological Biogeography of Australia*, ed. A Keast, Junk, The Hague, pp.163–298.
- Stanton, P & Morgan, MG 1976, *Project RAKES: A Rapid Appraisal of Key and Endangered Sites – Report No. 1, the Queensland Case Study*, Department of Environment, Housing and Community Development, Canberra.
- Start, AN, Burbidge, AA, McKenzie, NL & Palmer, C (in press) 'The status of mammals in the North Kimberley, Western Australia', *Australian Mammalogy*.
- Stein, JL, Stein, JA & Nix, HA 2002, 'Spatial analysis of anthropogenic river disturbance at regional and continental scales: identifying the wild rivers of Australia', *Landscape and Urban Planning*, pp. 60:1–25.

- Tassicker, AL, Kutt, AS, Vanderduys, E & Mangru, S 2006, 'The effects of vegetation structure on the birds in a tropical savanna woodland in north-eastern Australia', *Rangelands Journal* 28, pp. 139–152.
- Taylor, JA & Tulloch, D 1985, 'Rainfall in the wet-dry tropics: extreme events at Darwin and similarities between years during the period 1870–1983', *Australian Journal of Ecology* 10, pp. 281–295.
- Thackway, R & Cresswell, ID 2005, *An interim biogeographic regionalisation for Australia*, Australian Nature Conservation Agency, Canberra.
- Torgersen, T, Luly, J, de Dekker, P, Jones, MR, Searle, DE, Chivas, AR & Ullman, WJ 1988, 'Late Quaternary environments of the Carpentaria Basin, Australia', *Palaeogeography, Palaeoclimatology, Palaeoecology* 67, pp. 245–261.
- van der Kaars, WA 1991, 'Palynology of eastern Indonesian marine piston-cores: a Late Quaternary vegetational and climatic record for Australasia', *Palaeogeography, Palaeoclimatology, Palaeoecology* 85, pp. 239–302.
- Veevers, JJ 2000, *Billion-year earth history of Australia and its neighbours in Gondwanaland*, GEMOC Press, Macquarie University, Sydney, NSW.
- Voris, HK 2000, 'Maps of Pleistocene sea levels in Southeast Asia: shorelines, river systems and time durations', *Journal of Biogeography* 27, pp. 1153–1167.
- Walker, BH, Langridge, JL & McFarlane, F 1997, 'Resilience of an Australian savanna grassland to selective and non-selective perturbations', *Australian Journal of Ecology*, pp. 22:125–135.
- Wheeler, JR, Rye, BL, Koch, BL & Wilson, AJG (eds) 1992, *Flora of the Kimberley region*, Western Australian Herbarium, Perth.
- Whitehead, P 1999, 'Promoting conservation in landscapes subject to change: lessons from the Mary River', *Australian Biologist* 12, pp. 50–62.
- Whitehead, P & Dawson, T 2000, 'Let them eat grass', *Nature Australia* Autumn 2000, pp. 46–55.
- Whitehead, PJ, Wilson, BA & Bowman, DMJS 1990, 'Conservation of coastal wetlands of the Northern Territory of Australia: the Mary River floodplain', *Biological Conservation*, vol. 52, pp. 85–111.
- Whitehead, PJ, Wilson, BA & Saalfeld, K 1992, 'Managing the magpie goose in the Northern Territory: approaches to conservation of mobile fauna in a patchy environment', *Conservation and development issues in northern Australia*, eds I Moffatt and A Webb, North Australia Research Unit: Darwin, pp. 90–104.
- Williams, RJ, Woinarski, JCZ & Andersen, AN 2003, 'Fire experiments in northern Australia: lessons for ecology, management and biodiversity conservation', *International Journal of Wildland Fire* 12, pp. 391–402.
- Williams, RJ, Hutley, LB, Cook, GD, Russell-Smith, J, Edwards, A & Chen, X 2004, 'Assessing the carbon sequestration potential of mesic savannas in the Northern Territory, Australia: approaches, uncertainties and potential impacts of fire', *Functional Plant Biology* 31, pp. 415–422.
- Williams, RJ, Carter, J, Duff, GA, Woinarski, JCZ, Cook, GD & Farrer, SL 2005, 'Carbon accounting, land management, science and policy uncertainty in Australian savanna landscapes: introduction and overview', *Australian Journal of Botany* 53, pp. 583–588.
- Woinarski, JCZ 2000, 'The conservation status of rodents in the monsoonal tropics of the Northern Territory', *Wildlife Research* 27, pp. 421–435.
- Woinarski, JCZ, Brennan, K, Cowie, I, Fisher, A, Latz, PK & Russell-Smith, J 2000a, 'Vegetation of the Wessel and English Company islands, north-eastern Arnhem Land, Northern Territory, Australia', *Australian Journal of Botany* 48, pp. 115–141.
- Woinarski, JCZ, Brock, C, Armstrong, M, Hempel, C, Cheal, D & Brennan, K 2000b, 'Bird distribution in riparian vegetation of an Australian tropical savanna: a broad-scale survey and analysis of distributional data base', *Journal of Biogeography* 27, pp. 843–868.
- Woinarski, JCZ, Milne, DJ & Wanganeen, G 2001, 'Changes in mammal populations in relatively intact landscapes of Kakadu National Park, Northern Territory, Australia', *Austral Ecology* 26, pp. 360–370.
- Woinarski, JCZ & Ash, AJ 2002, 'Responses of vertebrates to pastoralism, military land use and landscape position in an Australian tropical savanna', *Austral Ecology* 27, pp. 311–323.
- Woinarski, JCZ, Andersen, AN, Churchill, TB & Ash, A 2002, 'Response of ant and terrestrial spider assemblages to pastoral and military land use and to landscape position, in a tropical savanna woodland in northern Australia', *Austral Ecology* 27, pp. 324–333.
- Woinarski, JCZ, Brennan, K, Cowie, I, Kerrigan, R & Hempel, C 2003, *Biodiversity conservation on the Tiwi islands, Northern Territory. Part 1. Plants and environments*, Department of Infrastructure Planning and Environment: Darwin, pp. 144.
- Woinarski, JCZ, Risler, J & Kean, L 2004a, 'The response of vegetation and vertebrate fauna to 23 years of fire exclusion in a tropical *Eucalyptus* open forest, Northern Territory, Australia', *Austral Ecology* 29, pp. 156–176.
- Woinarski, JCZ, Armstrong, M, Price, O, McCartney, J, Griffiths, T & Fisher, A 2004b, 'The terrestrial vertebrate fauna of Litchfield National Park, Northern Territory: monitoring over a 6-year period and response to fire history', *Wildlife Research* 31, pp. 1–10.
- Woinarski, JCZ, Williams, RJ, Price, O & Rankmore, B 2005, 'Landscapes without boundaries: wildlife and their environments in northern Australia', *Wildlife Research* 32, pp. 377–388.
- Woinarski, JCZ, Hempel, C, Cowie, I, Brennan, K, Kerrigan, R, Leach, G & Russell-Smith, J 2006a, 'Distributional patterns of plant species endemic to the Northern Territory, Australia', *Australian Journal of Botany* 54, pp. 627–640.
- Woinarski, JCZ, McCosker, JC, Gordon, G, Lawrie, B, James, C, Augusteyn, J, Slater, L & Danvers, T 2006b, 'Monitoring change in the vertebrate fauna of central Queensland, Australia, over a period of broad-scale vegetation clearance, 1975–2002', *Wildlife Research* 33, pp. 263–274.
- Yibarbuk, D, Whitehead, PJ, Russell-Smith, J, Jackson, D, Godjuwa, C, Fisher, A, Cooke, P, Choquenot, D & Bowman, DMJS 2001, 'Fire ecology and Aboriginal land management in central Arnhem Land, northern Australia: a tradition of ecosystem management', *Journal of Biogeography* 28, pp. 325–343.