

Index

- accessible phase space, 9, 10, 55, 246, 247, 268, 269, 280, 281, 282
- Action Principle, 37
- adiabatic compression, 152
- adiabatic incompressibility of phase space, 95, 109, 237, 240
- adiabatic linear response theory, 93–8, 108, 110, 167
- adiabatic nonlinear response, 167
- adiabatic susceptibilities, 113
- adjoints, nonhermitian, 174
- anti-Hermitian, 83
- associative law, 214–6
- attractor, 247, 256, 258, 259, 260, 262
- Baranyai and Evans expression of entropy, 283
- Boltzmann-H function, 297, 290
- boundary conditions (*see also* ‘Lees–Edwards’), 1, 4, 8, 25, 52, 54, 63, 86, 93, 118, 119, 120, 122, 123, 124, 126, 128, 129, 133, 138, 143, 146, 155, 173, 268
- Brownian limit, 79, 89
- Brownian motion, 77, 79, 80
- bulk viscosity, 2, 24, 89, 119, 135, 137, 154
- Burnett coefficients, 3, 9, 20, 148, 232, 239
 inverse, 242, 243, 244
 nonlinear, 3, 9, 20, 239
- Campbell–Baker–Hausdorff theorem, 79
- canonical average, 78, 83, 97, 102, 240
- canonical distribution function, 80, 96, 97, 101, 108, 135, 157, 183, 223, 240
- canonical ensemble, 3, 7, 8, 19, 20, 77, 87, 91, 94, 95, 97, 102, 108, 111, 112, 113, 125, 135, 136, 152, 169, 173, 175, 225, 232, 241, 242, 283
- canonical momentum, 35, 94, 98, 149, 153
- canonical partition function, 104
- Cantor set, 255
- chaos, 247, 249, 255
 characterization of, 258–9, 265
 in planar Couette flow, 267–81
- colour conductivity, 125, 127, 128, 149, 151, 152, 232, 239, 244
- colour current, 124, 125, 126, 127, 128, Gaussian constant, 149–52
- colour diffusion, 126, 243, 279
- colour field, 124, 126, 127, 128, 149, 150, 151, 240
- colour Hamiltonian, 124, 149
- composition theorem, 214–6, 218
- compressibility, 232, 237–9
- computational efficiency, 128, 187
- computer simulation algorithms, 4, 5, 117–65
- conjugate thermodynamic variables, 8, 19, 20, 23
- conservation equations, 11–7, 24, 25, 65
- constant stress ensemble, 155–63
- constitutive relations, 27
 linear, 25
 Newtonian, 2, 26
 non-Markovian, 27–32
- constraint plane, 37, 38, 41
- correlation dimension, 260, 261
- Couette flow, 4, 27, 87, 110, 135, 136, 137, 143, 170, 172, 194, 232, 235, 266
 chaos in, 267–81
 and shear viscosity, 128–33
- Curie’s theorem, 20–7

- current correlation function, 91, 151
- deforming cube boundaries, 130, 131
- derived properties, 148, 231, 237
- differential feedback, 102
- differential response, 188–94
- differential susceptibility, 239–42
- differential transient time correlation
 - function (DTTCF), 191, 192, 194
- diffusion coefficient (*see also* ‘self diffusion coefficient’), 2, 80, 128
- dilation rate, 135, 154, 155, 237
- dimensional contraction, 278, 279
- discrete mapping, 247
- dissipation, 8, 125, 134, 135, 147, 148, 151, 153, 172, 274
- dissipative flux, 94, 96, 97, 98, 110, 112, 120, 148, 171, 175, 182, 224, 229, 231, 234, 237, 239, 240, 241, 267
- DOLLS tensor algorithm, 133–6
- Dorfman’s Lemma, 3
- dynamic invariants, 264
- dynamical systems, 264, 267, 280
- Dyson decomposition, 60–3, 82, 85, 114, 170, 171, 224
- effective pair interactions, 121,
- Eigenvalues, 257, 287
- electrical conductivity, 93, 125, 128, 240
- energy continuity, 18
- energy density, 15, 64, 67, 68, 72, 90
- enhanced long time tails, 142, 201
- enthalpy, 6, 7, 8, 36, 73, 152, 155, 237, 238
- entropy, 9, 73, 74, 142, 196, 245, 259, 280
 - coarse grained, 246
 - fine grained, 9, 282, 283
 - Gibbs, 246, 282, 287
 - Green’s expansion, 272, 281–91
 - Kolmogorov (metric), 264
 - production, 17–20
 - source strength, 20, 21, 23
- equilibrium distribution function, 53, 56, 80, 84, 135, 136, 156, 157, 158, 167, 175, 178, 195, 223, 224, 227, 245, thermostats and, 98–108
- equilibrium time correlation functions, 6, 9, 56–9, 78, 79, 80, 93, 97, 111, 112, 113, 115, 117, 118, 119, 121, 152, 176, 178, 192, 194, 200, 243
- ergodic consistency, 111
- ergodic hypothesis, 70
- ergodic system, 7, 51, 52, 53, 101, 104
- ergodic theorem of Oseledec, 55
- ergodicity, 51–3
- Evans–Gillan equations of motion, 7
- f -Liouvillean, 158, 216, 218, 225
- f -propagators, 215, 216, 218,
 - relationship between p - and, 221–3
- fast process, 88
- fictitious external field, 119
- fixed points, 101, 216, 248, 249, 250, 253, 255, 257
- flux autocorrelation function, 78
- fluxes, instantaneous representation of, 69–73
- Fourier–Laplace transform, 28, 29, 60, 87, 127, 141, 151, 158, 159
- Fourier transform, 70, 71, 135
- Fourier’s law, 24
- Fractal (Hausdorff) dimension, 261, 273
- free energy, 245, 260, 261
- frequency, collision, 274
- frequency dependent colour resistance, 151

- frequency dependent conductivity, 151
- frequency dependent linear response relations, 158
- frequency dependent viscosity, 28, 29, 83, 135, 140, 141, 159, 160
- frequency domain, 28, 159
- frequency matrix, 85
- friction coefficient, 77, 79, 80, Brownian, 86
- Gauss' principle of holonomic constraints, 39–41
- Gauss' principle of least constraint, 36–9, 98, 265
- Gauss' principle of nonholonomic constraints, 41–2
- Gaussian constant colour current algorithm, 149–52
- Gaussian isokinetic distribution, 111
- Gaussian isokinetic dynamics, 101, 114, 176
- Gaussian isokinetic equations of motion, 6, 41, 80, 99, 102, 107, 109, 114, 119, 170
- Gaussian isokinetic Liouvillean, 111, 223, 233
- Gaussian isokinetic SLLOD algorithm, 138
- Gaussian isokinetic thermostat, 98–102, 143
- Gaussian multiplier, 38, 39, 99, 113, 145, 148, 149, 150, 226, 237, 239, 246
- Gear predictor corrector, 123, 155
- generalized dimensions, 260–2
- generalized entropies, 264
- generalized Gibbs relation, 286
- Gibbs entropy, the, 245, 246, 282, 283, 287
- Gibbsian ensemble theory, 1, 3, 7, 9, 69
- Gillan–Dixon algorithm for thermal conductivity, 147
- GK time window, 201, 204, 205
- Green's expansion for entropy, 272, 281–91
- Green–Kubo formulae, 93, 134, 142, 145, 146, 184, 185, 186, 188, 199
- Green–Kubo relations, 4, 88, 89–92, 118, 119, 124, 125, 129, 135, 137, 148, 151, 172, 176, 192, 199, 231
- Hamilton, 33, 34, 35
- Hamilton–Jacobi equations, 35
- Hamiltonian, a/the, 7, 8, 35, 38, 42, 45, 46, 51, 55, 94, 95, 118, 120, 124, 125, 134, 146, 178, 224
 - the colour, 124, 149
 - DOLLs tensor, 133
 - the Nosé, 103, 104, 110
- Hamiltonian dynamics, 7
- Hamiltonian mechanics, 34–5, 36, 38
- Hamilton's equations of motion, 35, 123, 150, 179, 183, 220
- heat flux vector, 16, 19, 20, 67, 68, 69, 72, 73, 114, 145, 146, 147, 258
- Heisenberg representations, 48–51, 64, 172, 218–20, 227
- Heisenberg uncertainty principle, 282
- Hermitian adjoint, 48, 58
- Hermitian conjugate, 47, 169, 170
- Hermitian operators, 58, 82, 95
- Holian colour labelling algorithm, 124
- holonomic constraints (*see also* 'Gaussian'), 37, 39–41, 42
- hydrostatic pressure, 135, 154, 187, 197, 237, 287

- identity mapping, 178
- infinite checker board, 200
- infinite frequency shear modulus, 28, 176
- information dimension, 259, 260, 261, 268–9, 273, 274
- instantaneous pressure tensor (*see also* ‘pressure tensor’), 70, 73, 134
- integral feedback mechanism, 102, 231
- internal energy, 5, 7, 15, 16, 36, 47, 90, 94, 98, 99, 110, 137, 138, 139, 150, 154, 156, 157, 158, 232, 233, 235, 236, 267, 285, 287
- intrinsically nonlinear response, 184, 185, 191, 192, 193
- inverse theorem, 211–4, 225
- Irving–Kirkwood procedure, 63–9, 71, 72, 144
- isobaric specific heat, 237–9
- isobaric-isoenthalpic ensembles, 8, 155
- isobaric-isoenthalpic molecular dynamics, 155
- isochoric specific heat, 232, 238, 239
- isokinetic distribution, 100, 101, 107, 108, 110, 111, 171, 223
- isokinetic equations of motion (*see also* ‘Gaussian’), 6, 41, 98, 107, 108, 109, 119, 170, 171
- isokinetic planar Couette flow, 172
- isokinetic susceptibilities, 114
- isothermal-isobaric equations of motion, 155, 237
- isothermal-isobaric molecular dynamics, 153–5
- isotropic tensor, 22
- J-ensemble, 240, 241, 242, 244
- Jacobi acceleration space, 38
- Jacobi frame, 37, 38, 39
- Jacobian (stability) matrix, 55
- Kaplan–Yorke conjecture, 266, 272
- Kawasaki distribution, 168–72, 182, 183, 194, 195, 197, 227, 232, 242, 280
 - bare, 195, 197
 - renormalized, 169, 172, 197, 198, 234, 242, 280
- Kawasaki formalism, 197, 198, 231
- Kawasaki mapping, 178, 182
- Kawasaki normalization, 196, 197, 280
- kinetic temperature, 73–4, 102, 103, 143, 236, 268, 284, 285, 286, 287, 290
- Kirkwood’s factorization, 282
- Kolmogorov entropy, 264
- Kronecker delta tensor, 21, 22
- Kubo relation, 2, 5, 6, 9,
- Kubo’s form nonlinear response, 167–8
- Lagrange’s equations, 33–4, 35
- Lagrange multiplier, 39, 128, 150
- Langevin equation, 77–80, 81, 82, 83, 84, 86, 89, 137
- Lees–Edwards boundary conditions, 129–33
- left time ordered, 216,
- Lennard–Jones argon representation, 201
- Lennard–Jones atoms, 279
- Lennard–Jones fluid, 127, 138, 140, 147, 152, 160, 161, 162, 183, 194, 200, 203, 235
- Lennard–Jones potential, 121, 122
- Levi–Civita tensor, 23
- linear constitutive equation, 24, 25, 84, 117, 158, 198

- linear response theory, 3, 4, 6, 7, 41, 93–115, 117, 120, 125, 126, 127, 134, 146, 147, 151, 156, 157, 158, 167, 191, 209, 226, 228, 231, 233
 - van Kampen objection to, 198–207
- Liouville equation, 3, 7, 33, 43–51, 56, 63, 95, 100, 101, 107, 109, 156, 157, 167, 168, 169, 170, 172, 195, 196, 216, 245, 246
- local thermodynamic equilibrium
 - postulate, 17, 18, 20, 25, 73, 231, 233
- Lorenz model, 247, 256–8, 267
- Löschmidt’s paradox, 280
- Lyapunov dimension, 265–6, 272, 273, 278
- Lyapunov exponents, 53–6, 196, 203, 206, 258, 264–5, 266, 268, 272–81
- Lyapunov function, 256, 257
- Lyapunov instability, 190, 203
- Lyapunov noise, 190, 194
- Lyapunov spectra, 274, 275, 276, 277, 278, 279
- Lyapunov time, 195, 196, 206
- mapping parities, 179
- mass continuity equation, 12, 15, 16, 18, 65
- Maxwell memory function, 29, 31, 32
- Maxwell model of viscoelasticity, 28, 29, 30, 32, 141
- Maxwell relaxation time, 28, 29, 206
- mean square displacement, 79, 80
- mechanical transport coefficients, 4, 93, 118, 119
- memory function equation, 83, 84, 90, 141, 151
- memory kernel, 78, 79, 83, 84, 85, 87
- microcanonical ensemble, 98, 112, 152
- minimum image, 122, 284
- mixing, 51–6, 174, 193, 232, 233, 239, 244, 264, 274, 286
- mode-coupling theory, 139, 141
- molecular dynamics, 148, 152, 167, 176, 198, 199, 205, 231, 235, 247
 - isobaric-isoenthalpic, 155
 - isothermal-isobaric, 153–5
- momentum continuity equation, 14
- momentum density, 64, 65, 69, 70, 71, 83
- Mori conjecture, 272
- Mori dimension, 266, 272, 273
- Mori–Zwanzig theory, 80–4, 85, 86, 87
- mutual diffusion coefficients, 124, 128
- Navier–Stokes constitutive relation, 27, 28
- Navier–Stokes equations, 11, 25, 26, 27, 63, 77, 256
- Navier–Stokes processes, 9, 93
- Navier–Stokes transport coefficients, 1, 2, 3, 4, 24, 30, 89–91, 114, 118, 119, 123, 128, 199
- NEMD, 5, 9, 118, 120, 121, 123, 124, 128, 142, 145, 152, 156, 176, 183, 185, 186, 187, 188, 190, 194, 197, 200, 235, 236, 279
 - synthetic, 120, 123
- Newton’s constitutive relation, 2, 26, 30
- Newton’s equations of motion, 7, 37, 38, 64, 65, 80, 119, 128, 129
- Newton’s laws of motion, 33
- Newton’s law of viscosity, 24, 86
- Newtonian dynamics, 97, 114, 136
- Newtonian fluids, 28, 73, 140, 184, 200
- Newtonian Liouvillean, 113
- Newtonian mechanics, 33, 36
- non-Galilean time, 103, 105, 107

- non-Markovian, 77, 84, 97
 - constitutive relations, 27–32
- non-Newtonian behaviour, 204
- non-Newtonian fluids, 140
- nonautonomous equations of motion, 268
- nonequilibrium entropy, 9, 10, 245, 280, 282, 290
- nonequilibrium molecular dynamics (*see also* ‘NEMD’)
- nonequilibrium phase transition, 142
- nonequilibrium steady states, 6, 7, 8, 9, 51, 148, 167, 198, 231, 232, 235, 240, 245, 246, 247, 280, 281, 282, 291
- nonholonomic constraints (*see also* ‘Gauss’ principle for’), 37, 41–2
- nonlinear systems, 53, 247
- norm (in Liouville space), 58, 59, 64
- normal stress coefficients, 140
- normal stress differences, 135, 140, 187, 188
- Norton ensemble, 9, 127, 148–52, 155, 156, 157, 159, 160, 162, 241, 242, 243
- Nosé susceptibilities, 112, 114
- Nosé–Hoover dynamics, 7, 108
- Nosé–Hoover equations of motion, 7, 80, 102–8, 159
- Nosé–Hoover feedback methods, 153, 156, 157, 232
- Nosé–Hoover multiplier, 145
- Nosé–Hoover relaxation time, 158
- Nosé–Hoover thermostat, 7, 117, 156, 158, 175, 231
- Onsager’s regression hypothesis, 84, 87, 93
- orthogonal periodic boundary conditions, 123, 129
- ostensible dimensions of phase space, 246
- Oseledec, ergodic theorem of, 55
- p -Liouvillean, 210, 211, 218, 221, 224
- p -propagator, 170, 209, 210, 211, 214, 215, 216, 217, 221, 224, 225
- parity operators, 179, 181, 193
- peculiar kinetic energy, 69, 108, 126, 138, 145, 149, 154, 202, 232, 233, 237, 287
- periodic orbit, 249
- phase space, 7, 9, 10, 42–3, 44, 48, 50, 52, 53, 54, 55, 70, 81, 101, 106, 110, 156, 177, 190, 216, 219, 246, 247, 258, 264, 265, 267, 268, 274, 278, 280, 282, 286, 290
 - adiabatic incompressibility of, 95, 109, 237, 240
 - mappings of, 182, 193
- phase space compression factor, 45, 46, 47, 48, 51, 55, 109, 157, 170, 171, 222, 279
- phase space distribution, 7, 9, 44, 45, 246, 269, 270, 271, 279, 281
- phase space separation, 200, 201, 202, 203, 204, 205
- Poincaré recurrence time, 43
- potential energy, 34, 64, 65, 102, 121, 122, 287
- pressure tensor (*see also* ‘instantaneous pressure tensor’), 13, 14, 17, 19, 24, 26, 27, 67, 68, 69, 70, 71, 72, 73, 114, 134, 137, 140, 173, 185, 186, 285, 286, 287, 289, 290
- profile biased thermostats (PBT), 143, 145
- profile unbiased thermostats (PUT), 144, 145
- projection operators, 81, 82
- propagator (*see also* ‘ f -’ and ‘ p -’), 3

- quadratic map, 247, 248–55, 262, 267
- quasi-isothermal systems, 117
- Rahman–Parrinello method, 153
- random force, 77, 81, 82, 83, 84, 85, 86
- reduced units, 121, 235
- resolvent, 60, 61
- Reynolds number, 4, 98, 130, 134, 135, 138, 143, 144, 145
- rheology, 4, 138, 200
- right ordered, 211, 218
- Runge–Kutta methods, 123, 195, 258
- Sarkovski theorem, the, 249
- scalar product, 58, 59, 81
- Schrödinger–Heisenberg equivalence, 49, 96, 172, 195, 234
- Schrödinger picture, 49, 51, 172
- Schrödinger representations, 48–51, 64, 95, 218–20, 227, 233
- self adjoint, Hermitian, 47, 48, 58
- self diffusion, 119, 124–8
- self diffusion coefficient, 2, 80, 86, 115
- shear dilutancy, 184, 186, 191, 192, 287
- shear flow (*see also* ‘Couette flow’), 2, 4, 8, 26, 27, 86, 98, 121, 129, 133, 135, 142, 178, 180, 187, 194, 198, 199, 279
 - thermostatting, 142–5
- shear modulus, 28, 176
- shear stress, 2, 3, 4, 8, 27, 28, 29, 30, 86, 87, 135, 155, 156, 157, 158, 168, 170, 178, 179, 183, 184, 185, 187, 190, 191, 192, 195, 197, 267, 279, 280, 287
- shear viscosity, 2, 4, 5, 6, 24, 27, 77, 80, 84, 87, 88, 89, 91, 115, 119, 120, 158, 159, 168, 192, 193, 200, 201, 204, 205
 - Couette flow and, 128–42
- signal-to-noise ratios, 117, 176
- sliding brick boundary conditions, 4, 130, 131
- SLLOD algorithm, 129, 132, 133–42, 180, 194, 267, 279
- SLLOD equations of motion, 8, 89, 143, 144, 153, 173, 181, 200, 267, 285
- soft discs, 142, 198, 284, 285
- soft sphere potential, 122, 236
- specific heat, 5, 90, 91, 232–6
 - isobaric, 237–9
- stationary system, 51
- steady states, 3, 5, 6, 74, 97, 112, 118, 120, 135, 170, 172, 175, 176, 178, 183, 185, 186, 187, 190
 - fluctuations, 231–44
 - nonequilibrium, 6, 7, 8, 9, 51, 74, 148, 167, 185, 198, 231
 - towards a thermodynamics of, 245–91
- strain rate, 2, 3, 4, 8, 27, 28, 29, 30, 31, 32, 86, 87, 89, 129, 135, 136, 138, 139, 140, 141, 145, 155, 156, 157, 168, 170, 176, 183, 184, 187, 188, 190, 191, 192, 199, 200, 201, 202, 203, 204, 205, 206, 236, 267, 268, 269, 270, 273, 274, 275, 278, 286, 287, 289, 290
- strain rate autocorrelation function, 160
- strain rate tensor, 19, 133, 134, 135, 153
- stress autocorrelation function, 83, 88, 89, 159, 160
- stress overshoot, 185, 187
- string phase, 142, 143, 145, 268, 269
- subtraction method, 189, 190, 194
- tangent vectors, 55, 265
- thermal conductivity, 2, 20, 24, 42, 89, 90, 91, 115, 119, 120, 145–8

- thermal diffusion coefficients, 124
- thermal diffusivity, 90, 91
- thermal transport coefficients, 3, 4, 91, 97, 117, 118, 119
- thermodynamic fluxes, 5, 8, 9, 19, 20, 25, 30, 69, 114, 148, 197, 239, 242
- thermodynamic force(s), 3, 8, 9, 19, 20, 21, 23, 25, 63, 73, 117, 148, 148, 168, 239, 242, 243
- thermodynamic pressure, 286, 287, 289, 290
- thermodynamic temperature, 73, 74, 100, 236, 284, 285, 286, 287, 290
- thermostatted equations of motion (*see also* 'Gaussian isokinetic equations'), 6, 7, 80, 108, 119, 173, 226, 237
- thermostatting multiplier, 103, 126, 138, 145, 149, 154, 156, 183, 237, 285
- Thévenin circuit, 20, 148
- Thévenin ensemble, 9, 148, 149, 151, 152, 160, 239
- time dependent response theory, 209–29
- time ordered exponentials, 209, 217–8, 226
- time reversal mapping, 177, 178, 179, 180, 181, 182
- topological dimension, 259
- trajectory mappings, 176–83, 184, 193, 195
- transient time correlation function (TTCF), 5, 172–6, 184, 185, 186, 187, 188, 190, 192, 197, 198, 231, 242, 243
- transverse momentum current, 84, 85, 86, 136
- van Kampen objection (*see also* 'linear response theory'), 6, 198–207
- velocity autocorrelation function, 2, 79, 124, 125, 127
- virial pressure, 284, 286
- viscoelasticity, 27–32, 84, 89, 97, 135, 138, 141
- viscous pressure tensor, 19
- WCA particles, 138, 183
- WCA potential, 268, 269
- Weissenberg effect, 140
- y-reflection mapping, 178, 179, 181, 182
- zero wavevector, 30, 85, 86, 87, 88, 89, 91, 134, 136, 137, 138